

SDS

SAFETY DATA SHEET

Oakwood Products, Inc
730 Columbia HWY N
Estill, SC 29918
www.oakwoodchemical.com

Phone Numbers:

Product Information	803-739-8800
Transportation Emergency	800-451-8346
Outside the USA	760-602-8700

MATERIAL IDENTIFICATION

NAME: **N-Ethyl-3-methylaniline**
CAS#: [102-27-2]
CAT#: 216666
For R&D use only.

HAZARDS IDENTIFICATION**GHS Classification**

Flammable liquids (Category 4)
Acute toxicity, oral (Category 3)
Acute toxicity, dermal (Category 3)
Skin corrosion/irritation (Category 2)
Serious eye damage/eye irritation (Category 2A)
Acute toxicity, inhalation (Category 3)
Respiratory tract irritation (Category 3)
Hazardous to the aquatic environment, long-term hazard (Category 3)

GHS Label elements, including precautionary statements

Pictograms



Signal Word

Danger

Hazard Statement(s)

H227	Combustible liquid
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

Precautionary Statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER or doctor/physician if you feel unwell.
P403 + P235	Store in a well-ventilated place. Keep cool.

COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms	: N-Ethyl-m-toluidine, 3-(Ethylamino)toluene, N-Ethyl-3-aminotoluene
Formula	: C ₉ H ₁₃ N
Molecular Weight	: 135.21 g/mol

CAS	Description	Concentration
102-27-2	N-Ethyl-3-methylaniline	97%

FIRST AID MEASURES**In case of eye contact**

Immediately flush eyes with running water for at least 15 minutes while keeping eyes open. Seek medical attention.

In case of skin contact

Wash thoroughly with soap and plenty of water. Seek medical attention.

If inhaled

Remove victim from source of exposure to fresh air. If breathing is difficult, administer oxygen. Seek medical attention.

If swallowed

Do not induce vomiting. Give water to victim to drink. Seek medical attention.

FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Use carbon dioxide, dry chemical powder, alcohol-resistant or polymer foam.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual fire and explosion hazards/decomposition of product

emits toxic fumes under fire conditions.

ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing fumes, vapors, mists or gas. Ventilate area. Remove all sources of ignition. Evacuate personnel.

Environmental precautions

Prevent further leakage if safe to do so.

Methods and materials for containment and clean up

Absorb spills on sand or vermiculite and place in closed container for disposal.

HANDLING AND STORAGE

Precautions for safe handling

Avoid prolonged use. Avoid all direct contact with material. Do not breathe dust or vapor. Wash thoroughly after handling.

Precautions for safe storage

Keep container tightly closed. Store in a cool, dry, well-ventilated area.

EXPOSURE CONTROL/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Eye/face protection

Wear protective safety goggles or face shields tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Hand/skin protection

Avoid all direct contact with product.
Wear chemical-resistant gloves.
Wear protective clothing and boots.
After contact with skin, wash immediately.

Respiratory protection

Ensure adequate ventilation during use. Approved respiratory equipment must be used when airborne concentrations are unknown or exceed the exposure limits.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Brown liquid
Odour	no data available
Odour Threshold	no data available
Melting point/Freezing Point	no data available
Boiling Point	221°C
Flash Point	89°C-closed cup
Evaporation Rate	no data available
Flammability (solid, gas)	no data available
Upper/Lower Flammability or Explosive limits	no data available

Vapour pressure	no data available
Relative Density	0.957
Solubility(ies)	no data available
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Refractive Index	1.546

STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Incompatible materials

Strong oxidizing agents, strong acids, acid chlorides, acid anhydrides, and chloroformates.

Hazardous decomposition products

May evolve carbon monoxide, carbon dioxide, and nitrogen oxides.

TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

Mouse - 280 mg/kg

Skin corrosion/irritation

Causes skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

May cause respiratory irritation

STOT-repeated exposure

no data available

Aspiration hazard

no data available

Exposure Routes

Harmful to skin, eyes, and respiratory system.
May be toxic if inhaled or swallowed.

Signs and Symptoms of Exposure

Absorption into the body leads to the formation of methemoglobin which in sufficient concentration causes cyanosis. Onset may be delayed 2 to 4 hours or longer.

Additional Information

RTECS: CY0440000

To the best of our knowledge, the health hazards of this material have not been fully investigated.

ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish:

LC50 - Pimephales promelas (fathead minnow) - 49.5 mg/l - 96h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

DISPOSAL CONSIDERATIONS

Dissolve in or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all Federal, State and local laws.

TRANSPORT INFORMATION

DOT

N-Ethyltoluidines

6.1

UN2754 II

IMDG

N-Ethyltoluidines

6.1

UN2754 II
EMS-No: F-A, S-A
Marine Pollutant: No

IATA

N-Ethyltoluidines
6.1
UN2754 II

REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

New Jersey Right to Know Components

This product may contain a chemical on the New Jersey Right to Know Components List.

	CAS
N-Ethyl-3-methylaniline	102-27-2

California Prop. 65 Components

This product does not contain a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

OTHER INFORMATION

Version : 1.0

Revision Date : 10/6/2016

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Oakwood shall not be held liable for any damage resulting from handling or from contact with the above product.