# **SAFETY DATA SHEET**

Version 5.9 Revision Date 03/19/2018 Print Date 11/09/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : 4-Chlorophenol

Product Number : 185787
Brand : Aldrich
Index-No. : 604-008-00-0

CAS-No. : 106-48-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332 Acute toxicity, Dermal (Category 4), H312 Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 4), H413

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Pictogram

➂

Signal word Warning

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H401 Toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of soap and water. Call a POISON

CENTER or doctor/ physician if you feel unwell.

breathing. Call a POISON CENTER/doctor if you feel unwell.

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Stench.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : C<sub>6</sub>H<sub>5</sub>CIO

Molecular weight : 128.56 g/mol
CAS-No. : 106-48-9
EC-No. : 203-402-6
Index-No. : 604-008-00-0

**Hazardous components** 

Component	Classification	Concentration
4-Chlorophenol		
	Acute Tox. 4; Aquatic Acute 2; Aquatic Chronic 2; H302 + H312, H411	90 - 100 %
Phenol		
	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Muta. 2; STOT RE 2; Aquatic Acute 3; Aquatic Chronic 2; H301 + H311 + H331, H314, H341, H373, H402, H411	0.1 - 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Aldrich - 185787 Page 2 of 9

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

No data available

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. Stench.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Componente with	Workplace col	iti oi parailloti	310	
Component	CAS-No.	Value	Control parameters	Basis
Phenol	108-95-2	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Central Nervous System impairment Upper Respiratory Tract irritation Lung damage		

(see BEI® Not classi	Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen Danger of cutaneous absorption		
TWA	5 ppm 19 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential f	Potential for dermal absorption		
С	15.6 ppm 60 mg/m3	USA. NIOSH Recommended Exposure Limits	
	Potential for dermal absorption 15 minute ceiling value		
TWA	5 ppm 19 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	Skin designation The value in mg/m3 is approximate.		
PEL	5 ppm 19 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin	·		

Hazardous components without workplace control parameters

### Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Aromatic compound	-	Phenol	250mg/g Creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As soon as possible after exposure ceases)			

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Aldrich - 185787 Page 4 of 9

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solidb) Odour Stench.

c) Odour Threshold No data available
 d) pH No data available
 e) Melting point/freezing point

No data available

f) Initial boiling point and

and 220 °C (428 °F) - lit.

boiling range

g) Flash point 121 °C (250 °F) - closed cup

h) Evaporation rate No data available
 i) Flammability (solid, gas) No data available
 j) Upper/lower No data available

flammability or explosive limits

Vapour pressure 1 hPa (1 mmHg) at 49.8 °C (121.6 °F)

I) Vapour density No data available

m) Relative density 1.306 g/mL at 25  $^{\circ}$ C (77  $^{\circ}$ F)

n) Water solubility No data available

o) Partition coefficient: noctanol/water log Pow: 2.39log Pow: 5

p) Auto-ignition temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

## 9.2 Other safety information

No data available

## **10. STABILITY AND REACTIVITY**

#### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

Aldrich - 185787 Page 5 of 9

### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Acid chlorides, Acid anhydrides, Oxidizing agents

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 670 mg/kg

LC50 Inhalation - Rat - 11 mg/m3

LD50 Dermal - Rat - 1,500 mg/kg

Remarks: Behavioral:Muscle contraction or spasticity. Extremely corrosive and destructive to tissue.

No data available

#### Skin corrosion/irritation

No data available

## Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

Rat

Cytogenetic analysis

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

# Reproductive toxicity

No data available

Reproductive toxicity - Mouse - Inhalation

Paternal Effects: Spermatogenesis (including genetic material, sperm morphology,motility, and count). Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Embryo or Fetus: Fetal death.

No data available

### Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

Aldrich - 185787 Page 6 of 9

#### **Additional Information**

RTECS: SK2800000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Stomach - Irregularities - Based on Human Evidence (Phenol)

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish mortality NOEC - Cyprinodon variegatus (sheepshead minnow) - 3.2 mg/l

96.0 h

LC50 - Lepomis macrochirus (Bluegill) - 3.1 - 4.8 mg/l - 96.0 h

Toxicity to daphnia and

other aquatic invertebrates

mortality NOEC - Daphnia (water flea) - 0.2 mg/l - 8 d

EC50 - Daphnia magna (Water flea) - 2.8 - 8.6 mg/l - 24 h

### 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 42 d

- 4 µg/l

Bioconcentration factor (BCF): 11 - 52

Cyprinus carpio (Carp) - 42 d

- 40 µg/l

Bioconcentration factor (BCF): 6.0 - 18.0

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2020 Class: 6.1 Packing group: III

Proper shipping name: Chlorophenols, solid

Reportable Quantity (RQ): Poison Inhalation Hazard: No

**IMDG** 

UN number: 2020 Class: 6.1 Packing group: III EMS-No: F-A, S-A

Proper shipping name: CHLOROPHENOLS, SOLID

Aldrich - 185787 Page 7 of 9

IATA

UN number: 2020 Class: 6.1 Packing group: III

Proper shipping name: Chlorophenols, solid

### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. **Revision Date** 

108-95-2 2007-07-01

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 106-48-9 2007-03-01 4-Chlorophenol

#### SARA 311/312 Hazards

Acute Health Hazard

### **Massachusetts Right To Know Components**

· ·	CAS-No.	Revision Date
4-Chlorophenol	106-48-9	2007-03-01
Phenol	108-95-2	2007-07-01

#### Pennsylvania Right To Know Components

oo, u u. g o o o poo	CAS-No.	Revision Date
4-Chlorophenol	106-48-9	2007-03-01
Phenol	108-95-2	2007-07-01

	CAS-No.	Revision Date
4-Chlorophenol	106-48-9	2007-03-01
Phenol	108-95-2	2007-07-01

#### **New Jersey Right To Know Components**

ion colocy inglicitorials compensions		
	CAS-No.	Revision Date
4-Chlorophenol	106-48-9	2007-03-01
Phenol	108-95-2	2007-07-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity Acute aquatic toxicity Aquatic Acute Aquatic Chronic Chronic aquatic toxicity Eye Dam. Serious eye damage

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled.

H331

H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin.

Harmful in contact with skin. H312

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life. Harmful to aquatic life. H402

Toxic to aquatic life with long lasting effects. H411

May cause long lasting harmful effects to aquatic life. H413

Muta. Germ cell mutagenicity

Aldrich - 185787 Page 8 of 9 Skin Corr. Skin corrosion

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 1
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 1
Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.9 Revision Date: 03/19/2018 Print Date: 11/09/2018

Aldrich - 185787 Page 9 of 9