

TCI AMERICA SAFETY DATA SHEET

Revision number: 3
Revision date: 08/15/2016

1. IDENTIFICATION

Product name: p-Toluidine
Product code: p-To300

Product use: For laboratory research purposes.

Restrictions on use: Not for drug or household use.

Company: TCI America

9211 N. Harborgate Street Portland, OR 97203 U.S.A.

Telephone:

+1-800-423-8616 / +1-503-283-1681

Fax:

+1-888-520-1075 / +1-503-283-1987

e-mail

sales-US@TClchemicals.com www.TClchemicals.com

Emergency telephone number:

Chemical Emergencies:

TCI America (8:00am - 5:00pm) PST

+1-503-286-7624

Transportation Emergencies:

Chemtrec 24-Hour

+1-800-424-9300 (U.S.A.)

+1-703-527-3887 (International)

Responsible department: TCI America

Environmental Health Safety and Security

+1-503-286-7624

2. HAZARD(S) IDENTIFICATION

OSHA Haz Com: CFR 1910.1200: Acute Toxicity - Oral [Category 4]

Acute Toxicity - Dermal [Category 3]
Acute Toxicity - Inhalation [Category 3]
Eye Damage/Irritation [Category 2A]
Sensitization - Skin [Category 1]
Carcinogenicity [Category 2]

Specific Target Organ Toxicity (Single Exposure) [Category 1]
Specific Target Organ Toxicity (Single Exposure) [Category 3]
Specific Target Organ Toxicity (Repeated Exposure) [Category 1]

Aquatic Hazard (Acute) [Category 1]
Aquatic Hazard (Long-Term) [Category 1]

Signal word: Danger!

Hazard Statement(s): Causes serious eye irritation

Harmful if swallowed

May cause an allergic skin reaction Suspected of causing cancer Toxic in contact with skin

Toxic if inhaled

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

Causes damage to: Blood (System) Kidney Central Nervous System Urinary Bladder

May cause respiratory irritation.

Causes damage to organs: Blood (System) Urinary Bladder through prolonged or repeated exposure.

Pictogram(s) or Symbol(s):









Precautionary Statement(s): [Prevention]

Do not eat, drink or smoke when using this product. Wash hands and face thoroughly after handling. Wear protective gloves and protective clothing. Do not breathe dusts or mists. Use only outdoors or in a well-ventilated area. Wear eye and face protection. Avoid breathing dusts or mists. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection.

p-Toluidine TCI AMERICA Page 2 of 6

2. HAZARD(S) IDENTIFICATION

[Disposal]

[Response] If swallowed: Immediately call a poison center or doctor. Rinse mouth. If on skin: Wash with plenty of

water. Call a poison center or doctor if you feel unwell. Take off immediately all contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice or attention. If exposed: Call a poison center or doctor. Get

medical advice or attention if you feel unwell.

[Storage] Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents and container in accordance with US EPA guidelines for the classification and

determination of hazardous waste listed in 40 CFR 261.3. (See Section 13)

Hazards not otherwise classified: [HNOC] Causes mild skin irritation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Mixture:SubstanceComponents:p-ToluidinePercent:>99.0%(GC)(T)CAS Number:106-49-0Molecular Weight:107.16Chemical Formula: C_7H_9N

4. FIRST-AID MEASURES

Inhalation: May cause coughing, difficult breathing and nausea. Immediately call a poison center or doctor. Effects of

exposure (inhalation) to substance may be delayed. Inhalation of vapors or contact with substance will result in contamination and potential harmful effects. Move victim to fresh air. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is difficult. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and

take precautions to protect themselves.

Skin contact: Immediately call a poison center or doctor. Effects of exposure (skin contact) to substance may be

delayed. Remove and wash contaminated clothing before re-use. Remove and isolate contaminated clothing and shoes. In case of contact with substance, immediately flush skin with running water for at least 20 minutes. Treat symptomatically and supportively. Ensure that medical personnel are aware of the

material(s) involved and take precautions to protect themselves.

Eye contact: IMMEDIATELY flush eyes with running water for at least 15 minutes, keeping eyelids open. Contact with

material may irritate or burn eyes. Call emergency medical service. Move victim to fresh air. Check for and remove any contact lenses. Keep victim warm and quiet. Treat symptomatically and supportively. Effects of exposure to substance may be delayed. Ensure that medical personnel are aware of the material(s)

involved and take precautions to protect themselves.

Ingestion: Harmful if swallowed. Do not induce vomiting with out medical advice. Effects of exposure (ingestion) to

substance may be delayed. Call a physician or Poison Control Center immediately. Do not use mouth-to-mouth method if victim ingested the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Loosen tight clothing such as a collar, tie, belt or waistband. If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth. Keep victim warm and quiet. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Symptoms/effects:

Acute: Redness.

Delayed: May cause skin sensitization. Possibly carcinogenic to humans.

Immediate medical attention: WARNING: It might be dangerous to the person providing aid to give mouth-to-mouth respiration, because

the inhaled material is toxic. CAUTION: Victim may be a source of contamination. If breathing has stopped, perform artificial respiration. Use first aid treatment according to the nature of the injury. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, CO₂ or water spray. Consult with local fire authorities before attempting large scale fire

fighting operations.

Specific hazards arising from the chemical

p-Toluidine TCI AMERICA Page 3 of 6

5. FIRE-FIGHTING MEASURES

Hazardous combustion products: These products include: Carbon oxides Nitrogen oxides
Other specific hazards: Closed containers may explode from heat of a fire.

Special precautions for fire-fighters:

Use water spray or fog; do not use straight streams. Dike fire-control water for later disposal; do not scatter the material. Containers may explode when heated. Move containers from fire area if you can do it without risk.

Special protective equipment for fire-fighters:

Wear positive pressure self-contained breathing apparatus (SCBA). Structural fire fighters' protective clothing provides limited protection in fire situations ONLY; it may not be effective in spill situations. Wear chemical protective clothing which is specifically recommended by the manufacturer. It may provide little or no thermal protection.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid contact with skin, eyes, and clothing. Keep people away from and upwind of spill/leak. Do not touch

damaged containers or spilled material unless wearing appropriate protective clothing (Section 8). Warn unnecessary personnel to move away. Stop leak if you can do it without risk. Ensure adequate ventilation.

Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Personal protective equipment: Wear eye protection (splash goggles) and face protection (full length face shield). Verification (splash goggles) and face protection (full length face shield).

Wear eye protection (splash goggles) and face protection (full length face shield). Wear protective clothing (chemical resistant suit and chemical resistant boots). Dust respirator. Be sure to use a MSHA/NIOSH

approved respirator or equivalent. Wear protective gloves (nitrile).

Emergency procedures: Prevent dust cloud. Do not clean-up or dispose except under supervision of a specialist. In case of a spill

and/or a leak, always shut off any sources of ignition, ventilate the area, and excercise caution. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Warn personnel to move away. Prevent entry into sewers, basements or confined areas; dike if needed.

Methods and materials for containment and cleaning up:

ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if without risk. Absorb with an inert material and put the spilled material in an appropriate waste disposal container. Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill; use dry sand to contain the flow of material. Ventilate the area.

Environmental precautions:

Keep away from living quarters. Environmental hazard. Do not let product enter drains. Prevent further leakage or spillage if safe to do so. Water runoff can cause environmental damage. Prevent entry into sewers, basements or confined areas; dike if needed.

7. HANDLING AND STORAGE

Precautions for safe handling: Avoid inhalation of vapor or mist. Manipulate under an adequate fume hood. Do not ingest. Avoid contact

with skin and eyes. Avoid contact with skin. Avoid exposure - obtain special instructions before use. Avoid prolonged or repeated exposure. Normal measures for preventive fire protection. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Keep container dry. Handle and open container with care. Wear suitable protective clothing, gloves and eye/face protection. When using do not eat, drink, or smoke. Keep away from sources

of ignition.

Conditions for safe storage: Store locked up. Keep containers tightly closed in a cool, well-ventilated place. Keep away from

incompatibles. Containers which are opened must be carefully resealed and kept upright to prevent

leakage. Avoid prolonged storage periods. Store under inert gas (e.g. Argon).

Storage incompatibilities: Store away from oxidizing agents

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits:

ACGIH TLV (TWA): 2 ppm (skin)

Appropriate engineering controls:

Handle only in a fully enclosed system and equipment. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Ventilation is normally required when handling or using this product. Eyewash fountains should be provided in areas where there is any possibility that workers could be exposed to the substance. Follow safe industrial engineering/laboratory practices when handling any chemical.

Personal protective equipment

Respiratory protection:Dust respirator. Be sure to use a MSHA/NIOSH approved respirator or equivalent.

Hand protection:Nitrile gloves.Eye protection:Safety glasses.Skin and body protection:Lab coat.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state (20°C): Solid

Form: Crystal - Powder

9. PHYSICAL AND CHEMICAL PROPERTIES

Color: White - Slightly pale yellow

Odor: Aromatic
Odor threshold: No data available

Melting point/freezing point:43°C (109°F)pH:No data availableBoiling point/range:201°C (394°F)Vapor pressure:0.13kPa/42°C

Decomposition temperature: No data available **Vapor density:** 3.9

Relative density: No data available Dynamic Viscosity: No data available

Kinematic Viscosity: No data available

Partition coefficient: 1.39

n-octanol/water (log P_{ow})

Evaporation rate:

(Butyl Acetate = 1)

No data available

Flash point: 87°C (189°F) Autoignition temperature: 428°C (802°F)

Flammability (solid, gas): No data available Flammability or explosive limits:

Lower: 1.1% Upper: 6.6%

Solubility(ies):

Water: Very slightly soluble (6.64g/L, 20°C)

Very soluble: Ether, Alcohols, Acetone, Carbon disulfide

10. STABILITY AND REACTIVITY

Reactivity: Not Available.

Chemical Stability: Air sensitive. Heat sensitive. Light sensitive. Moisture sensitive.

Possibility of Hazardous Reactions: No hazardous reactivity has been reported.

Conditions to avoid: Air sensitive. Exposure to air. Exposure to light. Exposure to moisture. Heat sensitive. Light sensitive.

Incompatible materials:
Hazardous Decomposition Products:

Moisture sensitive.
Oxidizing agents
No data available

11. TOXICOLOGICAL INFORMATION

RTECS Number: XU3150000

Acute Toxicity:

orl-rat LD50:336 mg/kg skn-rbt LD50:890 mg/kg

ihl-rat LC50:640 mg/m³/1H scu-rat LD50:1012 mg/kg

Skin corrosion/irritation: skn-rbt 500 mg/24H MLD

Serious eye damage/irritation:

eye-rbt 20 mg/24H MOD

Respiratory or skin sensitization:

No data available

Germ cell mutagenicity:

dnd-mus-ipr 35 mg/kg dni-mus-orl 200 mg/kg

dns-rat-lvr 100 umol/L

Carcinogenicity:

orl-mus TDLo:64800 mg/kg/72W-I

IARC: No data available NTP: No data available OSHA: No data available

Reproductive toxicity:

No data available

Routes of Exposure: Inhalation, Eye contact, Ingestion, Skin contact.

p-Toluidine TCI AMERICA Page 5 of 6

Symptoms related to exposure:

Overexposure may result in serious illness or death. Eye contact may result in redness or pain. Skin contact may result in sensitization. Readily absorbed through skin. Inhalation causes irritation of the lungs and respiratory system. Skin contact may result in redness, pain or dry skin.

Potential Health Effects:

Skin and eye contact may result in irritation. Inhalation causes irritation of the lungs and respiratory system.

Target organ(s):

Causes damage to: Blood (System) Kidney Central Nervous System Urinary Bladder

May cause respiratory irritation.

Crustacea:

Causes damage to organs: Blood (System) Urinary Bladder through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Fish: 48h LC50:39.5 mg/L (Oryzias latipes)

96h LC50:120 mg/L (Oryzias latipes) 21d NOEC:13 mg/L (Oryzias latipes) 48h EC50:1.3 mg/L (Daphnia magna)

21d NOEC:0.011 mg/L (Daphnia magna)

Algae: 72h EC50:24 mg/L (Selenastrum capricornutum)

72h PC50.24 mg/L (Selenastrum capricornutum)
72h NOEC:3.1 mg/L (Selenastrum capricornutum)

Persistence and degradability: 1 - 98 % (by TOC), 1 - 100 % (by HPLC), 0 - 97 % (NH3) (by BOD)

Bioaccumulative potential (BCF): <1.3 (conc. 100 ug/L), <13 (conc. 10 ug/L)

Mobillity in soil: No data available

Partition coefficient: 1.39
n-octanol/water (log Pow)
Soil adsorption (Koc): 79 - 508
Henry's Law: 0.2

constant (PaM3/mol)

13. DISPOSAL CONSIDERATIONS

Disposal of product: Recycle to process if possible. It is the generator's responsibility to comply with Federal, State and Local

rules and regulations. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. This section is intended to provide assistance but does not replace these laws, nor does compliance in accordance with this section ensure regulatory compliance according to the law. US EPA guidelines for Identification and Listing of Hazardous Waste are listed in 40 CFR Parts 261. The product should not be allowed to enter the environment, drains,

water ways, or the soil.

Disposal of container: Dispose of as unused product. Do not re-use empty containers.

Other considerations:

Observe all federal, state and local regulations when disposing of the substance.

14. TRANSPORT INFORMATION

DOT (US)

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN3451 Toluidines, solid 6.1 Toxic material.

IATA

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN3451 Toluidines, solid 6.1 Toxic material.

IMDG

UN number: Proper Shipping Name: Class or Division: Packing Group:

UN3451 Toluidines, solid 6.1 Toxic material. I

EmS number: F-A, S-A

Reportable Quantitiy: 100 Pounds (45.4 Kilograms)

15. REGULATORY INFORMATION

Toxic Substance Control Act (TSCA 8b.):

This product is ON the EPA Toxic Substances Control Act (TSCA) inventory.

US Federal Regulations

CERCLA Hazardous substance and Reportable Quantity:

SARA 313: Not Listed SARA 302: Not Listed p-Toluidine TCI AMERICA Page 6 of 6

15. REGULATORY INFORMATION

State Regulations

State Right-to-Know

MassachusettsNot ListedNew JerseyListedPennsylvaniaNot ListedCalifornia Proposition 65:Not Listed

Other Information

NFPA Rating: HMIS Classification:

Health:2Health:2Flammability:2Flammability:2Instability:0Physical:0

International Inventories

WHMIS hazard class: B3: Combustible Liquid.

D1B: Materials causing immediate and serious toxic effects. (Toxic)

D2A: Materials causing other toxic effects. (Very Toxic)

EC-No: 203-403-1

16. OTHER INFORMATION

Revision date: 08/15/2016 Revision number: 3

TCI chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.