

## SAFETY DATA SHEET

Creation Date 04-Jun-2010 Revision Date 19-Jan-2018 Revision Number 3

1. Identification

Product Name 2-Chloroethanol

Cat No.: AC180960000; AC180960010; AC180960025; AC180961000

**CAS-No** 107-07-3

Synonyms Ethylene chlorohydrin

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

Company

Fisher Scientific Acros Organics
One Reagent Lane One Reagent Lane
Fair Lawn, NJ 07410 Fair Lawn, NJ 07410

Tel: (201) 796-7100

**Emergency Telephone Number** 

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Acute dermal toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 1

Category 1

### Label Elements

### Signal Word

Danger

#### **Hazard Statements**

Flammable liquid and vapor Fatal if swallowed Fatal in contact with skin Fatal if inhaled



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Do not get in eyes, on skin, or on clothing

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Wear respiratory protection

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

#### Skin

Immediately call a POISON CENTER or doctor/physician

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

## Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

### Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
Ethylene chlorohydrin	107-07-3	>95	

## 4. First-aid measures

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if

> victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate

medical attention is required.

Do not induce vomiting. Call a physician or Poison Control Center immediately. Ingestion

Most important symptoms and

effects

**Notes to Physician** 

Breathing difficulties. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

**Unsuitable Extinguishing Media** No information available

55 °C / 131 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 425 °C / 797 °F

**Explosion Limits** 

Upper 16 vol % 5 vol % Lower

Sensitivity to Mechanical Impact No information available No information available Sensitivity to Static Discharge

#### **Specific Hazards Arising from the Chemical**

Flammable. Very toxic. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Hydrogen chloride gas Carbon monoxide (CO) Carbon dioxide (CO2) Phosgene

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health Physical hazards **Flammability** Instability N/A

### 6. Accidental release measures

Personal Precautions Wear self-contained breathing apparatus and protective suit. Evacuate personnel to safe

areas. Remove all sources of ignition. Take precautionary measures against static discharges. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.

Avoid release to the environment. See Section 12 for additional ecological information. **Environmental Precautions** 

Up

Methods for Containment and Clean Wear self-contained breathing apparatus and protective suit. Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Use spark-proof tools and explosion-proof equipment.

## 7. Handling and storage

Handling Use only under a chemical fume hood. Wear personal protective equipment. Do not breathe

> vapors or spray mist. Do not get in eyes, on skin, or on clothing. Do not ingest. Use spark-proof tools and explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges.

#### Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area.

## 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethylene chlorohydrin	Ceiling: 1 ppm	Skin	IDLH: 7 ppm	Ceiling: 1 ppm
	Skin	(Vacated) Ceiling: 1 ppm	Ceiling: 1 ppm	Ceiling: 3 mg/m <sup>3</sup>
		(Vacated) Ceiling: 3 mg/m <sup>3</sup>	Ceiling: 3 mg/m <sup>3</sup>	
		TWA: 5 ppm		
		TWA: 16 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

electrical/ventilating/lighting/equipment. Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation

location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Physical State Liquid Appearance Clear

Odor Petroleum distillates
Odor Threshold No information available
pH 6-7 500 g/l aq.sol

Melting Point/Range -63 °C / -81.4 °F

Boiling Point/Range129 - 130 °C / 264.2 - 266 °FFlash Point55 °C / 131 °FEvaporation RateNo information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

 Upper
 16 vol %

 Lower
 5 vol %

 Vapor Pressure
 6.6 mbar @ 20 °C

 Vapor Density
 2.78 (Air = 1.0)

 Specific Gravity
 1.200

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition Temperature425 °C / 797 °F

Decomposition TemperatureNo information availableViscosity3.4 mPa s at 20 °C

Molecular FormulaC2 H5 Cl OMolecular Weight80.51

## 10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Moisture sensitive.

Conditions to Avoid Incompatible products. Exposure to moist air or water. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Bases, Metals, Strong acids

Hazardous Decomposition Products Hydrogen chloride gas, Carbon monoxide (CO), Carbon dioxide (CO2), Phosgene

**Hazardous Polymerization** No information available.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

# Product Information

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Ethylene chlorohydrin	LD50 = 71 mg/kg (Rat)	LD50 = 67 mg/kg ( Rabbit )	0.11 mg/L/4h (37 ppm) (Rat)	

**Toxicologically Synergistic** 

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Ethylene chlorohydrin	107-07-3	Not listed				

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
None known

Aspiration hazard No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

Endocrine Disruptor Information No information available

**Other Adverse Effects** 

See actual entry in RTECS for complete information.

## 12. Ecological information

#### **Ecotoxicity**

This product contains the following substance(s) which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ethylene chlorohydrin	EC50: 72 2 mg/L/72h	LC50: 49 - 84 mg/L, 96h	EC50 = 390.8 mg/L 15 min	EC50: 212 mg/L/48h
		static (Pimephales	EC50 = 9000 mg/L 9 h	
		promelas)	EC50 = 9600 mg/L 17 h	
		LC50: 26.4 - 34.5 mg/L, 96h		
		flow-through (Oryzias		
		latipes)		
		LC50: 19.2 - 24.1 mg/L, 96h		
		flow-through (Lepomis		
		macrochirus)		
		LC50: 35 - 40 mg/L, 96h		
		flow-through (Pimephales		
		promelas)		
		LC50: 30.8 - 41.2 mg/L, 96h		
		flow-through (Oncorhynchus		
		mykiss)		
	l	I ' '		

Persistence and Degradability

Miscible with water Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow		
Ethylene chlorohydrin	0.03		

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

## 14. Transport information

DOT

Proper Shipping Name ETHYLENE CHLOROHYDRIN

Hazard Class 6.1 Subsidiary Hazard Class 3 Packing Group |

**TDG** 

**UN-No** UN1135

Proper Shipping Name ETHYLENE CHLOROHYDRIN

Hazard Class 6.1 Subsidiary Hazard Class 3 Packing Group

ATA FORBIDDEN FOR IATA TRANSPORT

UN-No UN113

Proper Shipping Name ETHYLENE CHLOROHYDRIN, FORBIDDEN FOR IATA TRANSPORT

Hazard Class 6.1 Subsidiary Hazard Class 3 Packing Group 1

IMDG/IMO

**UN-No** UN1135

Proper Shipping Name ETHYLENE CHLOROHYDRIN

Hazard Class 6.1

Subsidiary Hazard Class 3
Packing Group 1

## 15. Regulatory information

#### **International Inventories**

	Component	TSCA	DSL	NDSL	<b>EINECS</b>	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Ī	Ethylene chlorohydrin	Χ	Χ	-	203-459-7	-		Χ	Χ	Χ	Χ	Х

#### Legend:

X - Listed

E - Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.

F - Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.

N - Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.

P - Indicates a commenced PMN substance

R - Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.

S - Indicates a substance that is identified in a proposed or final Significant New Use Rule

T - Indicates a substance that is the subject of a Section 4 test rule under TSCA.

XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).

Y1 - Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.

Y2 - Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

### U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

**CERCLA** This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs		
Ethylene chlorohydrin	-	500 lb		

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know

#### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethylene chlorohydrin	X	X	X	-	X

#### **U.S. Department of Transportation**

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

#### U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

### Other International Regulations

Mexico - Grade No information available

## **16. Other information**

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 04-Jun-2010

 Revision Date
 19-Jan-2018

 Print Date
 19-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**