

1 Identification

Product identifier

Product name: 2-Chloroethanol

Stock number: 36636

CAS Number:
107-07-3

EC number:
203-459-7

Index number:
603-028-00-7

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3, H226 Flammable liquid and vapour.



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 1 H310 Fatal in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02 GHS06

Signal word

Danger

Hazard statements

H226 Flammable liquid and vapour.

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 Wear respiratory protection.

P262 Do not get in eyes, on skin, or on clothing.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P320 Specific treatment is urgent (see on this label).

P361 Remove/Take off immediately all contaminated clothing.

P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B3 - Combustible liquid

D1A - Very toxic material causing immediate and serious toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 4 Health (acute effects) = 4

FIRE 2 Flammability = 2

REACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description:

107-07-3 2-Chloroethanol

Product name: 2-Chloroethanol	
Identification number(s): EC number: 203-459-7 Index number: 603-028-00-7	
(Contd. of page 1)	
4 First-aid measures	
Description of first aid measures General information Immediately remove any clothing soiled by the product. Remove breathing apparatus only after contaminated clothing has been completely removed. In case of irregular breathing or respiratory arrest provide artificial respiration. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Do not induce vomiting; immediately call for medical help. Information for doctor Most important symptoms and effects, both acute and delayed Fatal if inhaled. Fatal in contact with skin. Fatal if swallowed. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures	
Extinguishing media Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Hydrogen chloride (HCl) Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures	
Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Environmental precautions: Do not allow product to reach sewage system or any water course. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: No special measures required. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage	
Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection	
Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.	
Control parameters	
Components with limit values that require monitoring at the workplace:	
107-07-3 2-Chloroethanol (100.0%)	
PEL (USA)	Long-term value: 16 mg/m³, 5 ppm Skin
REL (USA)	Ceiling limit value: 3 mg/m³, 1 ppm Skin
TLV (USA)	Ceiling limit value: 3.3 mg/m³, 1 ppm Skin
EL (Canada)	Short-term value: C 1 ppm Skin
EV (Canada)	Skin
Additional information: No data	
(Contd. on page 3) USA	

Product name: 2-Chloroethanol

(Contd. of page 2)

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).
Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Material of gloves Fluorocarbon rubber (Viton)
Penetration time of glove material (in minutes) 480
Glove thickness 0.7 mm
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties
General Information
Appearance:
Form: Liquid
Odor: Ether-like
Odor threshold: Not determined.
pH-value: Not determined.
Change in condition
Melting point/Melting range: -63 °C (-81 °F)
Boiling point/Boiling range: 129 °C (264 °F)
Sublimation temperature / start: Not determined
Flash point: 55 °C (131 °F)
Flammability (solid, gaseous) Not determined.
Ignition temperature: 425 °C (797 °F)
Decomposition temperature: Not determined
Auto igniting: Not determined.
Danger of explosion: Not determined.
Explosion limits:
Lower: 5 Vol %
Upper: 16 Vol %
Vapor pressure at 20 °C (68 °F): 7 hPa (5 mm Hg)
Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal)
Relative density Not determined.
Vapor density Not determined.
Evaporation rate Not determined.
Solubility in / Miscibility with
Water: Fully miscible
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
dynamic: Not determined.
kinematic: Not determined.
Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions Reacts with strong oxidizing agents
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Fatal if inhaled.
Fatal in contact with skin.
Fatal if swallowed.
Danger through skin absorption.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification:

Oral	LD50	71 mg/kg (rat)
Dermal	LD50	67 mg/kg (rabbit)

Skin irritation or corrosion: May cause irritation
Eye irritation or corrosion: May cause irritation
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity:
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.

(Contd. on page 4)
USA

Product name: 2-Chloroethanol

(Contd. of page 3)

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
Carcinogenic categories
OSHA-Ca (Occupational Safety & Health Administration) Substance is not listed.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

UN-Number DOT, IMDG, IATA	UN1135
UN proper shipping name DOT IMDG, IATA	Ethylene chlorohydrin ETHYLENE CHLOROHYDRIN
Transport hazard class(es) DOT  Class Label Class Label IMDG, IATA  Class Label	6.1 Toxic substances. 6.1+3 6.1 (TF1) Toxic substances 6.1+3 6.1 Toxic substances. 6.1+3
Packing group DOT, IMDG, IATA	I
Environmental hazards:	Not applicable.
Special precautions for user Poison inhalation hazard: EMS Number:	Warning: Toxic substances Yes F-E,S-D
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Marine Pollutant (DOT): Remarks:	No This material is poisonous by inhalation in Hazard Zone B.
UN "Model Regulation":	UN1135, Ethylene chlorohydrin, 6.1 (3), I

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms


GHS02 GHS06

Signal word Danger
Hazard statements
H226 Flammable liquid and vapour.
H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

(Contd. on page 5)
USA

Product name: 2-Chloroethanol

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P284 Wear respiratory protection.
P262 Do not get in eyes, on skin, or on clothing.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P320 Specific treatment is urgent (see on this label).
P361 Remove/Take off immediately all contaminated clothing.
P302+P350 IF ON SKIN: Gently wash with plenty of soap and water.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

107-07-3 | 2-Chloroethanol

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the

market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 12/01/2016 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Acute Tox. 2: Acute toxicity, Hazard Category 2

Acute Tox. 1: Acute toxicity, Hazard Category 1