

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 06/22/2015

1 Identification

Product identifier

Product name: Maleic anhydride

Stock number: H66064

AS Number: 108-31-6 **EC** number: 203-571-6 Index number: 607-096-00-9

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

www.ana.com I**nformation Department:** Health, Safety and Environmental Department **Emergency telephone number:** During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



Acute Tox. 4 H302 Harmful if swallowed. Skin Sens. 1 H317 May cause an allergic skin reaction. **Hazards not otherwise classified** No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS07 GHS08

Signal word Danger Hazard statements

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317 May cause an allergic skin reaction.

Precautionary statements

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P284 In case of inadequate ventilation wear respiratory protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.


WHMIS classification

D2A - Very toxic material causing other toxic effects

E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

USA

Product name: Maleic anhydride

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 108-31-6 Maleic anhydride Identification number(s): EC number: 203-571-6 Index number: 607-096-00-9

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dióxide

Carpon monoxide and carbon dioxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up:

Methods and material for containment and cleaning up:
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Handle under dry protective gas. Keep container tightly sealed.

Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Prevent formation of dust.

Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Requirements to be met by storerooms and receptacles: Ni Information about storage in one common storage facility: Store away from water/moisture. Do not store together with acids. Store away from strong bases. Store away from oxidizing agents. Store away from reducing agents. Store away from amines. Store away from alkali metals. Further information about storage conditions: Store under dry inert gas.

Store under dry inert gas. This product is moisture sensitive.

This products moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

108-31-6 Maleic anhydride (100.0%)

PEL (USA) Long-term value: 1 mg/m³, 0.25 ppm

(Contd. on page 3)

(Contd. of page 2)

Product name: Maleic anhydride

Long-term value: 1 mg/m³, 0.25 ppm REL (USA) TLV (USA)

Long-term value: 0.01 mg/m³, 0.0025 ppm (SEN) NIC-DSEN, RSEN;*inhalable fraction + vapor

Long-term value: 0.1 ppm FI (Canada)

EV (Canada) Long-term value: 0.1 ppm

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use suitable respirator when high concentrations are present.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

With the time the selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined

Feretration time of grove material (in mile Eye protection: Tightly sealed goggles Full face protection Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:
Form:
Color:

Briquettes White Odor: Not determined

Odor threshold: Not determined

pH-value:

Not applicable

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 52-56 °C (126-133 °F) 202 °C (396 °F)

Flash point: Flammability (solid, gaseous)

Not determined 103 °C (217 °F)

Ignition temperature:
Decomposition temperature:

Not determined 380 °C (716 °F) Not determined

Auto igniting:

Not determined. Product does not present an explosion hazard.

Danger of explosion: Explosion limits:

Lower: Upper:

1.4 Vol % 7.1 Vol % 0.2 hPa 1.48 g/cm³ (12.351 lbs/gal) Not determined.

Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density

Not applicable. Not applicable.

Evaporation rate Solubility in / Miscibility with

Viscosity:

Water: Hydrolyzes
Partition coefficient (n-octanol/water): Not determined.

Not applicable.

dynamic: kinematic: Other information

Not applicable.
No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents

Water/moisture

Reducing agents

Amines Alkali metals

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if swallowed.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 4)

Product name: Maleic anhydride

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance

(Contd. of page 3)

LD/LC50 values that are relevant for classification:

LD50 400 mg/kg (rat)

Dermal LD50 2620 mg/kg (rabbit)

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage. Sensitization:

Sensitization:
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for this substance.
Carcinogenicity:
ACGIH A4: Not classifiable as a human carcinogen: Inadequate data on which to classify the agent in terms of its carcinogenicity in humans and/or animals.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.
Reproductive toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for this substance.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:

Additional ecological information: General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPVB assessment

DDT. Not applied by

PBT: Not applicable.

vPvB: Not applicable Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA UN2215

UN proper shipping name DOT

Maleic anhydride MALEIC ANHYDRIDE IMDG, IATA

Transport hazard class(es)

DOT



Class 8 Corrosive substances. Label Class 8 (C4) Corrosive substances Label IMDG, IATA



8 Corrosive substances. Label

Packing group DOT, IMDG, IATA

Not applicable. Environmental hazards:

Special precautions for user Warning: Corrosive substances F-A,S-B

EMS Number: Segregation groups Acids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation": UN2215, Maleic anhydride, 8, III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

(Contd. on page 5)

(Contd. of page 4)

Product name: Maleic anhydride

Hazard pictograms







GHS05 GHS07 GHS08

Signal word Danger Hazard statements

H302 Harmful if swallowed.
H304 Harmful if swallowed.
H305 Harmful if swallowed.
H306 Harmful if swallowed.
H307 Hay cause severe skin burns and eye damage.
H308 Hay cause allergy or asthma symptoms or breathing difficulties if inhaled.
H308 Hay cause an allergic skin reaction.
Precautionary statements

Precaution Statemens
Do not breathe dust/fume/gas/mist/vapours/spray.
Do not breathe dust/fume/gas/mist/vapours/spray.
P284 In case of inadequate ventilation wear respiratory protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

108-31-6 Maleic anhydride

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information
Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization"
ICAO-TI: Technical Agriculture Code for Dangerous Goods
DOT: US Department of Transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Air Transport Association
IATA: International Air Transport A

USA