

SDS

SAFETY DATA SHEET

Oakwood Products, Inc
730 Columbia HWY N
Estill, SC 29918
www.oakwoodchemical.com

Phone Numbers:

Product Information	803-739-8800
Transportation Emergency	800-451-8346
Outside the USA	760-602-8700

MATERIAL IDENTIFICATION

NAME: **Isobutyl vinyl ether, stabilized**
CAS#: [109-53-5]
CAT#: 103137
For R&D use only.

HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids (Category 2)
Skin corrosion/irritation (Category 2)
Serious eye damage/eye irritation (Category 2A)
Respiratory tract irritation (Category 3)
Hazardous to the aquatic environment, long-term hazard (Category 3)

GHS Label elements, including precautionary statements**Pictograms****Signal Word**

Danger

Hazard Statement(s)

H225	Highly Flammable liquid and vapour
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects
EUH018	In use may form flammable/explosive vapour-air mixture

Precautionary Statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P233	Keep container tightly closed.
P273	Avoid release to the environment.

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.
P304 + P340	IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313	IF SKIN irritation occurs: Get medical advice/attention.

COMPOSITION/INFORMATION ON INGREDIENTS

Formula : C₆H₁₂O
Molecular Weight : 100.16

CAS	Description	Concentration
109-53-5	Isobutyl vinyl ether, stabilized	

FIRST AID MEASURES

In case of eye contact

Immediately flush eyes with running water for at least 15 minutes while keeping eyes open. Seek medical attention.

In case of skin contact

Wash thoroughly with soap and plenty of water. Seek medical attention.

If inhaled

Remove victim from source of exposure to fresh air. If breathing is difficult, administer oxygen. Seek medical attention.

If swallowed

Do not induce vomiting. Give water to victim to drink. Seek medical attention.

FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use carbon dioxide, dry chemical powder, alcohol-resistant or polymer foam.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Unusual fire and explosion hazards/decomposition of product

emits toxic fumes under fire conditions.

ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing fumes, vapors, mists or gas. Ventilate area. Remove all sources of ignition. Evacuate personnel.

Environmental precautions

Prevent further leakage if safe to do so.

Methods and materials for containment and clean up

Absorb spills on sand or vermiculite and place in closed container for disposal.

HANDLING AND STORAGE**Precautions for safe handling**

Avoid prolonged use. Avoid all direct contact with material. Do not breathe dust or vapor. Wash thoroughly after handling.

Precautions for safe storage

Keep container tightly closed. Store in a cool, dry, well-ventilated area.

EXPOSURE CONTROL/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment**Eye/face protection**

Wear protective safety goggles or face shields tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Hand/skin protection

Avoid all direct contact with product.

Wear chemical-resistant gloves.

Wear protective clothing and boots.

After contact with skin, wash immediately.

Respiratory protection

Ensure adequate ventilation during use. Approved respiratory equipment must be used when airborne concentrations are unknown or exceed the exposure limits.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance	liquid
Odour	no data available
Odour Threshold	no data available
Melting point/Freezing Point	no data available
Boiling Point	82-83°C
Flash Point	no data available
Evaporation Rate	no data available
Flammability (solid, gas)	no data available
Upper/Lower Flammability or Explosive limits	no data available
Vapour pressure	no data available
Relative Density	0.768
Solubility(ies)	no data available
Partition coefficient: n-octanol/water	no data available

Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Refractive Index	no data available

STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

In use may form flammable/explosive vapour-air mixture

Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

Incompatible materials

Strong oxidizing agents and strong acids.

Hazardous decomposition products

May evolve carbon monoxide and carbon dioxide.

TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

Rat - male and female - > 7,700 mg/kg

Inhalation LC50

Rat - male and female - 4 h - 67 mg/l

Dermal LD50

Rabbit - male - 15,400 mg/kg

Intraperitoneal LD50

Mouse - males - 2,150 mg/kg

Skin corrosion/irritation

Rabbit - Irritating

Serious eye damage/eye irritation

Rabbit - No irritation

Respiratory or skin sensitization

Mouse

Result: Did not cause sensitisation on laboratory animals

Germ cell mutagenicity

Ames test

S. typhimurium

Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

May cause respiratory irritation

STOT-repeated exposure

no data available

Aspiration hazard

no data available

Exposure Routes

Irritating to skin, eyes, and respiratory system.

May have harmful effects if inhaled or swallowed.

To the best of our knowledge, the health hazards of this material have not been fully investigated.

ECOLOGICAL INFORMATION**Toxicity**

Toxicity to fish:

semi-static test LC50 - Danio rerio (zebra fish) - 28.3 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates:

static test EC50 - Daphnia magna (Water flea) - 52 mg/l - 48 h

Toxicity to algae:

Toxicity to bacteria:

EC50 - Pseudomonas putida - > 10,000 mg/l - 0.5 h

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

DISPOSAL CONSIDERATIONS

Dissolve in or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all Federal, State and local laws.

TRANSPORT INFORMATION

DOT

Vinyl isobutyl ether, stabilized

3

UN1304 II

IMDG

Vinyl isobutyl ether, stabilized

3

UN1304 II

EMS-No: F-E, S-D

IATA

Vinyl isobutyl ether, stabilized

3

UN1304 II

REGULATORY INFORMATION

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

New Jersey Right to Know Components

This product contains a chemical on the New Jersey Right to Know Components List.

CAS

Isobutyl vinyl ether, stabilized

109-53-5

California Prop. 65 Components

This product does not contain a chemical known to the State of California to cause cancer, birth defects, or other reproductive harm.

OTHER INFORMATION

Version : 1.0

Revision Date : 8/24/2018

The above information is believed to be correct but does not purport to be all-inclusive and shall be used only as a guide. Oakwood shall not be held liable for any damage resulting from handling or from contact with the above product.