

1 Identification

Product identifier

Product name: **Copper 2-methoxyethoxide, 5% w/v in methoxyethanol**

Stock number: 43648

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.



GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02 GHS05 GHS06 GHS08

Signal word

Hazard statements

H226 Flammable liquid and vapour.

H301+H311 Toxic if swallowed or in contact with skin.

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H360 May damage fertility or the unborn child.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P361 Take off immediately all contaminated clothing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B3 - Combustible liquid

D2A - Very toxic material causing other toxic effects

E - Corrosive material



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 2 Flammability = 2

REACTIVITY 1 Physical Hazard = 1

Product name: Copper 2-methoxyethoxide, 5% w/v in methoxyethanol	
Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	(Contd. of page 1)
3 Composition/information on ingredients Chemical characterization: Substances CAS# Description: Copper 2-methoxyethoxide, 5% w/v in methoxyethanol	
4 First-aid measures Description of first aid measures General information Immediately remove any clothing soiled by the product. After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice. After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice. After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor. After swallowing Seek medical treatment. Information for doctor Most important symptoms and effects, both acute and delayed Causes severe skin burns. Causes serious eye damage. Indication of any immediate medical attention and special treatment needed No further relevant information available.	
5 Fire-fighting measures Extinguishing media Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers. Special hazards arising from the substance or mixture If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Metal oxide fume Advice for firefighters Protective equipment: Wear self-contained respirator. Wear fully protective impervious suit.	
6 Accidental release measures Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation Keep away from ignition sources Environmental precautions: Do not allow material to be released to the environment without proper governmental permits. Methods and material for containment and cleaning up: Keep away from ignition sources. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose of contaminated material as waste according to section 13. Ensure adequate ventilation. Prevention of secondary hazards: Keep away from ignition sources. Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
7 Handling and storage Handling Precautions for safe handling Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace. Open and handle container with care. Information about protection against explosions and fires: Protect against electrostatic charges. Fumes can combine with air to form an explosive mixture. Keep ignition sources away. Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed containers. Specific end use(s) No further relevant information available.	
8 Exposure controls/personal protection Additional information about design of technical systems: Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Control parameters Components with limit values that require monitoring at the workplace: 2-Methoxyethanol (ethylene glycol monomethyl ether) ppm ACGIH TLV 5 (skin) Austria MAK 5 (skin) Belgium TWA 5 (skin) Denmark TWA 5 (skin)	(Contd. on page 3) USA

Product name: **Copper 2-methoxyethoxide, 5% w/v in methoxyethanol**

(Contd. of page 2)

Finland TWA 25; 40-STEEL (skin)
France VME 5 (skin)
Germany MAK 5 (skin)
Hungary TWA 15 mg/m3; 30 mg/m3-STEEL (skin)
Japan OEL 5 (skin)
Korea TLV 5 (skin)
Netherlands MAC-TGG 5 (skin)
Norway TWA 5
Poland TWA 15 mg/m3; 60 mg/m3-STEEL
Russia TWA 5
Sweden NGV 5; 10-KTV (skin)
Switzerland MAK-W 5, 10-KZG-W (skin)
United Kingdom TWA 5 (skin)
USA PEL 25 (skin)

Copper fume, dusts and mists (as Cu)
mg/m3

ACGIH TLV 1 (dust, mist); 0.2 (fume)
Austria MAK 1; 0.1 (fume)
Belgium TWA 0.2 (fume); 1 (dust)
Denmark TWA 0.1
Finland TWA 0.2 (fume); 1 (dust)
France VME 0.2 (fume); 1 (dust); 1; 2-STEEL (dust)
Germany MAK 0.1 (fume); 1 (dust)
Hungary TWA 0.2; 0.4-STEEL (dust)
Korea TLV 1 (dust, mist); 0.2 (fume)
Netherlands MAC-TGG 1 (dust)
Norway TWA 0.05; 0.1 (fume)
Poland TWA 0.1 (fume); 0.3-STEEL (fume)
Russia 1-STEEL (dust)
Sweden NGV 0.2 (resp. dust); 1 (total dust)
Switzerland MAK-W 0.1; 0.2-KZG-W (fume)
1; 1-KZG-W
United Kingdom TWA 0.2 (fume)
1; 3-STEEL (dusts and mist)
USA PEL TWA 0.1 (fume); 1 (dusts and mists)

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Solution
Color: Green
Odor: Not determined
Odor threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: 124.5 °C (256 °F)
Sublimation temperature / start: Not determined

Flash point: 46 °C (115 °F)
Flammability (solid, gaseous): Not determined.
Ignition temperature: 285 °C (545 °F)
Decomposition temperature: Not determined
Auto igniting: Not determined.

Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Explosion limits:

Lower: Not determined
Upper: Not determined
Vapor pressure: Not determined
Density: Not determined
Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Reacts
Partition coefficient (n-octanol/water): Not determined.
Viscosity:
dynamic: Not determined.
kinematic: Not determined.

(Contd. on page 4)
USA

Product name: **Copper 2-methoxyethoxide, 5% w/v in methoxyethanol**

(Contd. of page 3)

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Metal oxide fume

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Harmful if inhaled.
Harmful in contact with skin.
Harmful if swallowed.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
LD/LC50 values that are relevant for classification:
2-Methoxyethanol (CAS# 109-86-4)
Oral: LD50: 950 mg/kg (gpg)
LD50: 2560 mg/kg (mus)
LD50: 2370 mg/kg (rat)
LD50: 890 mg/kg (rbt)
LDLo: 3380 mg/kg (hmn)
Dermal: LD50: 1280 mg/kg (rbt)
Inhalative LC50/7H: 1480 ppm/7H (mus)
LC50/7H: 1500 ppm/7H (rat)
Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this substance.
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: May damage fertility or the unborn child.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Copper compounds may be irritating to the skin, eyes and respiratory tract. They may cause metal fume fever, hemolysis of the red blood cells and injury to the liver, lungs, kidneys and pancreas. Ingestion may also cause vomiting, gastric pain, dizziness, anemia, cramps, convulsions, shock, coma and death. Copper solutions may cause sensitization reactions.
2-Methoxyethanol (ethylene glycol monomethyl ether) has caused birth defects, bone marrow damage, anemia, fetotoxicity, immunosuppression and damage to the male reproductive system. Acute effects can include nausea, headache and vomiting. Chronic exposure also causes kidney, liver, lung, central nervous system and immune system damage.
Subacute to chronic toxicity: No effects known.
Subacute to chronic toxicity:
Glycol ethers may cause irritation to the skin, lungs, and eyes. Congestion and edema in the lungs has been reported. Liver and kidney damage has been reported. Tests with animals have resulted in birth defects, testicular damage and sperm damage. Exposure may cause blood and central nervous system effects. Severe aplastic anemia, macrocytic anemia, and blood platlet reductions have been reported. Central nervous system effects include drowsiness, fatigue, tremors and mental dullness.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA	UN2924
UN proper shipping name DOT	Flammable liquids, corrosive, n.o.s. (copper 2-methoxyethoxide, 5% w/v in methoxyethanol)

(Contd. on page 5)
USA

Product name: Copper 2-methoxyethoxide, 5% w/v in methoxyethanol

(Contd. of page 4)

IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O.S. (copper 2-methoxyethoxide, 5% w/v in methoxyethanol)
Transport hazard class(es) DOT	
 	
Class Label Class Label IMDG, IATA	3 Flammable liquids. 3+8 3 (FC) Flammable liquids 3+8
 	
Class Label	3 Flammable liquids. 3+8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information: DOT Marine Pollutant (DOT): Item:	No
UN "Model Regulation":	UN2924, Flammable liquids, corrosive, n.o.s. (copper 2-methoxyethoxide, 5% w/v in methoxyethanol), 3 (8), III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms



GHS02 GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H226 Flammable liquid and vapour.
H301+H311 Toxic if swallowed or in contact with skin.
H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
H360 May damage fertility or the unborn child.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P361 Take off immediately all contaminated clothing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings)

Copper 2-methoxyethoxide, 5% w/v in methoxyethanol

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains copper and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains a glycol ether and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/24/2015 / -

(Contd. on page 6)
USA

Product name: **Copper 2-methoxyethoxide, 5% w/v in methoxyethanol**

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
vPvB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

(Contd. of page 5)