# **SAFETY DATA SHEET**

Version 5.8 Revision Date 10/03/2017 Print Date 11/09/2018

# 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Furan

Product Number : 185922 Brand : Aldrich Index-No. : 603-105-00-5

CAS-No. : 110-00-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

# 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

# GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 1), H224 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 3), H331

Skin irritation (Category 2), H315

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 2), H401 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation. H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H373 H411	May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P281	Use personal protective equipment as required.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P304 + P340 + P311	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

May form explosive peroxides. May form explosive peroxides.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

**Hazardous components** 

Component	Classification	Concentration
Furan		
	Flam. Liq. 1; Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Muta. 2; Carc. 1B; STOT RE 2; Aquatic Acute 2; Aquatic Chronic 2; H224, H302, H315, H331, H341, H350, H373, H411	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 185922 Page 2 of 9

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

No data available

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

# 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Aldrich - 185922 Page 3 of 9

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Store under inert gas. Air sensitive. Refrigerate before opening. Over time, pressure may increase causing containers to burst Handle and open container with care.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm

Break through time: 10 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Aldrich - 185922 Page 4 of 9

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Form: liquid a) Appearance

b) Odour No data available c) Odour Threshold No data available No data available d) pH

e) Melting point/freezing

point

No data available

Initial boiling point and f)

boiling range

32 °C (90 °F) at 1,011 hPa (758 mmHg) - lit.

g) Flash point -36 °C (-33 °F) - closed cup

h) Evaporation rate No data available Flammability (solid, gas) No data available j)

Upper/lower flammability or explosive limits No data available

k) Vapour pressure 635 hPa (476 mmHg) at 20 °C (68 °F)

Vapour density No data available

0.936 g/mL at 25 °C (77 °F) m) Relative density

n) Water solubility No data available

Partition coefficient: n-

octanol/water

Pow: 0.785

p) Auto-ignition

temperature

No data available

Decomposition

temperature

No data available

No data available r) Viscosity s) Explosive properties No data available

Oxidizing properties

No data available

#### 9.2 Other safety information

No data available

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 **Chemical stability**

May form peroxides on prolonged storage. Date container and periodically test for peroxides.

Stable under recommended storage conditions.

Contains the following stabiliser(s):

BHT (0.025 %)

#### 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4 **Conditions to avoid**

Heat, flames and sparks. Extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

No data available

Aldrich - 185922 Page 5 of 9

### 10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - Rat - 200 - 2,000 mg/kg

LC50 Inhalation - Rat - 1 h - 3398 ppm

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Ptosis. Lungs, Thorax, or

Respiration: Dyspnea.

Dermal: No data available

LD50 Intraperitoneal - Rat - 5.2 mg/kg

LD50 Intraperitoneal - Mouse - 7 mg/kg

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

# Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

In vitro tests showed mutagenic effects

### Carcinogenicity

Possible human carcinogen

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Furan)

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Furan)

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Furan)

NTP: RAHC - Reasonably anticipated to be a human carcinogen (Furan)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

# Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

# **Aspiration hazard**

No data available

Aldrich - 185922 Page 6 of 9

### **Additional Information**

RTECS: Not available

Central nervous system depression, Prolonged or repeated exposure to skin causes defatting and dermatitis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Central nervous system depression, Prolonged or repeated exposure to skin causes defatting and dermatitis., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

### 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 61 mg/l - 96.0 h

(OECD Test Guideline 203)

# 12.2 Persistence and degradability

Biodegradability Result: - Not readily biodegradable.

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## **Contaminated packaging**

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2389 Class: 3 Packing group: I

Proper shipping name: Furan Reportable Quantity (RQ): 100 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 2389 Class: 3 Packing group: I EMS-No: F-E, S-D

Proper shipping name: FURAN

**IATA** 

UN number: 2389 Class: 3 Proper shipping name: Furan

IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

# 15. REGULATORY INFORMATION

# **SARA 302 Components**

Aldrich - 185922 Page 7 of 9

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date 110-00-9 1993-04-24

**SARA 313 Components** 

Furan

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 110-00-9 1993-04-24

**Massachusetts Right To Know Components** 

CAS-No. Revision Date 110-00-9 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date 110-00-9 1993-04-24

**New Jersey Right To Know Components** 

CAS-No. Revision Date 110-00-9 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of California to cause cancer.

CAS-No. Revision Date 2007-09-28

Furan

WARNING! This product contains a chemical known to the State of California to cause cancer.

CAS-No. Revision Date 2007-09-28

Furan

### 16. OTHER INFORMATION

# Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Carc. Carcinogenicity
Flam. Liq. Acute aquatic toxicity
Chronic aquatic toxicity
Carcinogenicity
Flammable liquids

H224 Extremely flammable liquid and vapour.

H302 Harmful if swallowed. H315 Causes skin irritation. H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Muta. Germ cell mutagenicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure

**HMIS Rating** 

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 4
Physical Hazard 0

**NFPA Rating** 

Health hazard: 2
Fire Hazard: 4
Reactivity Hazard: 0

Aldrich - 185922 Page 8 of 9

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.8 Revision Date: 10/03/2017 Print Date: 11/09/2018

Aldrich - 185922 Page 9 of 9