

Safety Data Sheet per OSHA HazCom 2012

Page 1/6 Printing date 11/24/2015 Reviewed on 01/12/2015

1 Identification

Product identifier

Product name: Lead(II) zirconium(IV) 2-ethylhexanoate tetraisopropoxide 10% w/v in hexane

Stock number: 36575
Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: tech@alfa.com
www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger

Hazard-determining components of labeling:

n-Hexane

Hazard statements

Hazard statements
H225 Highly flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H336 May cause drowsiness or dizziness.

H336 May cause drowsiness or dizziness.
H373 May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative.
H304 May be fatal if swallowed and enters airways.

Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
P103 Read label before use.

Precautionary statements
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
B2 - Flammable liquid
D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 3
Physical Hazard = 1

Product name: Lead(II) zirconium(IV) 2-ethylhexanoate tetraisopropoxide 10% w/v in hexane

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Dangerous components:

110-54-3 | n-Hexane ♦ Flam. Liq. 2, H225; ♦ Repr. 2, H361; STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Skin Irrit. 2, H315; STOT SE 3, H336 Lead(II) zirconium(IV) 2-ethylhexanoate tetralsopropoxide ♦ Flam. Sol. 1, H228; ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 90.0%

10.0%

Additional information None known.

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After any contact Piese approd ove for soverel minutes under running water.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Lead oxide fume Zirconium oxide

Advice for firefighters

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling Precautions for safe handling

Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage, including any mocingularity and mocingularity and mocingularity and mocingularity and mocingularity and mocingularity.

Store away from water/mocisture.

Store away from oxidizing agents.

Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals. Further information about storage conditions:

Store under dry inert gas.

Store under dry inert gas. This product is moisture sensitive.

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

Product name: Lead(II) zirconium(IV) 2-ethylhexanoate tetraisopropoxide 10% w/v in hexane (Contd. of page 2) Control parameters Components with limit values that require monitoring at the workplace: 110-54-3 n-Hexane (90.0%) Long-term value: 1800 mg/m³, 500 ppm Long-term value: 180 mg/m³, 50 ppm Long-term value: 176 mg/m³, 50 ppm Skin; BEI PEL (USA) REL (USA) TLV (USA) EL (Canada) Long-term value: 20 ppm Skiň EV (Canada) Long-term value: 176 mg/m³, 50 ppm Ingredients with biological limit values: 110-54-3 n-Hexane (90.0%) Personal protective equipment Pérsonal protective equipment General protective and hygienic measures The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use suitable respirator when high concentrations are present. Recommended filter device for short term use: Use a respirator with organic vapor/acid gas cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU). Protection of hands: Impervious gloves Impervious gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Eye protection: Safety glasses Body protection: Protective work clothing. 9 Physical and chemical properties

Information on basic physical and chemical properties General Information	
Appearance: Form:	Liquid
Color:	Liquid Brown
Odor:	Not determined
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition Melting point/Melting range:	Not determined
Boiling point/Boiling range: Sublimation temperature / start:	Not determined Not determined
Flash point:	-23 °C (-9 °F) (Hexane) Not determined.
Flammability (solid, gaseous) Ignition temperature:	Not determined. 240 °C (464 °F)
Decomposition temperature:	Not determined
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures is possible.
Explosion limits:	
Lower:	1.2 Vol %
Upper:	7.4 Vol %
Vapor pressure at 20 °C (68 °F):	160 hPa (120 mm Hg)
Density:	Not determined
Relative density	Not determined. Not determined.
Vapor density Evaporation rate	Not determined.
Solubility in / Miscibility with	Not determined.
Water:	Not miscible or difficult to mix
Partition coefficient (n-octanol/water)	
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent content:	

10 Stability and reactivity

Organic solvents:

Solids content:

Other information

90.0 %

10.0 %

No further relevant information available.

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Reacts with strong oxidizing agents
Water reacts with many metals to give hydrogen, often violently. Water is also incompatible with many reactive organic and inorganic chemicals.
Water reacts violently with alkali metals.
Conditions to avoid No further relevant information available.

(Contd. on page 4)

(Contd. of page 3)

Product name: Lead(II) zirconium(IV) 2-ethylhexanoate tetraisopropoxide 10% w/v in hexane

Incompatible materials: Water/moisture

Oxidizing agents

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Lead oxide fume

Zirconium oxide

11 Toxicological information

Information on toxicological effects
Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:

110-54-3 n-Hexane

Oral

LD50 15840 mg/kg (rat)

Inhalative LC50/4H 48000 ppm/4H (rat)

Skin irritation or corrosion: Causes skin irritation.

Eye irritation or corrosion: May cause irritation

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.

Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product. Carcinogenicity:

EPA-II: Inadequate information to access carcinogenic potential.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for components in this product. Reproductive toxicity:

Suspected of damaging fertility or the unborn child.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Specific target organ system toxicity - repeated exposure:

May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

Specific target organ system toxicity - single exposure:

exposure. Route of exposure: Inhalative.

Specific target organ system toxicity - single exposure:
May cause drowsiness or dizziness.
May cause respiratory irritation.

Aspiration hazard: May be fatal if swallowed and enters airways.

Subacute to chronic toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

Additional toxicological information:
To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.

Additional ecological information:

Additional ecological minimum.

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life.

Nay cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA

UN1208

UN proper shipping name DOT IMDG

Hexanes HEXANES, MARINE POLLUTANT HEXANES

Transport hazard class(es)

DOT





3 Flammable liquids.

(F1) Flammable liquids



3 Flammable liquids.

Class

Product name: Lead(II) zirconium(IV) 2-ethylhexanoate tetraisopropoxide 10% w/v in hexane (Contd. of page 4) Label IATA Class 3 Flammable liquids. Packing group DOT, IMDG, IATA Environmental hazards: Marine pollutant (IMDG): Product contains environmentally hazardous substances: n-Hexane, anhydrous Symbol (fish and tree) Warning: Flammable liquids F-E,S-D Special precautions for user Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: Marine Pollutant (DOT): Remarks: Special marking with the symbol (fish and tree)

UN1208, Hexanes, 3, II

UN "Model Regulation": 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS07 GHS08

Signal word Danger

Hazard-determining components of labeling:

n-Hexane Hazard statements

Hazard statements
H225 Highly flammable liquid and vapor.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H361 Suspected of damaging fertility or the unborn child.
H3636 May cause drowsiness or dizziness.
H373 May cause damage to the peripheral nervous system, the lung, the kidneys, the liver, the reproductive system and the brain through prolonged or repeated exposure. Route of exposure: Inhalative.

H304 May be fatal if swallowed and enters airways. Precautionary statements

If medical advice is needed, have product container or label at hand. Keep out of reach of children.

P101 P102 P103

P102 Reep out or reaction different.
P103 Read label before use.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

Some or all of the components of this product are not listed on the Canadian Domestic Substances List (DSL) or the Canadian Non-Domestic Substances List

SARA Section 313 (specific toxic chemical listings) 110-54-3 n-Hexane

California Proposition 65 Prop 65 - Chemicals known to cause cancer

None of the ingredients are listed.

Prop 65 - Developmental toxicity

None of the ingredients are listed.

Prop 65 - Developmental toxicity, female None of the ingredients are listed.

Prop 65 - Developmental toxicity, male

None of the ingredients are listed.

Information about limitation of use: For use only by technically qualified individuals. Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.

None of the ingredients are listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

None of the ingredients is listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

USA (Contd. on page 6)

90.0%



Product name: Lead(II) zirconium(IV) 2-ethylhexanoate tetraisopropoxide 10% w/v in hexane

(Contd. of page 5)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement conceming the International Carriage of Dangerous Goods DOT: US Department of Transportation

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transport Association

IATA: International Air Transport Association

IATA: International Air Transport Association

EINECS: European List of Notified Chemical Substances

ELINCS: European List of Notified Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Information System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LPS0: Lethal dos, 50 percent

VPVB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)