SAFETY DATA SHEET

Version 4.8 Revision Date 06/02/2016 Print Date 09/17/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Chloromethane-d3

Product Number : 488550 Brand : Aldrich

CAS-No. : 1111-89-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Gases under pressure (Liquefied gas), H280

Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure, Inhalation (Category 2), H373

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

 \diamondsuit

Signal word Warning

Hazard statement(s)

H280 Contains gas under pressure; may explode if heated.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure if

inhaled.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P281 Use personal protective equipment as required.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Aldrich - 488550 Page 1 of 8

P405 Store locked up.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical characterization : Isotopically labeled Synonyms : Methyl-d₃ chloride

Methyl-d₃ chloride

Formula : CD₃Cl Molecular weight : 53.51 g/mol CAS-No. : 1111-89-3

Hazardous components

Component	Classification	Concentration
Chloromethane-d3		
	Press. Gas Liquefied gas; Carc. 2; STOT RE 2; H280, H351, H373	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

Aldrich - 488550 Page 2 of 8

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Clean up promptly by sweeping or vacuum.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Store under inert gas. hygroscopic

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Chloromethane-d3	1111-89-3	TWA	50.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Remarks	Central Nervous System impairment			
		Liver damag	e		
		Kidney damage			
		Testicular damage			
		Teratogenic			
		Not classifiable as a human carcinogen			
		Danger of cutaneous absorption			
		STEL	100.000000	USA. ACGIH Threshold Limit Values	
			ppm	(TLV)	
		Central Nervous System impairment Liver damage			
		Kidney damage			
		Testicular damage Teratogenic effects Not classifiable as a human carcinogen			
		Danger of cutaneous absorption			
		Potential Occupational Carcinogen See Appendix A			
		TWA	100.000000	USA. Occupational Exposure Limits	
			ppm	(OSHA) - Table Z-2	
		707.40.4000			
		Z37.18-1969			

Aldrich - 488550 Page 3 of 8

CEIL	200.000000 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2			
Z37.18-19	Z37.18-1969				
Peak	300.000000 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2			
Z37.18-19	Z37.18-1969				
See Table	See Table Z-2				
TWA	100 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2			
Z37.18-19	Z37.18-1969				
CEIL	200 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2			
Z37.18-19	Z37.18-1969				
Peak	300 ppm	USA. Occupational Exposure Limits (OSHA) - Table Z-2			
Z37.18-19	Z37.18-1969				
STEL	100 ppm 210 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			
С	300 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			
PEL	50 ppm 105 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)			

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: compressed liquefied gas

Aldrich - 488550 Page 4 of 8

No data available b) Odour Odour Threshold No data available No data available d)

Melting point/freezing

Melting point/range: -97 °C (-143 °F) - lit.

Initial boiling point and

boiling range

-24.2 °C (-11.6 °F) - lit.

No data available g) Flash point h) Evaporation rate No data available Flammability (solid, gas) No data available i) Upper/lower No data available

flammability or explosive limits

k) Vapour pressure No data available Vapour density No data available

0.97 g/mL at 25 °C (77 °F)0.97 g/cm3 at 25 °C (77 °F) m) Relative density

n) Water solubility No data available No data available Partition coefficient: n-

octanol/water

No data available

Auto-ignition temperature

Decomposition temperature

No data available

No data available Viscosity s) Explosive properties No data available No data available Oxidizing properties

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 **Chemical stability**

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas Other decomposition products - No data available

In the event of fire: see section 5

Aldrich - 488550 Page 5 of 8

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation Respiratory or skin sensitisation

No data available

Germ cell mutagenicity Carcinogenicity

Limited evidence of carcinogenicity in animal studies

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Inhalation - May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Methyl chloride is rapidly absorbed through the lungs and is excreted very slowly from the body. Symptoms of exposure include: dizziness, headache, weakness, unsteady walk, nausea, vomiting, abdominal pain, extreme nervousness, mental confusion, tremors, convulsions, unconsciousness and death, damage to the central nervous system. Apparent recovery from a seemingly minor exposure via inhalation may be followed by serious and prolonged aftereffects within a few days or weeks which can be fatal. Repeated exposures to methyl chloride are dangerous because it is eliminated very slowly from the body which converts methyl chloride into hydrochloric acid and methyl alcohol.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

Aldrich - 488550 Page 6 of 8

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1063 Class: 2.1 Proper shipping name: Methyl chloride Reportable Quantity (RQ): 100 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1063 Class: 2.1 EMS-No: F-D, S-U

Proper shipping name: METHYL CHLORIDE

IATA

UN number: 1063 Class: 2.1
Proper shipping name: Methyl chloride
IATA Passenger: Not permitted for transport

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Chloromethane-d3 1111-89-3 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Sudden Release of Pressure Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Chloromethane-d3	1111-89-3	2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date 1111-89-3 2007-07-01

New Jersey Right To Know Components

Chloromethane-d3 1111-89-3 2007-07-01

California Prop. 65 Components

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive 1111-89-3 Revision Date 2009-09-11

harm.

Chloromethane-d3

Aldrich - 488550 Page 7 of 8

CAS-No.

Revision Date

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Carc. Carcinogenicity

H280 Contains gas under pressure; may explode if heated.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure if inhaled.

Press. Gas Gases under pressure

STOT RE Specific target organ toxicity - repeated exposure

HMIS Rating

Health hazard: 0
Chronic Health Hazard: *
Flammability: 4
Physical Hazard 3

NFPA Rating

Health hazard: 0
Fire Hazard: 4
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.8 Revision Date: 06/02/2016 Print Date: 09/17/2019

Aldrich - 488550 Page 8 of 8