



Material Safety Data Sheet

HAZARD WARNINGS	RISK PHRASES	PROTECTIVE CLOTHING
	Corrosive to eyes and skin on contact. Hygroscopic keep container tightly sealed.	

Section I. C	Chemical Product and Company Identifica	ation	
Chemical Name	2-Naphthalenesulfonic Acid (Monohydrate (beta-))		
Catalog Number	N0437	Supplier	TCI America 9211 N. Harborgate St.
Synonym	Naphthalene-2-sulfonic Acid		Portland OR 1-800-423-8616
Chemical Formula	$C_{10}H_7SO_3H\bullet H_2O$		
CAS Number	120-18-3	In case of Emergency Call	Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International)
		4	

Section II. Composition and Information on Ingredients					
Chemic	cal Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
2-Naphthalenesulfonic Acid (Monthydrate (beta-))		120-18-3	Min. 98.0 (HPLC,T)	Not Available.	Rat LD ₅₀ (oral) 4440 mg/kg

Section III.	Hazards Identification	
Acute Health Effects	Corrosive to skin, eyes, and respiratory system. Liquid or spray mist may produce tissue damage, particularly in mucous membranes of the eyes, mouth and respiratory tract. Skin contact may produce burns. Eye contact can result in corneal damage or blindness. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Corrosive materials may cause serious injury if ingested. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.	
Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage.	

Section IV.	First Aid Measures	
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.	
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.	
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.	
Ingestion	DO NOT INDUCE VOMITING. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive. SEEK IMMEDIATE MEDICAL ATTENTION in case of ingestion of a radioactive material.	

Section V.	Fire and Explosion Data		
Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.
Flash Points	Not available.	Flammable Limits	Not available.
Combustion Products	These products are toxic carbon oxides (CO,	CO ₂), sulfur oxides (SO ₂ , SO ₃).
Fire Hazards	Not available.		
Explosion Hazards	Risks of explosion of the product in presence Risks of explosion of the product in presence		
Fire Fighting Media and Instructions	Flammable solid. Oxidizing material. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray or fog. DO N materials. Consult with local fire authorities before attemptions.	•	ng quantities of water. Avoid contact with organic perations.

N0437 2-Naphthalenesulfonic Acid Page 2 (Monohydrate (beta-))

Section VI. Accidental Release Measures

Spill Cleanup Instructions

Corrosive material. Hygroscopic material.

Stop leak if without risk. DO NOT get water inside container. Avoid contact with a combustible material (wood, paper, oil, clothing...). Keep substance damp using water spray. DO NOT touch spilled material. Cover with DRY earth, sand or other non-combustible material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all sources of ignition. Consult federal, state, and/or local authorities for assistance on disposal.

Section VII. Handling and Storage

Handling and Storage Information

CORROSIVE. HYGROSCOPIC. Keep under inert atmosphere. Keep container dry. Keep away from heat. Mechanical exhaust required. Keep away from combustible material.. DO NOT ingest. Do not breathe dust. Never add water to this product. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label. Treat symptomatically and supportively.

Always store away from incompatible compounds such as oxidizing agents

Section VIII. Exposure Controls/Personal Protection

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection

Face shield. Lab coat. Dust respirator. Boots. Gloves. A MSHA/NIOSH approved respirator must be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this



Exposure Limits

Not Available

Section IX. P.	hysical and Chemical Prop	perties		
Physical state @ 20°C	Solid. (White to brown powder.)	Solubility	Freely soluble in water.	
Specific Gravity	Not available.	_		
Molecular Weight	208.24	Partition Coefficient	Not available.	
Boiling Point	Not available.	Vapor Pressure	Not applicable.	
Melting Point	124 to 125℃ (255.2 to 257℉)	Vapor Density	Not available.	
Refractive Index	Not available.	Volatility	Not available.	
Critical Temperature	Not available.	Odor	Not available.	
Viscosity	Not available.	Taste	Not available.	

Section X.	Stability and Reactivity Data
Stability	This material is stable if stored under proper conditions. (See Section VII for instructions)
Conditions of Instability	Avoid excessive heat and light. Protect from moisture.
Incompatibilities	Reactive with strong oxicizing agents, water/moisture

Incompatibilities	Reactive with strong oxicizing agents, water/moisture.
Section XI.	Toxicological Information
RTECS Number	QK1225000
Routes of Exposure	Eye Contact. Ingestion. inhalation. Skin contact.

Rat LD₅₀ (oral) 4440 mg/kg Toxicity Data

CARCINOGENIC EFFECTS: Not available. Chronic Toxic Effects MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available **DEVELOPMENTAL TOXICITY**: Not available.

Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated skin exposure can produce local skin destruction, or dermatitis. Repeated inhalation of dust can produce varying degree of respiratory irritation or lung damage

Acute Toxic Effects

Routes of Exposure

Corrosive to skin, eyes, and respiratory system. Liquid or spray mist may produce tissue damage, particularly in mucous membranes of the eyes, mouth and respiratory tract. Skin contact may produce burns. Eye contact can result in corneal damage or blindness. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Corrosive materials may cause serious injury if ingested

Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Continued on Next Page

N0437 2-Naphthalenesulfonic Acid Page 3 (Monohydrate (beta-))

Section XII.	Ecological Information
Ecotoxicity	Not available.
Environmental Fate	Not available.

Section XIII. Disposal Considerations

Waste Disposal

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissove or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and locl regulations when disposing of the substance.

Section XIV. Transport Information DOT Classification PIN Number UN2583 Proper Shipping Name Packing Group (PG) DOT Pictograms Proper Shipping Name Proper Shipping Name Packing Group (PG) DOT Pictograms

Section XV. Other Regulatory Information and Pictograms TSCA Chemical Inventory This compound is ON the EPA Toxic Substances Control Act (TSCA) inventory list. (EPA) WHMIS Classification CLASS C: Oxidizing material. CLASS D-1B: Material causing immediate and serious toxic effects (TOXIC). (Canada) CLASS E: Corrosive solid. On DSL. EINECS Number (EEC) 204-375-3 **EEC Risk Statements** R8- Contact with combustible material may cause fire. R14- Reacts violently with water. R23/24/25- Toxic by inhalation, in contact with skin and if swallowed. R34- Causes burns. R45- May cause cancer. R46- May cause heritable genetic damage. R47- May cause birth defects.

Section XVI. Other Information

Not available.

Version 1.0 Validated on 2/20/2006. Printed 8/20/2009.

Japanese Regulatory Data

Notice to Reader

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 8/20/2009.