# **SAFETY DATA SHEET**

Version 4.12 Revision Date 09/28/2017 Print Date 11/10/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

CAS-No.

Product name : Nickel(II) hydroxide

Product Number : 283622 Brand : Aldrich Index-No. : 028-008-00-X

1.2 Relevant identified uses of the substance or mixture and uses advised against

12054-48-7

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Respiratory sensitisation (Category 1), H334

Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341 Carcinogenicity (Category 1A), H350 Reproductive toxicity (Category 1B), H360

Specific target organ toxicity - repeated exposure, Inhalation (Category 1), Lungs, H372

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

110-11	cuspected of oddsing genetic defects.
H350	May cause cancer.
H360	May damage fertility or the unborn child.
H372	Causes damage to organs (Lungs) through prolonged or repeated
	exposure if inhaled.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves.
P281	Use personal protective equipment as required.
P285	In case of inadequate ventilation wear respiratory protection.
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
	Rinse mouth.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if
	you feel unwell.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
	·

Suspected of causing genetic defects.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substances

H341

Formula : H<sub>2</sub>NiO<sub>2</sub>

Molecular weight : 92.71 g/mol

CAS-No. : 12054-48-7

EC-No. : 235-008-5

Index-No. : 028-008-00-X

# **Hazardous components**

Component	Classification	Concentration
Nickel dihydroxide		
	Acute Tox. 4; Skin Irrit. 2; Resp. Sens. 1; Skin Sens. 1; Muta. 2; Carc. 1A; Repr. 1B; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H302 + H332, H315, H317, H334, H341, H350, H360, H372, H410	90 - 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 283622 Page 2 of 9

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

No data available

## **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

Aldrich - 283622 Page 3 of 9

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Keep in a dry place.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Nickel dihydroxide	12054-48-7	TWA	1.000000 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	0.015000 mg/m3	USA. NIOSH Recommended Exposure Limits	
	Remarks	Potential Occupational Carcinogen See Appendix A			
		TWA	0.200000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Lung cancer Confirmed human carcinogen varies			
		TWA	1 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		TWA	0.2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Lung cancer Confirmed human carcinogen varies			
		TWA	0.015 mg/m3	USA. NIOSH Recommended Exposure Limits	
		Potential Occupational Carcinogen See Appendix A			
		PEL	0.1 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	

### 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Aldrich - 283622 Page 4 of 9

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: light green

No data available b) Odour

No data available c) Odour Threshold d) pH No data available

Melting point/freezing

point

No data available

Initial boiling point and

boiling range

No data available

g) Flash point Not applicable No data available h) Evaporation rate

Flammability (solid, gas) The product is not flammable. - Flammability (solids)

Upper/lower flammability or explosive limits No data available

Vapour pressure No data available Vapour density No data available No data available m) Relative density

n) Water solubility 0.00011 g/l at 20 °C (68 °F) - OECD Test Guideline 105 - slightly soluble

o) Partition coefficient: n-

octanol/water

No data available

p) Auto-ignition temperature

> 400 °C (> 752 °F)

q) Decomposition temperature

200 °C (392 °F) -

No data available r) Viscosity s) Explosive properties No data available Oxidizing properties No data available

#### 9.2 Other safety information

No data available

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

Aldrich - 283622 Page 5 of 9

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong acids, Strong oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nickel/nickel oxides

Other decomposition products - No data available

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - male and female - 1,540 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - 4 h - 1,200 mg/m3

Remarks: Behavioral:Excitement. Lungs, Thorax, or Respiration:Dyspnea. Skin and Appendages: Other: Hair.

LD50 Dermal - Rat - > 2,000 mg/kg

No data available

### Skin corrosion/irritation

Skin - Rabbit

Result: Mild skin irritation - 4 h (OECD Test Guideline 404)

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: Mild eye irritation (OECD Test Guideline 405)

## Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

Mouse

lymphocyte Result: positive

### Carcinogenicity

Carcinogenicity - Rat - Intramuscular

Tumorigenic:Carcinogenic by RTECS criteria. Lungs, Thorax, or Respiration:Tumors. Musculoskeletal:Tumors.

Carcinogenicity - Rat - Intramuscular

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Musculoskeletal:Tumors. Tumorigenic:Tumors at site or application.

IARC: 1 - Group 1: Carcinogenic to humans (Nickel dihydroxide)

NTP: Known to be human carcinogen (Nickel dihydroxide)

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

## Reproductive toxicity

No data available

No data available

# Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

Aldrich - 283622 Page 6 of 9

## **Aspiration hazard**

No data available

### **Additional Information**

RTECS: QR7040000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath. Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substances, solid, n.o.s. (Nickel dihydroxide)

Reportable Quantity (RQ): 10 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 3077 Class: 9 Packing group: III EMS-No: F-A, S-F

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Nickel dihydroxide)

Marine pollutant:yes

IATA

UN number: 3077 Class: 9 Packing group: III

Proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Nickel dihydroxide)

# **Further information**

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids.

Aldrich - 283622 Page 7 of 9

### 15. REGULATORY INFORMATION

### **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date Nickel dihydroxide 12054-48-7 1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

CAS-No. Revision Date Nickel dihydroxide 12054-48-7 1993-04-24

Pennsylvania Right To Know Components

CAS-No. Revision Date Nickel dihydroxide 12054-48-7 1993-04-24

**New Jersey Right To Know Components** 

CAS-No. Revision Date Nickel dihydroxide 12054-48-7 1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. Revision Date State of California to cause cancer. 12054-48-7 2013-12-20

Nickel dihvdroxide

### 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

## **HMIS Rating**

Health hazard: 2
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

# **NFPA Rating**

Health hazard: 2
Fire Hazard: 0
Reactivity Hazard: 0

## **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the

Aldrich - 283622 Page 8 of 9

product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

# **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.12 Revision Date: 09/28/2017 Print Date: 11/10/2018

Aldrich - 283622 Page 9 of 9