Page 1/4 Printing date 11/24/2015 Reviewed on 05/30/2003



#### 1 Identification

Product identifier

Product name: Lanthanum carbide

Stock number: 18105

**CAS Number:** 12071-15-7

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com
www.alfa.com
Information Department: Health, Safety and Environmental Department
Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

## Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

H228 Flammable solid. Flam, Sol. 1

Water-react. 2 H261 In contact with water releases flammable gas.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



GHS02

#### Signal word Danger

Hazard statements

H228 Flammable solid. H261 In contact with water releases flammable gas.

H261 In contact with water releases flammable gas.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P231+P232 Handle under inert gas. Protect from moisture.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P402+P404 Store in a dry place. Store in a closed container.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification

86 - Reactive flammable material

B6 - Reactive flammable material



# Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 1

| Flammability = 1
| Physical Hazard = 1

#### Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 12071-15-7 Lanthanum carbide

## 4 First-aid measures

#### Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)

#### Product name: Lanthanum carbide

Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

#### 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents
Extinguishing powder. Do not use water.
In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
For safety reasons unsuitable extinguishing agents Water
Special hazards arising from the substance or mixture
Contact with water releases flammable gases
If this product is involved in a fire, the following can be released:
Advice for fireflighters

Advice for firefighters Protective equipment: Wear self-contained respirator.

Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Keep away from ignition sources. Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### 7 Handling and storage

Handling

Precautions for safe handling

Keep container tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation at the workplace.

Information about protection against explosions and fires: Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed. Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Eye protection:** Safety glasses **Body protection:** Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form: Color: Odor: Odor threshold:

pH-value: Not applicable.

Change in condition

1800-2100 °C (3272-3812 °F)

Melting point/Melting range: Boiling point/Boiling range: Not determined Sublimation temperature / start: Not determined

Not applicable

Not determined

Powder Yellow-brown Not determined

Flash point: Flammability (solid, gaseous) Ignition temperature

Highly flammable.
Not determined

#### Product name: Lanthanum carbide

(Contd. of page 2) Decomposition temperature: Not determined

Auto igniting: Not determined. Danger of explosion: Explosion limits: Not determined. Not determined

Lower: Upper: Vapor pressure: Density at 20 °C (68 °F): Not determined Not applicable. 5.02 g/cm³ (41.892 lbs/gal) Not determined.

Relative density Vapor density Evaporation rate Not applicable. Not applicable. Solubility in / Miscibility with

Water: Reacts
Partition coefficient (n-octanol/water): Not determined. Viscosity:

dynamic: Not applicable. kinematic: Not applicable.

Other information No further relevant information available.

#### 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available. Incompatible materials:

Oxidizing agents **Hazardous decomposition products:** Flammable gases/vapors

#### 11 Toxicological information

#### Information on toxicological effects

LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes.

Skill Irritation of corrosion: Irritalit to skill and mucous membranes.

Eye irritation or corrosion: Irritaliting effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Subacute to chronic toxicity:

Lanthanons can cause delayed blood clotting leading to hemorrhages. Exposure may also lead to sensitivity to heat, itching, increased awareness of odor and taste, and liver damage.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

#### 12 Ecological information

**Toxicity** 

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

UN-Number DOT, IMDG, IATA UN2813

UN proper shipping name DOT

Water-reactive solid, n.o.s. (Lanthanum carbide) WATER-REACTIVE SOLID, N.O.S. (Lanthanum carbide) IMDG, IATA

Transport hazard class(es)

DOT



Class 4.3 Substances which, in contact with water, emit flammable gases. Label

(Contd. on page 4)

1000000 011 001 001	
Product name: Lanthanum carbide	
	(Contd. of page 3)
Class Label IMDG, IATA	4.3 (W2) Substances which, in contact with water, emit flammable gases 4.3
Class Label	4.3 Substances which, in contact with water, emit flammable gases. 4.3
Packing group DOT, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Substances which, in contact with water, emit flammable gases
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT Marine Pollutant (DOT): Item:	No
UN "Model Regulation":	UN2813, Water-reactive solid, n.o.s. (Lanthanum carbide), 4.3, II
	· · · · · · · · · · · · · · · · · · ·

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms



Signal word Danger Hazard statements

H228 Flammable solid. H261 In contact with water releases flammable gas.

H261 In contact with water releases flammable gas.

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P231+P232 Handle under inert gas. Protect from moisture.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P402+P404 Store in a dry place. Store in a closed container.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Other regulations obout limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / - Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods DIT: US Department of Transportation Goods DIT: US Department of Transport Association
(AS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
VPVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

USA