# SAFETY DATA SHEET

Version 6.0 Revision Date 05/26/2018 Print Date 11/12/2018

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : <I>N</>-(2-Hydroxyethyl)aniline

Product Number : 156876 Brand : Aldrich

CAS-No. : 122-98-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

### 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Dermal (Category 2), H310

Serious eye damage (Category 1), H318

Skin sensitisation (Category 1), H317

Carcinogenicity (Category 2), H351

Acute aquatic toxicity (Category 3), H402

Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Aldrich- 156876 Page 1 of 9

Hazard statement(s)

H310 Fatal in contact with skin.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P350 + P310 IF ON SKIN: Gently wash with plenty of soap and water. Immediately call

a POISON CENTER or doctor/ physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Immediately

call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Sensitising components:

Aniline

May produce an allergic reaction.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : 2-(Phenylamino)ethanol

<I>N</>-Phenylethanolamine

2-Anilinoethanol

**Hazardous components** 

| Component        | Classification                          | Concentration  |
|------------------|---|----------------|
| 2-Anilinoethanol |   |                |
|                  | Acute Tox. 2; Eye Dam. 1;<br>H310, H318 | <= 100 %       |
| Aniline          |   |                |
|                  |   |                |
|                  | Flam. Liq. 4; Acute Tox. 3; Eye         | >= 0.1 - < 1 % |
|                  | Dam. 1; Skin Sens. 1; Muta. 2;          |                |
|                  | Carc. 2; STOT RE 1; Aquatic             |                |

Aldrich- 156876 Page 2 of 9

| Acute 1; Aquatic Chronic 1; |  |
|-----------------------------|--|
| H227, H301 + H311 + H331,   |  |
| H317, H318, H341, H351,     |  |
| H372, H410                  |  |

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

No data available

## **6. ACCIDENTAL RELEASE MEASURES**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

Aldrich- 156876 Page 3 of 9

## 7. HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 6.1B: Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Components with workplace control parameters

| Component | CAS-No. | Value   | Control parameters  | Basis  |  |
|-----------|---------|---|---|--|--|
| Aniline   | 62-53-3 | TWA   | 2 ppm   | USA. ACGIH Threshold Limit Values (TLV)  |  |
|           | Remarks | Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption |   |  |  |
|           | PEL     | 2 ppm<br>7.6 mg/m3  | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |  |  |
|           |         | Skin  |   |  |  |
|           |         | TWA   | 5 ppm<br>19 mg/m3   | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |  |
|           |         | Skin designation The value in mg/m3 is approximate.   |   |  |  |
|           |         | Potential Occupational Carcinogen<br>See Appendix A   |   |  |  |

Hazardous components without workplace control parameters

Biological occupational exposure limits

| Component | CAS-No. | Parameters   | Value   | Biological    | Basis              |
|-----------|---------|--|---------|---------------|--------------------|
|           |         |  |         | specimen      |                    |
| Aniline   | 62-53-3 | Aniline  |         | Urine         | ACGIH - Biological |
|           |         |  |         |               | Exposure Indices   |
|           |         |  |         |               | (BEI)              |
|           | Remarks | End of shift (As soon as possible after exposure ceases) |         |               |                    |
|           |         | Aniline  |         | Released from | ACGIH - Biological |
|           |         |  |         | hemoglobin in | Exposure Indices   |
|           |         |  |         | blood         | (BEI)              |
|           |         | End of shift (As soon as possible after exposure ceases) |         |               |                    |
|           |         | p-   | 50 mg/l | Urine         | ACGIH - Biological |
|           |         | Aminophenol  |         |               | Exposure Indices   |
|           |         |  |         |               | (BÉI)              |
|           |         | End of shift (As soon as possible after exposure ceases) |         |               |                    |

# 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Aldrich-156876 Page 4 of 9

### Personal protective equipment

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Chloroprene

Minimum layer thickness: 0.6 mm Break through time: 480 min

Material tested: Camapren® (KCL 722 / Aldrich Z677493, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 120 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: dark brown

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 10.2 at 10 g/l at 20 °C (68 °F)

e) Melting point/freezing

point

No data available

f) Initial boiling point and

boiling range

278 - 282 °C (532 - 540 °F) at 1013 hPa - lit.

g) Flash point 113 °C (235 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 6.8 %(V) flammability or Lower explosion limit: 1 %(V)

Aldrich- 156876 Page 5 of 9

explosive limits

k) Vapour pressure 1.45 hPa at 100 °C (212 °F)

< 0.01 hPa at 20 °C(68 °F)

I) Vapour density 5.5

m) Relative density 1.094 g/cm3 at 25 °C (77 °F)

n) Water solubility No data available

o) Partition coefficient: n-

octanol/water

log Pow: 1.07 at 25 °C (77 °F)

p) Auto-ignition

temperature

No data available

q) Decomposition

No data available

temperature

r) Viscosity No data availables) Explosive properties No data available

t) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 5.5

### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

acids, Acid chlorides, Acid anhydrides, Oxidizing agents, Chloroformates

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx)

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

### **Acute toxicity**

No data available

LD50 Oral - Rat - 2,230 mg/kg Inhalation: No data available

Inhalation: No data available Dermal: No data available

LD50 Dermal - Rabbit - 68 mg/kg

No data available No data available

## Skin corrosion/irritation

No data available

Aldrich- 156876 Page 6 of 9

Skin - Rabbit

Result: No skin irritation

## Serious eye damage/eye irritation

No data available Eves - Rabbit

Result: Severe eye irritation

## Respiratory or skin sensitisation

No data available No data available

### Germ cell mutagenicity

No data available

No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

### Reproductive toxicity

No data available

No data available

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

### **Additional Information**

RTECS: KJ7175000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

No data available No data available

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 460 - 680 mg/l - 96 h(2-Anilinoethanol)

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2810 Class: 6.1 Packing group: II Proper shipping name: Toxic, liquids, organic, n.o.s. (2-Anilinoethanol)

Poison Inhalation Hazard: No

ALL INNER PACKAGINGS MUST BE IN METAL CANS FOR FXG

**IMDG** 

UN number: 2810 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: TOXIC LIQUID, ORGANIC, N.O.S. (2-Anilinoethanol)

**IATA** 

UN number: 2810 Class: 6.1 Packing group: II Proper shipping name: Toxic liquid, organic, n.o.s. (2-Anilinoethanol) ALL INNER PACKAGINGS MUST BE IN METAL CANS FOR FX AIR

### 15. REGULATORY INFORMATION

## **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date 62-53-3 2007-03-01

Aniline

## **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### SARA 311/312 Hazards

Acute Health Hazard

## **Massachusetts Right To Know Components**

|                  | CAS-No.  | Revision Date |
|------------------|----------|---------------|
| 2-Anilinoethanol | 122-98-5 | 1993-04-24    |
| Aniline          | 62-53-3  | 2007-03-01    |

## Pennsylvania Right To Know Components

| , ,              | CAS-No.  | Revision Date |
|------------------|----------|---------------|
| 2-Anilinoethanol | 122-98-5 | 1993-04-24    |
| Aniline          | 62-53-3  | 2007-03-01    |

### **New Jersey Right To Know Components**

|                  | CAS-No.  | Revision Date |
|------------------|----------|---------------|
| 2-Anilinoethanol | 122-98-5 | 1993-04-24    |
| Aniline          | 62-53-3  | 2007-03-01    |

Aldrich- 156876 Page 8 of 9

### California Prop. 65 Components

WARNING! This product contains a chemical known to the CAS-No. State of California to cause cancer.

62-53-3

**Revision Date** 2007-09-28

Aniline

## 16. OTHER INFORMATION

### Full text of H-Statements referred to under sections 2 and 3.

Combustible liquid.

Toxic if swallowed, in contact with skin or if inhaled. H301 + H311 +

H331

H310 Fatal in contact with skin.

May cause an allergic skin reaction. H317 Causes serious eye damage. H318

Suspected of causing genetic defects. H341

Suspected of causing cancer. H351

Causes damage to organs (/\$/\* ORGAN REPEAT/\$/) through prolonged or H372

repeated exposure.

H402 Harmful to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. H412

**HMIS Rating** 

Health hazard: 3

Chronic Health Hazard:

0 Flammability: Physical Hazard 0

**NFPA Rating** 

Health hazard: 3 Fire Hazard: 0 Reactivity Hazard: 0 Health hazard: 3 Fire Hazard: 1 Reactivity Hazard: 0

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.0 Revision Date: 05/26/2018 Print Date: 11/12/2018

Aldrich- 156876 Page 9 of 9