

Safety Data Sheet acc. to OSHA HCS

Page 1/5 Printing date 07/07/2017 Revision date 07/06/2017 Version 2

1 Identification

Product identifier

Product name: Cadmium selenide

Stock number: 11057 CAS Number: 1306-24-7 **EC number:** 215-148-3 Index number: 034-002-00-8

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

70 Annual Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:
During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H331 Toxic if inhaled.





GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS06 GHS08

Signal word Danger

Hazard statements
H301+H331 Toxic if swallowed or if inhaled.
H373 May cause damage to organs through prolonged or repeated exposure. Precautionary statements

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor.
P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)

Health (acute effects) = 2
Flammability = 0
Physical Hazard = 1



Other hazards

Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 1306-24-7 Cadmium selenide Concentration: ≤100% Identification number(s): EC number: 215-148-3 Index number: 034-002-00-8

#### Product name: Cadmium selenide

(Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures

General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

**After inhalation**Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice

After skin contact

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Do not induce vomiting; immediately call for medical help.
Information for doctor

Most important symptoms and effects, both acute and delayed

Toxic if inhaled.

Toxic if swallowed.

May cause damage to organs through prolonged or repeated exposure.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Product is not flammable. Use fire-fighting measures that suit the surrounding fire.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Hydrogen selenide
Selenium dioxide (SeO2)
Codmium oxide

Cadmium oxide

Advice for firefighters

Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away Ensure adequate ventilation

Ensure adequate ventilation:

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: Substance is not listed.

PAC-3: Substance is not listed.

## 7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: The product is not flammable

Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Store away from oxidizing agents. Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

1306-24-7 Cadmium selenide (100.0%)

PEL (USA)

Long-term value: 0.2 mg/m<sup>2</sup> as Se Long-term value: 0.2 mg/m³ as Se REL (USA)

TLV (USA) Long-term value: 0.2 mg/m³ as Se

Long-term value: 0.01 0.002\* mg/m³ as Cd; ACGIH A2, IARC 1; \*respirable EL (Canada)

(Contd. on page 3)

(Contd. of page 2)

#### Product name: Cadmium selenide

Ingredients with biological limit values:

1306-24-7 Cadmium selenide (100.0%) BEI (USA) 5 µg/g creatinine
Medium: urine
Time: not critical
Parameter: Cadmium (background)

5 µg/L Medium: blood Time: not critical Parameter: Cadmium (background)

Additional information: No data

Exposure controls

Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Recommended filter device for short term use:
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.
Impervious gloves

Impervious gloves
Check protection of manus.
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR
Penetration time of glove material (in minutes) 480

Glove thickness: 0.11 mm Eye protection: Safety glasses with side shields / NIOSH (US) or EN 166(EU) Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form: Various forms (powder/flake/crystalline/beads, etc.)

Odor: Odor threshold:

Not determined pH-value: Not applicable.

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature/start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting: >1350 °C (>2462 °F) Not determined Not determined Not determined Not determined

Not determined Auto igniting: Not determined Danger of explosion: Not determined.

Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density Not determined Not determined

Not applicable. 5.81 g/cm³ (48.484 lbs/gal) Not determined.

Vapor density
Evaporation rate
Solubility in / Miscibility with
Water: Not applicable. Not applicable. Insoluble

Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic: Not applicable.

Not applicable. No further relevant information available. Other information

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Acids
Oxidizing agents
Hazardous decomposition products:
Hydrogen selenide
Selenium dioxide (SeO2)
Cadmium oxide

## 11 Toxicological information

Information on toxicological effects

Acute toxicity: Toxic if inhaled.

(Contd. on page 4)

(Contd. on page 5)

Class Label

Packing group DOT, ADR, IMDG, IATA

Environmental hazards: Marine pollutant (IMDG):

Special precautions for user EMS Number:

# Version 2 Product name: Cadmium selenide (Contd. of page 3) Toxic if swallowed. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: May cause irritation Eye irritation or corrosion: May cause irritation Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known. Carcinogenicity: IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. EPA-B1: Probable human carcinogen, limited evidence of carcinogenicity from epidemiologic studies. Carcinogen as defined by OSHA. ACGIH A2: Suspected human carcinogen: Agent is carcinogenic in experimental animals at dose levels, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. Available epidemiologic studies are conflicting or insufficient to confirm an increased risk of cancer in exposed humans. NTP-K: Known to be carcinogenic: sufficient evidence from human studies. Reproductive toxicity: No effects known Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: May cause damage to organs through prolonged or repeated exposure. Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known. 12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Ecotoxical effects: Remark: Very toxic for aquatic organisms Additional ecological information: General notes: Do not allow material to be released to the environment without proper go General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable Other adverse effects No further relevant information available. 13 Disposal considerations Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations. 14 Transport information UN-Number DOT, IMDG, IATA UN3283 UN proper shipping name DOT Selenium compound, solid, n.o.s. (Cadmium selenide) 3283 Selenium compound, solid, n.o.s. (Cadmium selenide) SELENIUM COMPOUND, SOLID, N.O.S. (Cadmium selenide) IMDG, IATA Transport hazard class(es) DOT 6.1 Toxic substances 6.1 Class Label ADR 6.1 (T5) Toxic substances 6.1 Class ĪMĎĠ, IATA - A

6.1 Toxic substances 6.1

Warning: Toxic substances

Ш

No

#### Product name: Cadmium selenide

Stowage Category

(Contd. of page 4)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information:

DOT

Marine Pollutant (DOT): UN "Model Regulation": No

UN 3283 SELENIUM COMPOUND, SOLID, N.O.S. (CADMIUM SELENIDE), 6.1,

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS06 GHS08

Signal word Danger

Hazard statements H301+H331 Toxic if swallowed or if inhaled.

H301+H331 TOXIC If swallowed or if infinited.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P311 Call a POISON CENTER/doctor.
P405 Store locked up.
P501

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations.

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Domestic Substances List (DSL).

## SARA Section 313 (specific toxic chemical listings)

1306-24-7 Cadmium selenide California Proposition 65

## Prop 65 - Chemicals known to cause cancer

1306-24-7 Cadmium selenide

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bloaccumulative and Toxic
SYHC: Substances of Very High Concern
VPVB: very Persistent and very Bloaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
MTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 3: Acute toxicity – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

USA