

## 1 Identification

### Product identifier

**Product name:** Sodium peroxide

**Stock number:** L13306

**CAS Number:**

1313-60-6

**EC number:**

215-209-4

**Index number:**

011-003-00-1

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS03 Flame over circle

Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer.



GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS03 GHS05

### Signal word

**Danger**

### Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H314 Causes severe skin burns and eye damage.

### Precautionary statements

P221 Take any precaution to avoid mixing with combustibles.

P283

Wear fire/ flame resistant/retardant clothing.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405

Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

C - Oxidizing materials

D2B - Toxic material causing other toxic effects

E - Corrosive material



### Classification system

**HMIS ratings (scale 0-4)**

**(Hazardous Materials Identification System)**

HEALTH 3 Health (acute effects) = 3

FIRE 3 Flammability = 3

REACTIVITY 3 Physical Hazard = 3

### Other hazards

### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

1313-60-6 Sodium peroxide

**Concentration:** ≤100%

**Identification number(s):**

**EC number:** 215-209-4

**Product name:** Sodium peroxide

**Index number:** 011-003-00-1 (Contd. of page 1)

**4 First-aid measures**  
**Description of first aid measures**  
**General information** Immediately remove any clothing soiled by the product.  
**After inhalation**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
**After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.  
**After swallowing** Seek medical treatment.  
**Information for doctor**  
**Most important symptoms and effects, both acute and delayed** Causes severe skin burns.  
**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**  
**Extinguishing media**  
**Suitable extinguishing agents** Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.  
**For safety reasons unsuitable extinguishing agents** Halocarbon extinguisher  
**Special hazards arising from the substance or mixture**  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
If this product is involved in a fire, the following can be released:  
Sodium oxide  
**Advice for firefighters**  
**Protective equipment:**  
Wear self-contained respirator.  
Wear fully protective impervious suit.

**6 Accidental release measures**  
**Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation  
**Environmental precautions:** Do not allow product to reach sewage system or any water course.  
**Methods and material for containment and cleaning up:**  
Use neutralizing agent.  
Dispose of contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
**Prevention of secondary hazards:**  
Acts as an oxidizing agent on organic materials such as wood, paper and fats  
Keep away from combustible material.  
**Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.  
**Protective Action Criteria for Chemicals**  
**PAC-1:** 0.5 mg/m3  
**PAC-2:** 5 mg/m3  
**PAC-3:** 50 mg/m3

**7 Handling and storage**  
**Handling**  
**Precautions for safe handling**  
Handle under dry protective gas.  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
**Information about protection against explosions and fires:**  
Substance/product can reduce the ignition temperature of flammable substances.  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
**Conditions for safe storage, including any incompatibilities**  
**Storage**  
**Requirements to be met by storerooms and receptacles:** No special requirements.  
**Information about storage in one common storage facility:**  
Store away from flammable substances.  
Store away from reducing agents.  
Store away from air.  
Do not store with organic materials.  
Store away from metal powders.  
Store away from water/moisture.  
**Further information about storage conditions:**  
Store under dry inert gas.  
This product is hygroscopic.  
This product is air sensitive.  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.  
Protect from humidity and water.  
**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**  
**Additional information about design of technical systems:**  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
**Control parameters**  
**Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.  
**Additional information:** No data

**Product name: Sodium peroxide**

(Contd. of page 2)

**Exposure controls**  
**Personal protective equipment**  
**General protective and hygienic measures**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Remove all soiled and contaminated clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Maintain an ergonomically appropriate working environment.  
**Breathing equipment:**  
Use suitable respirator when high concentrations are present.  
Use suitable respiratory protective device in case of insufficient ventilation.  
**Recommended filter device for short term use:**  
Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.  
**Protection of hands:**  
Impervious gloves  
Check protective gloves prior to each use for their proper condition.  
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.  
**Material of gloves** Nitrile rubber, NBR  
**Penetration time of glove material (in minutes)** 480

**Glove thickness:** 0.11 mm  
**Eye protection:**  
Tightly sealed goggles  
Full face protection  
Safety glasses with side shields / NIOSH (US) or EN 166(EU)  
**Body protection:** Protective work clothing.

**9 Physical and chemical properties**

**Information on basic physical and chemical properties**  
**General Information**  
**Appearance:**  
**Form:** Granules or beads  
**Odor:** Not determined  
**Odor threshold:** Not determined.  
**pH-value:** Not applicable.  
**Change in condition**  
**Melting point/Melting range:** 460 °C (860 °F) (dec)  
**Boiling point/Boiling range:** Not determined  
**Sublimation temperature / start:** Not determined  
**Flammability (solid, gaseous)** Contact with combustible material may cause fire.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Not determined.  
**Danger of explosion:** Not determined.  
**Explosion limits:**  
**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure:** Not applicable.  
**Density at 20 °C (68 °F):** 2.805 g/cm³ (23.408 lbs/gal)  
**Relative density** Not determined.  
**Vapor density** Not applicable.  
**Evaporation rate** Not applicable.  
**Solubility in / Miscibility with**  
**Water:** Insoluble  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not applicable.  
**kinematic:** Not applicable.  
**Other information** No further relevant information available.

**10 Stability and reactivity**

**Reactivity** May intensify fire; oxidizer.  
**Chemical stability** Stable under recommended storage conditions.  
**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.  
**Possibility of hazardous reactions**  
Reacts with reducing agents  
Reacts with flammable substances  
**Conditions to avoid** No further relevant information available.  
**Incompatible materials:**  
Flammable substances  
Reducing agents  
Air  
Organic materials  
Metal powders  
Water/moisture  
**Hazardous decomposition products:** Sodium oxide

**11 Toxicological information**

**Information on toxicological effects**  
**Acute toxicity:** Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.  
**LD/LC50 values that are relevant for classification:** No data  
**Skin irritation or corrosion:** Causes severe skin burns.  
**Eye irritation or corrosion:** Causes serious eye damage.  
**Sensitization:** No sensitizing effects known.  
**Germ cell mutagenicity:** No effects known.  
**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

(Contd. on page 4)  
USA

**Product name:** Sodium peroxide




(Contd. of page 3)

**Reproductive toxicity:** No effects known.  
**Specific target organ system toxicity - repeated exposure:** No effects known.  
**Specific target organ system toxicity - single exposure:** No effects known.  
**Aspiration hazard:** No effects known.  
**Subacute to chronic toxicity:** No effects known.  
**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**12 Ecological information**  
**Toxicity**  
**Aquatic toxicity:** No further relevant information available.  
**Persistence and degradability** No further relevant information available.  
**Bioaccumulative potential** No further relevant information available.  
**Mobility in soil** No further relevant information available.  
**Additional ecological information:**  
**General notes:**  
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.  
Avoid transfer into the environment.  
**Results of PBT and vPvB assessment**  
**PBT:** Not applicable.  
**vPvB:** Not applicable.  
**Other adverse effects** No further relevant information available.



**13 Disposal considerations**  
**Waste treatment methods**  
**Recommendation** Consult state, local or national regulations to ensure proper disposal.  
**Uncleaned packagings:**  
**Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN1504
<b>UN proper shipping name</b> <b>DOT</b> <b>ADR</b> <b>IMDG, IATA</b>	Sodium peroxide 1504 Sodium peroxide SODIUM PEROXIDE
<b>Transport hazard class(es)</b> <b>DOT</b>  <b>Class</b> <b>Label</b> <b>ADR</b>	5.1 Oxidizing substances 5.1
 <b>Class</b> <b>Label</b> <b>IMDG, IATA</b>	5.1 (O2) Oxidizing substances 5.1
 <b>Class</b> <b>Label</b>	5.1 Oxidizing substances 5.1
<b>Packing group</b> <b>DOT, ADR, IMDG, IATA</b>	I
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b> <b>EMS Number:</b> <b>Segregation groups</b> <b>Stowage Category</b> <b>Handling Code</b> <b>Segregation Code</b>	Warning: Oxidizing substances F-G, S-Q Peroxides E H1 Keep as dry as reasonably practicable SG16 Stow "separated from" class 4.1 SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained. SG35 Stow "separated from" acids. SG59 Stow "separated from" permanganates
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b> <b>DOT</b> <b>Quantity limitations</b> <b>Marine Pollutant (DOT):</b> <b>IMDG</b> <b>Limited quantities (LQ)</b> <b>Excepted quantities (EQ)</b>	On passenger aircraft/rail: Forbidden On cargo aircraft only: 15 kg No 0 Code: E0 Not permitted as Excepted Quantity

(Contd. on page 5)  
USA

Product name: <b>Sodium peroxide</b>	
(Contd. of page 4)	
UN "Model Regulation":	UN 1504 SODIUM PEROXIDE, 5.1, I

<b>15 Regulatory information</b> <b>Safety, health and environmental regulations/legislation specific for the substance or mixture</b> <b>GHS label elements</b> The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) <b>Hazard pictograms</b>   GHS03 GHS05 <b>Signal word</b> Danger <b>Hazard statements</b> H271 May cause fire or explosion; strong oxidizer. H314 Causes severe skin burns and eye damage. <b>Precautionary statements</b> P221 Take any precaution to avoid mixing with combustibles. P283 Wear fire/ flame resistant/retardant clothing. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. <b>National regulations</b> All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Domestic Substances List (DSL). <b>SARA Section 313 (specific toxic chemical listings)</b> Substance is not listed. <b>California Proposition 65</b> <b>Prop 65 - Chemicals known to cause cancer</b> Substance is not listed. <b>Prop 65 - Developmental toxicity</b> Substance is not listed. <b>Prop 65 - Developmental toxicity, female</b> Substance is not listed. <b>Prop 65 - Developmental toxicity, male</b> Substance is not listed. <b>Information about limitation of use:</b> For use only by technically qualified individuals. <b>Other regulations, limitations and prohibitive regulations</b> <b>Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.</b> Substance is not listed. <b>The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.</b> Substance is not listed. <b>Annex XIV of the REACH Regulations (requiring Authorisation for use)</b> Substance is not listed. <b>Chemical safety assessment:</b> A Chemical Safety Assessment has not been carried out.	
<b>16 Other information</b> Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. <b>Department issuing SDS:</b> Global Marketing Department <b>Date of preparation/Revision:</b> Print date, revision date and version number are in the header of each page. <b>Abbreviations and acronyms:</b> ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative ACGIH: American Conference of Governmental Industrial Hygienists (USA) OSHA: Occupational Safety and Health Administration (USA) NTP: National Toxicology Program (USA) IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA) Ox. Sol. 1: Oxidizing solids – Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
USA	