according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

# ROTH

#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: **2335** date of compilation: 2016-10-24 Version: **1.0 en** 

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Molybdenum Standard Solution

Article number 2335

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:** +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

#### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

#### Classification acc. to GHS

Section	Hazard class	Hazard class and cat- egory	Hazard state- ment
3.2	skin corrosion/irritation	(Skin Irrit. 2)	H315
3.3	serious eye damage/eye irritation	(Eye Dam. 1)	H318

#### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

United Kingdom (en) Page 1 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**



#### **Hazard statements**

H315 Causes skin irritation. H318 Causes serious eye damage.

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection.

#### Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

#### Hazardous ingredients for labelling: Ammonia

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H318 Causes serious eye damage.

P280 Wear protective gloves/eye protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

contains: Ammonia

#### 2.3 Other hazards

There is no additional information.

United Kingdom (en) Page 2 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### **Description of the mixture**

Composition/information on ingredients.

Name of sub- stance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms	Specific Conc. Limits
Ammonia	CAS No 1336-21-6 EC No 215-647-6 Index No 007-001-01-2 REACH Reg. No 01-2119488876- 14-xxxx	4	Flam. Gas 2 / H221 Press. Gas C / H280 Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400		STOT SE 3; H335: C ≥ 5 %

#### Remarks

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: May produce toxic fumes of carbon monoxide if burning.

#### 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advices on how to contain a spill

Covering of drains.

#### Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid: Aerosol or mist formation.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice

#### • Ventilation requirements

Use local and general ventilation.

#### • Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**National limit values** 

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Data are not available.

#### Relevant DNELs/DMELs/PNECs and other threshold levels

#### • relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Ammonia	1336-21- 6	DNEL	36 mg/m³	human, inhalatory	worker (in- dustry)	acute - local effects
Ammonia	1336-21- 6	DNEL	6,8 mg/kg	human, dermal	worker (in- dustry)	acute - systemic ef- fects
Ammonia	1336-21- 6	DNEL	47,6 mg/m³	human, inhalatory	worker (in- dustry)	acute - systemic ef- fects
Ammonia	1336-21- 6	DNEL	14 mg/m³	human, inhalatory	worker (in- dustry)	chronic - local effects
Ammonia	1336-21- 6	DNEL	6,8 mg/kg	human, dermal	worker (in- dustry)	chronic - systemic ef- fects
Ammonia	1336-21- 6	DNEL	47,6 mg/m³	human, inhalatory	worker (in- dustry)	chronic - systemic ef- fects

United Kingdom (en) Page 5 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

#### relevant PNECs of components of the mixture

Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment	Exposure time
Ammonia	1336-21-6	PNEC	0,0011 mg/l	freshwater	short-term (single in- stance)
Ammonia	1336-21-6	PNEC	0,0011 mg/l	marine water	short-term (single in- stance)
Ammonia	1336-21-6	PNEC	0,0068 mg/l	water	intermittent release

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)







#### **Eye/face protection**

Use safety goggle with side protection.

#### **Skin protection**

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### · type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**

Respiratory protection necessary at: Aerosol or mist formation. Type: K-P2 (combined filters against ammonia, organic ammonia derivatives and particles, colour code: Green/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 6 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state liquid (fluid)

Colour colourless

Odour like ammonia

Odour threshold No data available

Other physical and chemical parameters

pH (value) (alkaline)

Melting point/freezing point not determined

Initial boiling point and boiling range This information is not available.

Flash point not determined

Evaporation rate no data available

Flammability (solid, gas) not relevant (fluid)

**Explosive limits** 

lower explosion limit (LEL)
 upper explosion limit (UEL)
 25 vol%
 Explosion limits of dust clouds
 not relevant

Vapour pressure This information is not available.

Density This information is not available.

Vapour density This information is not available.

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

n-octanol/water (log KOW) This information is not available.

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available Viscosity not determined

Explosive properties Shall not be classified as explosive

Oxidising properties none

United Kingdom (en) Page 7 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

#### 9.2 Other information

There is no additional information.

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Copper, Acids, Strong oxidiser, Zinc

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Ammonia	1336-21-6	oral	350 <sup>mg</sup> / <sub>kg</sub>

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

#### • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### • Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United Kingdom (en) Page 8 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

data are not available

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

irritability, cough, Dyspnoea

#### • If on skin

causes skin irritation

#### Other information

None

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Ammonia	1336-21-6	LC50	101 <sup>mg</sup> / <sub>l</sub>	aquatic inverteb- rates	48 h

#### 12.2 Process of degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

United Kingdom (en) Page 9 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number	(not subject to transport regulations)

14.2 UN proper shipping name not relevant14.3 Transport hazard class(es) not relevant

Class -

**14.4** Packing group not relevant

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the danger-

ous goods regulations)

#### 14.6 Special precautions for user

There is no additional information.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

## **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) None of the ingredients are listed.

United Kingdom (en) Page 10 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

• Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

None of the ingredients are listed.

Regulation 850/2004/EC on persistent organic pollutants (POP)

None of the ingredients are listed.

Restrictions according to REACH, Annex XVII

None of the ingredients are listed.

List of substances subject to authorisation (REACH, Annex XIV)

None of the ingredients are listed.

• Limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products (2004/42/EC, Deco-Paint Directive)

VOC content 0 %

• Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 0 %

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

None of the ingredients are listed.

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

None of the ingredients are listed.

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

None of the ingredients are listed.

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances

United Kingdom (en) Page 11 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
Eye Dam.	seriously damaging to the eye
Eye Irrit.	irritant to the eye
Flam. Gas	flammable gas
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IMDG	International Maritime Dangerous Goods Code
index No	the Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Press. Gas	gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	corrosive to skin
Skin Irrit.	irritant to skin
STOT SE	specific target organ toxicity - single exposure
VOC	Volatile Organic Compounds
vPvB	very Persistent and very Bioaccumulative

#### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS)

## List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H221	flammable gas
H280	contains gas under pressure; may explode if heated
H302	harmful if swallowed
H314	causes severe skin burns and eye damage
H315	causes skin irritation
H318	causes serious eye damage
H335	may cause respiratory irritation
H400	very toxic to aquatic life

United Kingdom (en) Page 12 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



#### Molybdenum Standard Solution -AAS 1000 mg/l Mo

article number: 2335

#### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 13 / 13