

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 02/22/2013

1 Identification

Product identifier

Product name: Lead (II) perchlorate

Stock number: 11640

CAS Number: 13453-62-8 **EC** number: 237-125-7 Index number: 082-001-00-6

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS03 Flame over circle

Ox. Sol. 1 H271 May cause fire or explosion; strong oxidizer.



GHS08 Health hazard

Repr. 1A H360 May damage fertility or the unborn child.

STOT RE 2 H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS03 GHS07 GHS08

Signal word Danger

Signal word Danger
Hazard statements
H271 May cause fire or explosion; strong oxidizer.
H302+H332 Harmful if swallowed or if inhaled.
H360 May damage fertility or the unborn child.
H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Procestionary statements

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P283 Wear fire/flame resistant/retardant clothing.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P405 P501

Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
C - Oxidizing materials
D1B - Toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 2
Flammability = 0
Physical Hazard = 3

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 2)

Product name: Lead (II) perchlorate

vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 13453-62-8 Lead (II) perchlorate Identification number(s): EC number: 237-125-7 Index number: 082-001-00-6

4 First-aid measures

Description of first aid measures

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents Halocarbon extinguisher

Special hazards arising from the substance or mixture

This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

If this product is involved in a fire, the following can be released:

Advice for firefighters
Protective equipment:
Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Ensure adequate ventilation

Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.

Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Ensure adequate ventilation.

Prevention of secondary hazards:
Acts as an oxidizing agent on organic materials such as wood, paper and fats Keep away from combustible material.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling

Frecautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.

Open and handle container with care.

Open and maridie container with care.

Information about protection against explosions and fires:
Substance/product can reduce the ignition temperature of flammable substances.
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.

Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles: No special requirements.

Requirements to be met by storerooms and receptacles: N Information about storage in one common storage facility: Store away from flammable substances.
Store away from reducing agents.
Do not store with organic materials.
Store away from metal powders.
Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Lead, elemental, and inorganic compounds (as Pb) mg(Pb)/m3 ACGIH TLV 0.05; Confirmed animal carcinogen

ACGIH TLV Austria MAK Belgium TWA Denmark TWA Germany MAK Japan OEL 0.1 0.15

0.1

(Contd. on page 3)

(Contd. of page 2)

Product name: Lead (II) perchlorate

0.05; Confirmed animal carcinogen 0.15 0.05 0.05

Korea TLV Netherlands TWA Norway TWA Poland TWA

Sweden TWA 0.05 (resp. dust)
0.1 (total dust)
Switzerland MAK-W 0.1
United Kingdom TWA 0.1
USA PEL 0.05

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Refer to 29CFR1910.1025 for regulations on respiratory protection required during exposure to lead and lead compounds.

Protection of hands:

Impervious gloves

Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.
Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information Appearance: Form: Crystalline White Color: Odor: Odor threshold: Odorless Not determined.

pH-value:

, Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: 100 dec °C (212 dec °F) Not determined Not determined

Flash point: Not applicable

Contact with combustible material may cause fire.
Not determined

Flash point.
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature: Auto igniting:

Not determined Not determined Explosive when mixed with combustible material.

Danger of explosion: Explosion limits: Lower: Upper: Not determined Not determined

Vapor pressure: Density at 20 °C (68 °F): Relative density Vapor density

Not applicable. 2.6 g/cm³ (21.697 lbs/gal) Not determined.

Evaporation rate Solubility in / Miscibility with Water at 25 °C (77 °F):

Not applicable. Not applicable.

Not applicable.

4997 g/l Soluble Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable.

kinematic

Other information

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity
May intensify fire; oxidizer.
May cause fire or explosion; strong oxidizer.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions
Reacts with reducing agents
Reacts with flammable substances
Conditions to avoid No further relevant information available.
Incompatible materials:
Flammable substances
Reducing agents
Organic materials
Organic materials
Metal powders
Hazardous decomposition products:

Metal powders
Hazardous decomposition products:
Toxic metal compounds
Irritant gases/vapors
Hydrogen chloride (HCI)
Phosgene

USA

Product name: Lead (II) perchlorate

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects

Acute toxicity: Harmful if inhaled. Harmful if swallowed.

Harmful if swallowed.

LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Irritant to skin and mucous membranes.

Eye irritation or corrosion: Irritanting effect.

Sensitization: No sensitizing effects known.

Germ cell mutagenicity: No effects known.

Germ cell mutagenicity:

EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.

IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.

NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.

ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

Reproductive toxicity: May damage fertility or the unborn child.

Specific target organ system toxicity - repeated exposure:

May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Specific target organ system toxicity - single exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known.

Aspiration nazard: No effects known.

Subacute to chronic toxicity:

Lead and lead compounds may cause abdominal pain, diarrhea, loss of appetite, metallic taste, nausea, vomiting, lassitude, insomnia, muscle weakness, joint and muscle pain, irritability, headache and dizziness. Red blood cells may be damaged resulting in anemia. Gastritis and injury to the kidneys, liver, male gonads, and central nervous system may also occur.

Perchlorates are irritating to the skin and mucous membranes.

Subacute to chronic toxicity: No effects known.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Very toxic for aquatic organisms

Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits. Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment.

Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN1470
UN proper shipping name DOT IMDG, IATA	Lead perchlorate, solid LEAD PERCHLORATE, SOLID
Transport hazard class(es)	
DOT	

5.1 Oxidising substances. 5.1+6.1 5.1 (OT2) Oxidizing substances 5.1+6.1







Class 5.1 Oxidising substances. 5.1+6.1

Packing group DOT, IMDG, IATA

Environmental hazards: Environmentally hazardous substance, solid

Special precautions for user Warning: Oxidizing substances

(Contd. on page 5)

Product name: Lead (II) perchlorate (Contd. of page 4) EMS Number: Heavy metals and their salts (including their organometallic compounds), lead and its compounds, perchlorates Segregation groups Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: DOT Marine Pollutant (DOT):

UN1470, Lead perchlorate, solid, 5.1 (6.1), II

15 Regulatory information


UN "Model Regulation":

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms









Signal word Danger

Hazard statements
H271 May cause fire or explosion; strong oxidizer.
H302+H332 Harmful if swallowed or if inhaled.
H360 May damage fertility or the unborn child.
H373 May cause damage to the reproductive system, the blood, the brain and the endocrine system through prolonged or repeated exposure. Route of exposure: Oral, Inhalative.

Processitionary statements

Precautionary statements
P221 Take any precaution to avoid mixing with combustibles.
P283 Wear fire/flame resistant/retardant clothing.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P306+P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes.
P305 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory. All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

13453-62-8 Lead (II) perchlorate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

13453-62-8 Lead (II) perchlorate

Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product contains lead and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

4UCFR372.
Other regulations, limitations and prohibitive regulations Refer to 29CFR1910.1025 for regulations concerning lead and lead compounds.
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance in ret listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department Issuing SDS: Global Marketing Department Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LP90: very Persistent and very Bioaccumulative
PVP8: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)