

## 1 Identification

### Product identifier

**Product name:** Cesium chromate

**Stock number:** 13492

**CAS Number:**

13454-78-9

**EC number:**

236-640-4

**Index number:**

024-017-00-8

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar  
Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS08 Health hazard

Carc. 1B H350 May cause cancer.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS07 GHS08

### Signal word

**Danger**

### Hazard statements

H317 May cause an allergic skin reaction.

H350 May cause cancer.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

C - Oxidizing materials

D1B - Toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



### Classification system

#### HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 2 Physical Hazard = 2

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

13454-78-9 Cesium chromate

#### Identification number(s):

EC number: 236-640-4

Index number: 024-017-00-8

**Product name:** Cesium chromate

(Contd. of page 1)

**4 First-aid measures**

**Description of first aid measures**  
**After inhalation**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm.  
Seek immediate medical advice.  
**After skin contact**  
Immediately wash with water and soap and rinse thoroughly.  
Seek immediate medical advice.  
**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.  
**After swallowing** Seek medical treatment.  
**Information for doctor**  
**Most important symptoms and effects, both acute and delayed** No further relevant information available.  
**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**5 Fire-fighting measures**

**Extinguishing media**  
**Suitable extinguishing agents** Product is not flammable. Use fire-fighting measures that suit the surrounding fire.  
**Special hazards arising from the substance or mixture**  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
If this product is involved in a fire, the following can be released:  
**Advice for firefighters**  
**Protective equipment:**  
Wear self-contained respirator.  
Wear fully protective impervious suit.

**6 Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
**Ensure adequate ventilation**  
**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.  
**Methods and material for containment and cleaning up:**  
Dispose of contaminated material as waste according to section 13.  
**Ensure adequate ventilation.**  
**Prevention of secondary hazards:**  
Acts as an oxidizing agent on organic materials such as wood, paper and fats  
Keep away from combustible material.  
**Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

**Handling**  
**Precautions for safe handling**  
Keep container tightly sealed.  
Store in cool, dry place in tightly closed containers.  
Ensure good ventilation at the workplace.  
Open and handle container with care.  
**Information about protection against explosions and fires:**  
Substance/product can reduce the ignition temperature of flammable substances.  
This substance is an oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.  
**Conditions for safe storage, including any incompatibilities**  
**Storage**  
**Requirements to be met by storerooms and receptacles:** No special requirements.  
**Information about storage in one common storage facility:**  
Store away from flammable substances.  
Store away from reducing agents.  
Do not store with organic materials.  
Store away from metal powders.  
**Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed containers.  
**Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

**Additional information about design of technical systems:**  
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.  
**Control parameters**  
**Components with limit values that require monitoring at the workplace:**  
  
Chromium (VI) compounds, as Cr  
mg/m3  
ACGIH TLV 0.05; Confirmed human carcinogen  
Belgium TWA 0.01 (insoluble)  
0.05 (water soluble)  
Germany MAK 0.1 (production)(water soluble)  
0.5 (other applications)(water soluble)  
Netherlands MAC-TGG 0.01 (water insoluble)  
0.025 (water soluble)  
0.05-STEL (water soluble)  
Poland TWA 0.025; 0.05-STEL  
Sweden TWA 0.02  
United Kingdom TWA 0.05  
USA PEL 0.1 (CrO3) (ceiling)

(Contd. on page 3)

Product name: <b>Cesium chromate</b>	
(Contd. of page 2)	
<b>13454-78-9 Cesium chromate (100.0%)</b>	
PEL (USA)	Long-term value: 0.005* mg/m <sup>3</sup> Ceiling limit value: 0.1** mg/m <sup>3</sup> *as Cr(VI) **as CrO <sub>3</sub> ; see 29 CFR 1910.1026
REL (USA)	Long-term value: 0.001 mg/m <sup>3</sup> as Cr; See Pocket Guide Apps. A and C
TLV (USA)	Long-term value: 0.05 mg/m <sup>3</sup> as Cr; BEI
EL (Canada)	Short-term value: C0.1 mg/m <sup>3</sup> Long-term value: 0.025 mg/m <sup>3</sup> as Cr; ACIGH A1, IARC 1
<b>Ingredients with biological limit values:</b>	
<b>13454-78-9 Cesium chromate (100.0%)</b>	
BEI (USA)	25 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Total chromium (fume)  10 µg/L Medium: urine Time: increase during shift Parameter: Total chromium (fume)
<b>Additional information:</b> No data	
<b>Exposure controls</b>	
<b>Personal protective equipment</b>	
<b>General protective and hygienic measures</b>	
The usual precautionary measures for handling chemicals should be followed.	
Keep away from foodstuffs, beverages and feed.	
Remove all soiled and contaminated clothing immediately.	
Wash hands before breaks and at the end of work.	
Store protective clothing separately.	
Maintain an ergonomically appropriate working environment.	
<b>Breathing equipment:</b> Use suitable respirator when high concentrations are present.	
<b>Protection of hands:</b>	
Impervious gloves	
Check protective gloves prior to each use for their proper condition.	
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.	
<b>Eye protection:</b> Safety glasses	
<b>Body protection:</b> Protective work clothing.	
<b>9 Physical and chemical properties</b>	
<b>Information on basic physical and chemical properties</b>	
<b>General Information</b>	
<b>Appearance:</b>	
Form:	Powder
Color:	Yellow
Odor:	Odorless
Odor threshold:	Not determined.
<b>pH-value:</b> Not applicable.	
<b>Change in condition</b>	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined
<b>Flash point:</b> Not applicable	
<b>Flammability (solid, gaseous)</b> Contact with combustible material may cause fire.	
<b>Ignition temperature:</b> Not determined	
<b>Decomposition temperature:</b> Not determined	
<b>Auto igniting:</b> Not determined.	
<b>Danger of explosion:</b> Not determined.	
<b>Explosion limits:</b>	
Lower:	Not determined
Upper:	Not determined
<b>Vapor pressure:</b> Not applicable.	
<b>Density at 20 °C (68 °F):</b> 4.237 g/cm <sup>3</sup> (35.358 lbs/gal)	
<b>Relative density</b> Not determined.	
<b>Vapor density</b> Not applicable.	
<b>Evaporation rate</b> Not applicable.	
<b>Solubility in / Miscibility with</b>	
Water at 13 °C (55 °F):	714 g/l
<b>Partition coefficient (n-octanol/water):</b> Not determined.	
<b>Viscosity:</b>	
dynamic:	Not applicable.
kinematic:	Not applicable.
<b>Other information</b> No further relevant information available.	
<b>10 Stability and reactivity</b>	
<b>Reactivity</b> No information known.	
<b>Chemical stability</b> Stable under recommended storage conditions.	
<b>Thermal decomposition / conditions to be avoided:</b> Decomposition will not occur if used and stored according to specifications.	
<b>Possibility of hazardous reactions</b>	
Reacts with reducing agents	
Reacts with flammable substances	
<b>Conditions to avoid</b> No further relevant information available.	
<b>Incompatible materials:</b>	
Flammable substances	
Reducing agents	
Organic materials	
(Contd. on page 4)	

Product name: <b>Cesium chromate</b>	
Metal powders <b>Hazardous decomposition products:</b> Toxic metal oxide fume	
(Contd. of page 3)	
<b>11 Toxicological information</b> <b>Information on toxicological effects</b> <b>Acute toxicity:</b> No effects known. <b>LD/LC50 values that are relevant for classification:</b> No data <b>Skin irritation or corrosion:</b> Corrosive effect on skin and mucous membranes. Irritant to skin and mucous membranes. <b>Eye irritation or corrosion:</b> Strong corrosive effect. Irritating effect. <b>Sensitization:</b> May cause an allergic skin reaction. <b>Germ cell mutagenicity:</b> No effects known. <b>Carcinogenicity:</b> May cause cancer. EPA-A: human carcinogen: sufficient evidence from epidemiologic studies to support a causal association between exposure and cancer. IARC-1: Carcinogenic to humans: sufficient evidence of carcinogenicity. ACGIH A1: Confirmed human carcinogen: Agent is carcinogenic to humans based on epidemiologic studies of, or convincing clinical evidence in, exposed humans. NTP-K: Known to be carcinogenic: sufficient evidence from human studies. <b>Reproductive toxicity:</b> No effects known. <b>Specific target organ system toxicity - repeated exposure:</b> No effects known. <b>Specific target organ system toxicity - single exposure:</b> No effects known. <b>Aspiration hazard:</b> No effects known. <b>Subacute to chronic toxicity:</b> Chromium (VI) may cause skin ulceration, gastrointestinal irritation with vomiting and diarrhea, kidney and liver damage. Overexposure may be fatal. Dusts are extremely irritating to the eyes, nose, throat and bronchial tubes. May cause cancers of the lungs, nasal cavity, sinuses, stomach and larynx. Cesium compounds may cause hyper-irritability, including spasms, dizziness, abdominal cramps, vomiting, diarrhea, convulsions and collapse. Chronic ingestion of cesium has been fatal to laboratory animals, possibly due to the replacement of potassium. Chronic exposure also can have blood and neuromuscular effects. <b>Subacute to chronic toxicity:</b> No effects known. <b>Subacute to chronic toxicity:</b> Chromates may cause ulceration and perforation of the nasal septum, liver and kidney damage, and ulceration of the skin. <b>Additional toxicological information:</b> To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.	
<b>12 Ecological information</b> <b>Toxicity</b> <b>Aquatic toxicity:</b> No further relevant information available. <b>Persistence and degradability</b> No further relevant information available. <b>Bioaccumulative potential</b> No further relevant information available. <b>Mobility in soil</b> No further relevant information available. <b>Ecotoxicological effects:</b> <b>Remark:</b> Very toxic for aquatic organisms <b>Additional ecological information:</b> <b>General notes:</b> Do not allow product to reach ground water, water course or sewage system. Do not allow material to be released to the environment without proper governmental permits. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. May cause long lasting harmful effects to aquatic life. Avoid transfer into the environment. Very toxic for aquatic organisms <b>Results of PBT and vPvB assessment</b> <b>PBT:</b> Not applicable. <b>vPvB:</b> Not applicable. <b>Other adverse effects</b> No further relevant information available.	
<b>13 Disposal considerations</b> <b>Waste treatment methods</b> <b>Recommendation</b> Consult state, local or national regulations to ensure proper disposal. <b>Uncleaned packagings:</b> <b>Recommendation:</b> Disposal must be made according to official regulations.	
<b>14 Transport information</b>	
<b>UN-Number</b> <b>DOT, IMDG, IATA</b>	UN3087
<b>UN proper shipping name</b> <b>DOT</b> <b>IMDG, IATA</b>	Oxidizing solid, toxic, n.o.s. (cesium chromate) OXIDIZING SOLID, TOXIC, N.O.S. (cesium chromate)
<b>Transport hazard class(es)</b> <b>DOT</b>   <b>Class</b> <b>Label</b> <b>Class</b> <b>Label</b> <b>IMDG, IATA</b>   <b>Class</b> <b>Label</b>	5.1 Oxidising substances. 5.1+6.1 5.1 (OT2) Oxidizing substances 5.1+6.1    5.1 Oxidising substances. 5.1+6.1
<b>Packing group</b> <b>DOT, IMDG, IATA</b>	III
(Contd. on page 5) USA	

Product name: <b>Cesium chromate</b>	
(Contd. of page 4)	
Environmental hazards:	Environmentally hazardous substance, solid
Special precautions for user	Warning: Oxidizing substances
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
Transport/Additional information:	
DOT	
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN3087, Oxidizing solid, toxic, n.o.s. (cesium chromate), 5.1 (6.1), III

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture  
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
Hazard pictograms



Signal word *Danger*  
Hazard statements  
H317 May cause an allergic skin reaction.  
H350 May cause cancer.  
Precautionary statements  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P281 Use personal protective equipment as required.  
P363 Wash contaminated clothing before reuse.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.  
National regulations  
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings)

13454-78-9 Cesium chromate

California Proposition 65

Prop 65 - Chemicals known to cause cancer

13454-78-9 Cesium chromate

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female

13454-78-9 Cesium chromate

Prop 65 - Developmental toxicity, male

13454-78-9 Cesium chromate

Information about limitation of use:  
For use only by technically qualified individuals.  
This product contains chromium and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.  
Other regulations, limitations and prohibitive regulations  
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.  
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.  
Substance is not listed.  
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.  
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department  
Date of preparation / last revision 11/24/2015 / -  
Abbreviations and acronyms:  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
HMIS: Hazardous Materials Identification System (USA)  
WHMIS: Workplace Hazardous Materials Information System (Canada)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
vPvB: very Persistent and very Bioaccumulative  
ACGIH: American Conference of Governmental Industrial Hygienists (USA)  
OSHA: Occupational Safety and Health Administration (USA)  
NTP: National Toxicology Program (USA)  
IARC: International Agency for Research on Cancer  
EPA: Environmental Protection Agency (USA)