SAFETY DATA SHEET

Version 5.7 Revision Date 05/27/2016 Print Date 10/14/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Xenon difluoride

Product Number : 394505 Brand : Aldrich

CAS-No. : 13709-36-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 2), H330 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer. H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

Precautionary statement(s)

P210 Keep away from heat.

P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

Aldrich - 394505 Page 1 of 9

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P320 Specific treatment is urgent (see supplemental first aid instructions on

this label).

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Strong hydrogen fluoride-releaser

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : F₂Xe

Molecular weight : 169.29 g/mol CAS-No. : 13709-36-9 EC-No. : 237-251-2

Hazardous components

Component	Classification	Concentration
Xenon difluoride		
	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Skin Corr. 1B; Eye Dam. 1; H272, H301, H314, H330	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area. Hydrofluoric (HF) acid burns require immediate and specialized first aid and medical treatment. Symptoms may be delayed up to 24 hours depending on the concentration of HF. After decontamination with water, further damage can occur due to penetration/absorption of the fluoride ion. Treatment should be directed toward binding the fluoride ion as well as the effects of exposure. Skin exposures can be treated with a 2.5% calcium gluconate gel repeated until burning ceases. More serious skin exposures may require subcutaneous calcium gluconate except for digital areas unless the physician is experienced in this technique, due to the potential for tissue injury from increased pressure. Absorption can readily occur through the subungual areas and should be considered when undergoing decontamination. Prevention of absorption of the fluoride ion in cases of ingestion can be obtained by giving milk, chewable calcium carbonate tablets or Milk of Magnesia to conscious victims. Conditions such as hypocalcemia, hypomagnesemia and cardiac arrhythmias should be monitored for, since they can occur after exposure.

Aldrich - 394505 Page 2 of 9

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. First treatment with calcium gluconate paste.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. Normal measures for preventive fire protection. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive. Handle under nitrogen, protect from moisture. Store under nitrogen. Do not store in glass

Aldrich - 394505 Page 3 of 9

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
Xenon difluoride	13709-36-9	TWA	2.500000	USA. Occupational Exposure Limits		
			mg/m3	(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
	Remarks	CAS number varies with compound				
		TWA	2.500000	USA. Occupational Exposure Limits		
			mg/m3	(OSHA) - Table Z-2		
		Z37.28-1969				
		TWA	2.500000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
		Bone damage				
		Fluorosis				
		Substances for which there is a Biological Exposure Index or Ind				
		(see BEI® se		3		
		Not classifiable as a human carcinogen				
		varies		3		
		TWA	2.500000	USA. ACGIH Threshold Limit Values		
			mg/m3	(TLV)		
		Bone damage				
		Fluorosis				
		Substances for which there is a Biological Exposure Index or Indices				
		(see BEI® section)				
		Not classifiable as a human carcinogen				
		varies	somable as a naman saromegon			
		TWA	2.5 mg/m3	USA. Occupational Exposure Limits		
				(OSHA) - Table Z-1 Limits for Air		
				Contaminants		
		CAS numbe	er varies with comp			
		TWA	2.5 mg/m3	USA. ACGIH Threshold Limit Values		
			2.0 mg/mo	(TLV)		
		Bone damag	1 <u> </u>	11/		
		Fluorosis				
		Substances for which there is a Biological Exposure Index or Indices				
		(see BEI® section) Not classifiable as a human carcinogen				
		varies				
		PEL	2.5 mg/m3	California permissible exposure		
l			g/o	limits for chemical contaminants		
				(Title 8, Article 107)		

Biological occupational exposure limits

biological occupational exposure littits					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Xenon difluoride	13709-36-9	Fluoride	3.0000 mg/g	In urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Prior to shift (16 hours after exposure ceases)			
		Fluoride	10.0000 mg/g	In urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			

Aldrich - 394505 Page 4 of 9

Fluoride	2 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
Prior to shift (1	6 hours after	exposure ceases)	
Fluoride	3 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
End of shift (As	soon as po	ssible after exposure	ceases)

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: FN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

Aldrich - 394505 Page 5 of 9

Melting point/freezing

Melting point/range: 129 °C (264 °F) - lit.

point

Initial boiling point and

boiling range

No data available

g) Flash point

Not applicable h) Evaporation rate No data available Flammability (solid, gas) No data available i)

Upper/lower j) flammability or explosive limits No data available

k) Vapour pressure No data available Vapour density No data available

m) Relative density 4.32 g/mL at 25 °C (77 °F)

n) Water solubility o) Partition coefficient: noctanol/water

No data available No data available

Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available Viscosity r) Explosive properties No data available

Oxidizing properties

The substance or mixture is classified as oxidizing with the category 2.

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 **Chemical stability**

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 **Conditions to avoid**

Reacts dangerously with glass.

10.5 Incompatible materials

Organic materials, Powdered metalsglass

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen fluoride

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 90 mg/kg

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Convulsions or effect on seizure threshold. Cyanosis

Aldrich - 394505 Page 6 of 9 LC50 Inhalation - Mouse - 2 h - 445 mg/m3

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Other. Lungs, Thorax, or Respiration: Structural or functional change in trachea or bronchi. Liver: Liver function tests impaired.

Dermal: No data available

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: ZE1294166

Fluoride ion can reduce serum calcium levels possibly causing fatal hypocalcemia.

Cough, Shortness of breath, Headache, Nausea, Vomiting

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3087 Class: 5.1 (6.1) Packing group: II Proper shipping name: Oxidizing solid, toxic, n.o.s. (Xenon difluoride)

Poison Inhalation Hazard: No

IMDG

UN number: 3087 Class: 5.1 (6.1) Packing group: II EMS-No: F-A, S-Q

Proper shipping name: OXIDIZING SOLID, TOXIC, N.O.S. (Xenon difluoride)

IATA

UN number: 3087 Class: 5.1 (6.1) Packing group: II Proper shipping name: Oxidizing solid, toxic, n.o.s. (Xenon difluoride)

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Reactivity Hazard, Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Xenon difluoride CAS-No. Revision Date 2008-06-01

New Jersey Right To Know Components

CAS-No. Revision Date Xenon difluoride 13709-36-9 2008-06-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Eye Dam. Serious eye damage
H272 May intensify fire; oxidizer.

Aldrich - 394505 Page 8 of 9

H301 Toxic if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.
Ox. Sol. Oxidizing solids
Skin Corr. Skin corrosion

HMIS Rating

Health hazard: 3
Chronic Health Hazard: Flammability: 0
Physical Hazard 2

NFPA Rating

Health hazard: 3
Fire Hazard: 0
Reactivity Hazard: 2
Special hazard.I: OX

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.7 Revision Date: 05/27/2016 Print Date: 10/14/2019

Aldrich - 394505 Page 9 of 9