

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 02.03.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name****Borane-d3, 1M in tetrahydrofuran****Stock number:**

89121

1.2 Relevant identified uses of the substance or mixture and uses advised against.**Identified use:**

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

Alfa Aesar GmbH & Co.KG
 A Johnson Matthey Company
 Zeppelinstr. 7b
 76185 Karlsruhe / Germany
 Tel: +49 (0) 721 84007 280
 Fax: +49 (0) 721 84007 300
 Email: tech@alfa.com
 www.alfa.com
 Product safety Tel + +049 (0) 7275 988687-0
 Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)
 Poison Information Center Mainz
 www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

Informing department:**1.4 Emergency telephone number:****SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.



F+; Highly flammable

R11-14/15: Highly flammable. Reacts violently with water, liberating extremely flammable gases.

R19: May form explosive peroxides.

Information concerning particular hazards**for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Other hazards that do not result in classification

No information known.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008****Hazard pictograms****Signal word**

The product is classified and labelled according to the CLP regulation.

GHS02, GHS05, GHS07, GHS08

Danger

Hazard-determining components of labelling:

Tetrahydrofuran

Borane-d3/tetrahydrofuran complex

H225 Highly flammable liquid and vapour.

H260 In contact with water releases flammable gases which may ignite spontaneously.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH014 Reacts violently with water.

EUH019 May form explosive peroxides.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:**

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Dangerous components:**(Contd. on page 2)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 02.03.2012

Trade name **Borane-d3, 1M in tetrahydrofuran**

CAS: 109-99-9 EINECS: 203-726-8		Tetrahydrofuran Xn R40; Xi R36/37; F R11 R19 Flam. Liq. 2, H225; Carc. 2, H351; Eye Irrit. 2, H319; STOT SE 3, H335		(Contd. of page 1)
		Borane-d3/tetrahydrofuran complex Xn R22; Xi R37/38-41; F R14/15 Water-react. 1, H260; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335		90,0%
Additional information		Stabilized with: 0.005M NaBD4		10,0%

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.

After swallowing

Rinse opened eye for several minutes under running water. Then consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

For safety reasons unsuitable extinguishing agents

Water.

5.2 Special hazards arising from the substance or mixture

Reacts violently with water
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Boron oxide

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Ensure adequate ventilation
Keep away from ignition sources
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

Prevention of secondary hazards:

Do not flush with water or aqueous cleansing agents

6.4 Reference to other sections

Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.
Keep containers tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Open and handle container with care.
Reacts violently with water

Information about protection against explosions and fires:

Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Do not distill to dryness.
Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities

Storage Requirements to be met by storerooms and containers: Information about storage in one common storage facility:

Refrigerate
Store away from water.
Store away from air.
Protect from heat.
Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.
This product is air sensitive.
Protect from humidity and keep away from water.
Avoid contact with air / oxygen (formation of peroxide).
Refrigerate
Check container pressure periodically to prevent explosive peroxides.
No further relevant information available.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 02.03.2012

Trade name **Borane-d3, 1M in tetrahydrofuran**

(Contd. of page 2)

8.1 Control parameters**Components with critical values that require monitoring at the workplace:****109-99-9 Tetrahydrofuran (90,0%)**

AGW (Germany)	150 mg/m ³ , 50 ppm 2(l);DFG, EU, H, Y
PEL (USA)	590 mg/m ³ , 200 ppm
REL (USA)	Short-term value: 735 mg/m ³ , 250 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV (USA)	Short-term value: 295 mg/m ³ , 100 ppm Long-term value: 147 mg/m ³ , 50 ppm Skin

Ingredients with biological limit values:**109-99-9 Tetrahydrofuran (90,0%)**

BGW (Germany)	2 mg/l U b Tetrahydrofuran
BEI (USA)	2 mg/L urine end of shift Tetrahydrofuran

Additional information: No data**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Do not inhale dust / smoke / mist.

Avoid contact with the skin.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

Breathing equipment:**Protection of hands:**

Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves**Penetration time of glove material****Eye protection:**

Impervious gloves
Not determined
Tightly sealed safety glasses.
Full face protection

Body protection:

Protective work clothing.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	Colourless
Smell:	Ether-like
Odour threshold:	Not determined.

pH-value: Not determined.**Change in condition**

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	-21 °C
Inflammability (solid, gaseous)	Not determined.
Ignition temperature:	230 °C
Decomposition temperature:	Not determined
Self-inflammability:	Product is not selfigniting.

Danger of explosion: May form explosive peroxides.
Do not distill to dryness.

Critical values for explosion:

Lower:	1,5 Vol %
Upper:	12,0 Vol %
Steam pressure at 20 °C:	200 hPa
Density at 20 °C	0,876 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Reacts violently Contact with water releases flammable gases
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.

Solvent content:
Organic solvents: 90,0 %

Solids content: 10,0 %
9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

Reacts violently with water.
In contact with water releases flammable gases which may ignite spontaneously.
May form explosive peroxides.
Stable under recommended storage conditions.

10.2 Chemical stability**Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents

(Contd. on page 4)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 02.03.2012

Trade name **Borane-d3, 1M in tetrahydrofuran**

(Contd. of page 3)

10.5 Incompatible materials:

Contact with water releases flammable gases
 Reacts violently with water
 Forms peroxides
 Air
 Oxidizing agents
 Water/moisture
 Heat
 Carbon monoxide and carbon dioxide
 Boron oxide

10.6 Hazardous decomposition products:**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Acute toxicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:**109-99-9 Tetrahydrofuran**

Oral	LD50	1650 mg/kg (rat)
Inhalative	LC50/2H	72000 mg/m ³ /2H (rat)

Skin irritation or corrosion:**Eye irritation or corrosion:****Sensitization:****Germ cell mutagenicity:****Carcinogenicity:****Reproductive toxicity:****Specific target organ system toxicity - repeated exposure:****Specific target organ system toxicity - single exposure:****Aspiration hazard:****Additional toxicological information:**

Causes skin irritation.
 Causes serious eye damage.
 No sensitizing effect known.
 The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.
 EPA-I: Data are inadequate for an assessment of human carcinogenic potential.
 ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.
 The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.
 No effects known.
 May cause respiratory irritation.
 No effects known.
 To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
 The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
 Irritant

SECTION 12: Ecological information**12.1 Toxicity****Aquatic toxicity:****12.2 Persistence and degradability****12.3 Bioaccumulative potential****12.4 Mobility in soil****Additional ecological information:****General notes:**

No further relevant information available.
 No further relevant information available.
 No further relevant information available.
 No further relevant information available.

Do not allow material to be released to the environment without proper governmental permits.
 Water hazard class 1 (Self-assessment): slightly hazardous for water.
 Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
 Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment**PBT:****vPvB:****12.6 Other adverse effects**

Not applicable.
 Not applicable.
 No further relevant information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Hand over to disposers of hazardous waste.
 Must be specially treated under adherence to official regulations.
 Consult state, local or national regulations for proper disposal.

Uncleaned packagings:**Recommendation:**

Disposal must be made according to official regulations.

SECTION 14: Transport information**UN-Number****ADR, IMDG, IATA**

UN3148

14.2 UN proper shipping name**ADR****IMDG, IATA**

3148 WATER-REACTIVE LIQUID, N.O.S. (Borane-d3/tetrahydrofuran complex)
 WATER-REACTIVE LIQUID, N.O.S. (Borane-d3/tetrahydrofuran complex)

14.3 Transport hazard class(es)**ADR****Class****Label****IMDG, IATA**

4.3 (W1) Substances which, in contact with water, emit flammable gases.
 4.3

**Class****Label**

4.3 Substances which, in contact with water, emit flammable gases.
 4.3

Packing group**ADR, IMDG, IATA**

I

14.5 Environmental hazards:**Marine pollutant:**

No

(Contd. on page 5)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 02.03.2012

Trade name **Borane-d3, 1M in tetrahydrofuran**

(Contd. of page 4)

14.6 Special precautions for user Kemler Number: EMS Number:	Warning: Substances which, in contact with water, emit flammable gases. x323 F-G,S-N
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ): Limited quantities (LQ) Transport category Tunnel restriction code	E0 0 0 B/E
UN "Model Regulation":	UN3148, WATER-REACTIVE LIQUID, N.O.S. (Borane-d3/tetrahydrofuran complex), 4.3, I

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture					
Australian Inventory of Chemical Substances					
109-99-9 Tetrahydrofuran					
Standard for the Uniform Scheduling of Drugs and Poisons					
None of the ingredients is listed.					
National regulations Information about limitation of use: Classification according to VbF: Technical instructions (air):	For use only by technically qualified individuals. Employment restrictions concerning young persons must be observed. A <table><tr><th>Class</th><th>Share in %</th></tr><tr><td>NK</td><td>90,0</td></tr></table>	Class	Share in %	NK	90,0
Class	Share in %				
NK	90,0				
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.					
Other regulations, limitations and prohibitive regulations					
ELINCS (European List of Notified Chemical Substances)					
None of the ingredients is listed.					
Substances of very high concern (SVHC) according to REACH, Article 57					
None of the ingredients are listed.					
REACH - Pre-registered substances					
109-99-9 Tetrahydrofuran					
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.				

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Relevant phrases	H225 Highly flammable liquid and vapour.
	H260 In contact with water releases flammable gases which may ignite spontaneously.
	H302 Harmful if swallowed.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H335 May cause respiratory irritation.
	H351 Suspected of causing cancer.
	R11 Highly flammable.
	R14/15 Reacts violently with water, liberating extremely flammable gases.
	R19 May form explosive peroxides.
	R22 Harmful if swallowed.
	R36/37 Irritating to eyes and respiratory system.
	R37/38 Irritating to respiratory system and skin.
	R40 Limited evidence of a carcinogenic effect.
	R41 Risk of serious damage to eyes.
Department issuing data specification sheet:	Health, Safety and Environmental Department.
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent