

SAFETY DATA SHEET

1. Identification

Product identifier CALCIUM VANADATE, 99.9%

Other means of identification

Product code 1352

Recommended use professional, scientific and technical activities: other professional, scientific and technical activities

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name AddressGFS Chemicals, Inc.
P.O. Box 245
Powell, OH 43065

United States

Telephone Phone 740-881-5501

Toll Free 800-858-9682 Fax 740-881-5989

Website www.gfschemicals.com
E-mail service@gfschemicals.com

Emergency phone Emergency Assistance Chemtrec 800-424-9300

number

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 2

Acute toxicity, inhalation Category 2

Environmental hazards Not classified. **OSHA defined hazards** Not classified.

Label elements



Signal word Danger

Hazard statement Fatal if swallowed. Fatal if inhaled.

Precautionary statement

Prevention Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Use only outdoors or in a well-ventilated area. Wear respiratory protection.

Response IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. If inhaled: Remove

person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or

doctor/physician. Rinse mouth.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container to an appropriate treatment and disposal facility in accordance with

applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: CALCIUM VANADATE, 99.9%

3. Composition/information on ingredients

Substances

Chemical name	Common name and synonyms	CAS number	%
CALCIUM VANADATE		14100-64-2	100

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

1352 Version #: 01 Revision date: Issue date: August-24-2016 1 / 8

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device. Call a physician or poison control center immediately.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Dusts may irritate the respiratory tract, skin and eyes.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content

doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment and precautions for

firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

under observation. Symptoms may be delayed.

Do not use water jet as an extinguisher, as this will spread the fire.

Use extinguishing agent suitable for type of surrounding fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use water spray to cool unopened containers.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage Precautions for safe handling

Minimize dust generation and accumulation. Do not breathe dust. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a

well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after

2/8

handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Issue date: August-24-2016

Material name: CALCIUM VANADATE, 99.9%

1352 Version #: 01 Revision date:

8. Exposure controls/personal protection

Occupational exposure limits

US. NIOSH: Pocket Guide to Chemical Hazards

Form Material Value Type CALCIUM VANADATE (CAS 0.05 mg/m3 Dust. Ceiling 14100-64-2)

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits. Wear respirator if there is dust formation.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state** Powder. Form Color Yellow green Odor Odorless. **Odor threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available. boiling range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

(%)

Flammability limit -

upper (%)

Not available.

Explosive limit - lower

Not available.

Explosive limit - upper

Not available.

(%)

Material name: CALCIUM VANADATE, 99.9%

Not available.

Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

3/8 1352 Version #: 01 Revision date: Issue date: August-24-2016

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density3.20 g/cm3Explosive propertiesNot explosive.Molecular formulaCa(VO3)2Molecular weight237.96 g/molOxidizing propertiesNot oxidizing.

Specific gravity 3.2

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. **Possibility of hazardous** Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition May include

products

May include oxides of vanadium and calcium.

11. Toxicological information

Information on likely routes of exposure

Inhalation Fatal if inhaled.

Skin contact Dust or powder may irritate the skin.

Eye contact Dust may irritate the eyes.

Ingestion Fatal if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Fatal if swallowed. The toxicological properties of this material have not been fully

investigated and its handling and use may be hazardous.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

US OSHA Hazard Categories (1)

Not regulated.

US OSHA Hazard Categories (10)

Not regulated.

US OSHA Hazard Categories (2)

Not regulated.

US OSHA Hazard Categories (3)

Not regulated.

US OSHA Hazard Categories (4)

Not regulated.

US OSHA Hazard Categories (5)

Not regulated.

Material name: CALCIUM VANADATE, 99.9%

1352 Version #: 01 Revision date: Issue date: August-24-2016 4 / 8

US OSHA Hazard Categories (6)

Not regulated.

US OSHA Hazard Categories (7)

Not regulated.

US OSHA Hazard Categories (8)

Not regulated.

US OSHA Hazard Categories (9)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity

- single exposure

Aspiration hazard

Not classified.

Not classified.

Specific target organ toxicity

- repeated exposure

Not an aspiration hazard.

Prolonged inhalation may be harmful. **Chronic effects**

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number

UN proper shipping name Toxic solid, inorganic, n.o.s. (CALCIUM VANADATE)

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Label(s) 6.1 Packing group TT

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB8, IP2, IP4, T3, TP33

Packaging exceptions 153 Packaging non bulk 212 Packaging bulk 242

IATA

UN number UN3288

UN proper shipping name Toxic solid, inorganic, n.o.s. (CALCIUM VANADATE)

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk Packing group Π Material name: CALCIUM VANADATE, 99.9%

5/8 1352 Version #: 01 Revision date: Issue date: August-24-2016

Environmental hazards No. **ERG Code** 6L

Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Other information Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

IMDG

UN number UN3288

UN proper shipping name TOXIC SOLID, INORGANIC, N.O.S. (CALCIUM VANADATE)

Transport hazard class(es)

Class 6.1(PGI, II)

Subsidiary risk ΙΙ **Packing group Environmental hazards**

Marine pollutant No.

EmS F-A, S-A Special precautions for

user

Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

DOT



IATA; IMDG



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard,

29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US OSHA Hazard Categories (1)

Not regulated.

US OSHA Hazard Categories (2)

Not regulated.

US OSHA Hazard Categories (3)

Not regulated.

US OSHA Hazard Categories (4)

Not regulated.

6/8 1352 Version #: 01 Issue date: August-24-2016 Revision date:

US OSHA Hazard Categories (5)

Not regulated.

US OSHA Hazard Categories (6)

Not regulated.

US OSHA Hazard Categories (7)

Not regulated.

US OSHA Hazard Categories (8)

Not regulated.

US OSHA Hazard Categories (9)

Not regulated.

US OSHA Hazard Categories (10)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - No Fire Hazard - No. Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Yes

Hazardous chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
CALCIUM VANADATE	14100-64-2	100	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Contaminate candidate list

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

CALCIUM VANADATE (CAS 14100-64-2)

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

CALCIUM VANADATE (CAS 14100-64-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

CALCIUM VANADATE (CAS 14100-64-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Material name: CALCIUM VANADATE, 99.9% 7/8 1352 Version #: 01 Issue date: August-24-2016 Revision date:

Country(s) or regionInventory nameOn inventory (yes/no)*JapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryNoPhilippinesPhilippine Inventory of Chemicals and Chemical Substances (PICCS)No

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

Issue date August-24-2016

Version # 01

Material name: CALCIUM VANADATE, 99.9%

United States & Puerto Rico

Disclaimer GFS Chemicals, Inc. cannot anticipate all conditions under which this information and its product,

or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

Yes

sheet was written based on the best knowledge and experience currently available.

Revision information Product and Company Identification: Physical States

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties

Transport Information: Proper Shipping Name/Packing Group

GHS: Classification

1352 Version #: 01 Revision date: Issue date: August-24-2016 8 / 8

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).