

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

1 Identification of substance:

Product details:

Product name: N,N,N' - Trimethylethylenediamine

Stock number: 31785

Manufacturer/Supplier:

Alfa Aesar, A Johnson Matthey Company
Johnson Matthey Catalog Company, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Emergency Phone: (978) 521-6300
CHEMTREC: (800) 424-9300
Web Site: www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency information:

During normal hours the Health, Safety and Environmental Department. After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:

Chemical characterization:

Description: (CAS#)

N,N,N' - Trimethylethylenediamine (CAS# 142-25-6), 100%

Identification number(s):

EINECS Number: 205-529-2

3 Hazards identification

Hazard description:



C Corrosive
F Highly flammable

Information pertaining to particular dangers for man and environment

R 11 Highly flammable.

R 34 Causes burns.

Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH	2
FIRE	3
REACTIVITY	1

Health (acute effects) = 2

Flammability = 3

Reactivity = 1

GHS label elements



Danger

2.6/2 - Highly flammable liquid and vapour.



Danger

3.2/1B - Causes severe skin burns and eye damage.

Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/ equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

(Contd. on page 2)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: N,N,N' - Trimethylethylenediamine

(Contd. of page 1)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see label).

Wash contaminated clothing before reuse.

In case of fire: Use for extinction: CO₂, powder or water spray.

Storage:

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulations.

4 First aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.

5 Fire fighting measures

Suitable extinguishing agents

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Keep away from ignition sources.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling
Information for safe handling:

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away.

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: N,N,N' - Trimethylethylenediamine

(Contd. of page 2)

Storage**Requirements to be met by storerooms and receptacles:** Store in a cool location.**Information about storage in one common storage facility:**

Store away from oxidizing agents.

Do not store together with acids.

Store away from water/moisture.

Further information about storage conditions:

This product is hygroscopic.

Protect from humidity and water.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace: Not required.**Additional information:** No data**Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Breathing equipment: Use suitable respirator when high concentrations are present.**Protection of hands:** Impervious gloves**Eye protection:**

Safety glasses

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.**9 Physical and chemical properties:****General Information**

Form:	Liquid
Color:	Colorless
Odor:	Amine-like

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	116-118°C (241-244°F)
Sublimation temperature / start:	Not determined

Flash point: 9°C (48°F)**Ignition temperature:** Not determined**Decomposition temperature:** Not determined**Explosion limits:**

Lower:	Not determined
Upper:	Not determined

Vapor pressure: Not determined**Density at 20°C (68°F):** 0.804 g/cm³**Solubility in / Miscibility with****Water:** Not miscible or difficult to mix**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided:

Oxidizing agents

Acids

Water/moisture

Acid chlorides

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: N,N,N' - Trimethylethylenediamine

(Contd. of page 3)

Acid anhydrides

Dangerous reactions

Strong exothermic reaction with acids

Reacts with oxidizing agents

Dangerous products of decomposition:

Nitrogen oxides

Carbon monoxide and carbon dioxide

11 Toxicological information

Acute toxicity:**Primary irritant effect:****on the skin:**

Corrosive effect on skin and mucous membranes.

Irritant to skin and mucous membranes.

on the eye:

Strong corrosive effect.

Irritating effect.

Sensitization: No sensitizing effects known.**Subacute to chronic toxicity:**

Corrosive materials are acutely destructive to the respiratory tract, eyes, skin and digestive tract. Eye contact may result in permanent damage and complete vision loss.

Inhalation may result in respiratory effects such as inflammation, edema, and chemical pneumonitis. May cause coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting. Ingestion may cause damage to the mouth, throat and esophagus. May cause skin burns or irritation depending on the severity of the exposure.

Additional toxicological information:

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

13 Disposal considerations

Product:**Recommendation** Consult state, local or national regulations to ensure proper disposal.**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

DOT regulations:**Hazard class:**

3

Identification number:

UN2733

Packing group:

II

Proper shipping name (technical name): AMINES, FLAMMABLE, CORROSIVE, N.O.S.
(trimethylethylenediamine)**Label**

3 + 8

Land transport ADR/RID (cross-border)**ADR/RID class:**

3 (FC) Flammable liquids

(Contd. on page 5)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: N,N,N' - Trimethylethylenediamine

(Contd. of page 4)

Danger code (Kemler): 338
UN-Number: 2733
Packaging group: II
Description of goods: 2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S.
 (trimethylethylenediamine)

Maritime transport IMDG:

IMDG Class: 3
UN Number: 2733
Label: 3 + 8
Packaging group: II
Proper shipping name: AMINES, FLAMMABLE, CORROSIVE, N.O.S.
 (trimethylethylenediamine)

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 3
UN/ID Number: 2733
Label: 3 + 8
Packaging group: II
Proper shipping name: AMINES, FLAMMABLE, CORROSIVE, N.O.S.
 (trimethylethylenediamine)

UN "Model Regulation": UN2733, AMINES, FLAMMABLE, CORROSIVE, N.O.S., 3 (8), II

15 Regulations**Product related hazard informations:****Hazard symbols:**

C Corrosive
 F Highly flammable

Risk phrases:

11 Highly flammable.
 34 Causes burns.

Safety phrases:

24/25 Avoid contact with skin and eyes.
 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

Information about limitation of use: For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Zachariah Holt

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

(Contd. on page 6)

USA

Material Safety Data Sheet
acc. to OSHA and ANSI

Printing date 05/11/2009

Reviewed on 05/11/2009

Product name: N,N,N' - Trimethylethylenediamine

GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)

(Contd. of page 5)

USA