SAFETY DATA SHEET

Version 5.6 Revision Date 05/27/2016 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Talc

Product Number : 86257

Brand : Sigma-Aldrich

CAS-No. : 14807-96-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS Label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Hydrous magnesium silicate

Talcum

Formula : H₂Mg₃O₁₂Si₄
Molecular weight : 379.27 g/mol
CAS-No. : 14807-96-6
EC-No. : 238-877-9

Hazardous components

nazaraous components					
Component	Classification	Concentration			
Hydrous magnesium silicate					
		<= 100 %			

Sigma-Aldrich - 86257 Page 1 of 7

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact

Wash off with soap and plenty of water.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapours, mist or gas.

For personal protection see section 8.

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non Combustible Solids

Sigma-Aldrich - 86257 Page 2 of 7

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis		
			parameters			
Hydrous magnesium silicate	14807-96-6	TWA	20.000000Millio	USA. Occupational Exposure Limits		
			n particles per cubic foot	(OSHA) - Table Z-3 Mineral Dusts		
	Remarks	Based on impinger samples counted by light-field techniques.				
		Containing less than 1% quartz; if 1% quartz or more, use of limit.				
		mppcf X 35.3 = million particles per cubic meter = particles per c.c				
		TWA	2.000000	USA. NIOSH Recommended		
			mg/m3	Exposure Limits		
		TWA	2.000000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
		Lower Respi				
		The value is	ue is for particulate matter containing no asbestos and			
		crystalline silica				
		Not classifiable as a human carcinogen				
		TWA	20.000000Millio	USA. Occupational Exposure Limits		
			n particles per cubic foot	(OSHA) - Table Z-3 Mineral Dusts		
		Based on impinger samples counted by light-field techniques.				
		Containing less than 1% quartz; if 1% quartz or more, use quartz limit.				
		mppcf X 35.3	per cubic meter = particles per c.c			
		TWA	20Million	USA. Occupational Exposure Limits		
			particles per cubic foot	(OSHA) - Table Z-3 Mineral Dusts		
			unted by light-field techniques.			
		Containing less than 1% quartz; if 1% quartz or more, use quartz limit.				
			5.3 = million particles per cubic meter = particles per c.			
		TWA	2 mg/m3	USA. NIOSH Recommended		
				Exposure Limits		
		TWA	2 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
		Pulmonary function Pulmonary fibrosis				
		The value is for particulate matter containing no asbestos at		ter containing no asbestos and < 1%		
	crystalline silica Not classifiable as a human ca			rcinogon		
		1		California permissible exposure		
		PEL	2 mg/m3	limits for chemical contaminants		
				(Title 8, Article 107)		
		see Section 5208				

8.2 Exposure controls

Appropriate engineering controls

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma-Aldrich - 86257 Page 3 of 7

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

No special environmental precautions required.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Form: solid

Colour: light grey

b) Odour No data available Odour Threshold No data available d) pH No data available

Melting point/freezing

point

No data available

Initial boiling point and

boiling range

No data available

g) Flash point Not applicable h) Evaporation rate No data available Flammability (solid, gas) No data available Upper/lower

flammability or explosive limits

m) Relative density

No data available

No data available

k) Vapour pressure No data available Vapour density No data available

Sigma-Aldrich - 86257 Page 4 of 7 n) Water solubilityNo data availableo) Partition coefficient: n-No data available

octanol/water

No data available

p) Auto-ignition No d temperature

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

No data available

10.5 Incompatible materials

Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Magnesium oxide, silicon oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

Inhalation: No data available

Dermal: No data available

No data available

Skin corrosion/irritation

Skin - Human

Result: Mild skin irritation - 3 h

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

Carcinogenicity - Rat - Inhalation

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Lungs, Thorax, or Respiration:Tumors.

Sigma-Aldrich - 86257 Page 5 of 7

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: WW2710000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

Sigma-Aldrich - 86257 Page 6 of 7

IATA

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

Hydrous magnesium silicate	CAS-No. 14807-96-6	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Hydrous magnesium silicate	14807-96-6	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Hydrous magnesium silicate	14807-96-6	1993-04-24
California Prop. 65 Components		
WARNING! This product contains a chemical known to the	CAS-No.	Revision Date
State of California to cause cancer.	14807-96-6	2007-09-28
Hydrous magnesium silicate		

16. OTHER INFORMATION

HMIS Rating

Health hazard: 0
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

NFPA Rating

Health hazard: 0
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.6 Revision Date: 05/27/2016 Print Date: 10/19/2018

Sigma-Aldrich - 86257 Page 7 of 7