

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 13.05.2009

Printing date 02.07.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane

Stock number:

L08269

CAS Number:

15405-86-4

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapour.



GHS08 health hazard

Repr. 1A H360 May damage fertility or the unborn child.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

T; Toxic

R60-61: May impair fertility. May cause harm to the unborn child.



Xn; Harmful

R20: Harmful by inhalation.



F; Highly flammable

R11: Highly flammable.

R19: May form explosive peroxides.

Information concerning particular hazards for human and environment:

Other hazards that do not result in

classification

Not applicable

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

Precautionary statements

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS07, GHS08

Danger

H224 Extremely flammable liquid and vapour.

H332 Harmful if inhaled.

H360 May damage fertility or the unborn child.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

EUH019 May form explosive peroxides.

Additional information:

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation:

15405-86-4 Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane

SECTION 4: First aid measures**4.1 Description of first aid measures**

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.

After swallowing

Rinse opened eye for several minutes under running water. Then consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

Seek medical treatment.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

No further relevant information available.

Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 13.05.2009

Printing date 02.07.2013

Trade name **Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane**

(Contd. of page 1)

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents****5.2 Special hazards arising from the substance or mixture**CO₂, sand, extinguishing powder. Do not use water.

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO_x)

Metal oxide

Lithium oxide

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep away from ignition sources

6.2 Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or water bodies.

Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Keep away from ignition sources.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

Keep away from ignition sources.

Prevention of secondary hazards:**6.4 Reference to other sections**

See Section 7 for information on safe handling

See section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Handle under dry protective gas.

Keep containers tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle container with care.

Information about protection against explosions and fires:

Protect against electrostatic charges.

Fumes can combine with air to form an explosive mixture.

Do not distill to dryness.

Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and containers:**

Refrigerate

Information about storage in one common storage facility:

Store away from air.

Protect from heat.

Store away from water.

Further information about storage conditions:

Store under dry inert gas.

This product is moisture sensitive.

This product is air sensitive.

Protect from humidity and keep away from water.

Avoid contact with air / oxygen (formation of peroxide).

Store in a locked cabinet or with access restricted to technical experts or their assistants.

Refrigerate

Check container pressure periodically to prevent explosive peroxides.

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters**Components with critical values that require monitoring at the workplace:**

Aluminum, soluble salts (as Al)

mg/m³

ACGIH TLV 5 (welding fumes); 5 (pyro powders)

10 (metal dust)

Austria MAK 6 (dust)

Belgium TWA 10; 2 (salts), 5 (fumes), 5 (resp. dust)

Denmark TWA 10 (dust or fume)

Finland TWA 2 (salts)

France VME 10; 5 (fumes), 5 (resp. dust)

Germany MAK 6

Hungary TWA 2; 5-STEL, 4-STEL (salts)

Korea TLV 5 (welding fumes); 5 (pyro powders)

10 (metal dust)

Norway TWA 5

Russia 2-STEL

Sweden NGV 4 (resp. dust); 10 (total dust)

Switzerland MAK-W 6

United Kingdom TWA 4 (resp. dust)

USA PEL 15 (total dust); 5 (resp. fraction)

No data

Additional information:**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Store protective clothing separately.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use breathing protection with high concentrations.

(Contd. on page 3)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 13.05.2009

Trade name **Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane**

(Contd. of page 2)

Protection of hands:	Check protective gloves prior to each use for their proper condition. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
Material of gloves	Impervious gloves
Penetration time of glove material	Not determined
Eye protection:	Safety glasses Face protection
Body protection:	Protective work clothing.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	Colourless
Smell:	Ether-like
Odour threshold:	Not determined.

pH-value: Not determined.**Change in condition**

Melting point/Melting range:	-54 °C
Boiling point/Boiling range:	Not determined
Sublimation temperature / start:	Not determined

Flash point:	Not determined
Inflammability (solid, gaseous)	Not determined.
Ignition temperature:	Not determined
Decomposition temperature:	Not determined
Self-inflammability:	Not determined.

Danger of explosion: May form explosive peroxides.
Do not distill to dryness.**Critical values for explosion:**

Lower:	Not determined
Upper:	Not determined
Steam pressure:	Not determined
Density at 20 °C	0,86 g/cm ³
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with**Water:** Decomposes
Partition coefficient (n-octanol/water): Not determined.**Viscosity:**
dynamic: Not determined.
kinematic: Not determined.**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity****10.2 Chemical stability****Thermal decomposition / conditions to be avoided:****10.3 Possibility of hazardous reactions****10.5 Incompatible materials:****10.6 Hazardous decomposition products:**

May form explosive peroxides.
Stable under recommended storage conditions.
No decomposition if used and stored according to specifications.
Forms peroxides
Oxidizing agents
Air
Heat
Water/moisture
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
Metal oxide
Lithium oxide

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity:** Harmful if inhaled.**LD/LC50 values that are relevant for classification:****Skin irritation or corrosion:** May cause irritation**Eye irritation or corrosion:** May cause irritation**Sensitization:** No sensitizing effect known.**Germ cell mutagenicity:** No effects known.**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.**Reproductive toxicity:** May damage fertility or the unborn child.**Specific target organ system toxicity -****repeated exposure:** No effects known.**Specific target organ system toxicity - single exposure:** No effects known.**Aspiration hazard:** No effects known.**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:** No further relevant information available.**12.2 Persistence and degradability** No further relevant information available.**12.3 Bioaccumulative potential** No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:**

General notes: Do not allow material to be released to the environment without proper governmental permits.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.(Contd. on page 4)
DE/E

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 13.05.2009

Trade name **Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane****12.6 Other adverse effects**

No further relevant information available.

(Contd. of page 3)

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Recommendation**

Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings:**Recommendation:**

Disposal must be made according to official regulations.

SECTION 14: Transport information**UN-Number
ADR, IMDG, IATA**

UN1993

**14.2 UN proper shipping name
ADR****IMDG, IATA**

1993 FLAMMABLE LIQUID, N.O.S., special provision 640D (Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane)
FLAMMABLE LIQUID, N.O.S. (Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane)

14.3 Transport hazard class(es)**ADR****Class
Label
IMDG, IATA**

3 (F1) Flammable liquids.
3

**Class
Label**

3 Flammable liquids.
3

**Packing group
ADR, IMDG, IATA**

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user**Kemler Number:**

Warning: Flammable liquids.
33

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

Transport/Additional information:**ADR****Excepted quantities (EQ):****Limited quantities (LQ)****Tunnel restriction code**

E2
1L
D/E

UN "Model Regulation":

UN1993, FLAMMABLE LIQUID, N.O.S., special provision 640D (Lithium aluminum di-n-butylamide, 0.16M soln.in 1,2-dimethoxyethane), 3, II

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Chemical****Substances**

Substance is not listed.

Standard for the Uniform Scheduling of**Drugs and Poisons**

Substance is not listed.

National regulations**Information about limitation of use:**

For use only by technically qualified individuals.
Employment restrictions concerning young persons must be observed.
Employment restrictions concerning women of child-bearing age must be observed.

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive**regulations****ELINCS (European List of Notified Chemical****Substances)**

Substance is not listed.

Substances of very high concern (SVHC)**according to REACH, Article 57****REACH - Pre-registered substances**

Substance is not listed.

15.2 Chemical safety assessment:Substance is not listed.
A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet:

Health, Safety and Environmental Department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

DE/E