

## 1 Identification

### Product identifier

**Product name:** Lithium hexafluoroantimonate

**Stock number:** 38595

**CAS Number:**

18424-17-4

**Index number:**

051-003-00-9

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

#### Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

**Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)**



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS07

### Signal word

Warning

### Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

### Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

P312 Call a POISON CENTER/doctor/.../if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects



### Classification system

#### HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 2 Health (acute effects) = 2

FIRE 0 Flammability = 0

REACTIVITY 1 Physical Hazard = 1

### Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

#### CAS# Description:

18424-17-4 Lithium hexafluoroantimonate

#### Identification number(s):

Index number: 051-003-00-9

## 4 First-aid measures

### Description of first aid measures

#### After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Rub in calcium gluconate solution or calcium gluconate gel immediately.

Seek immediate medical advice.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.

**Product name: Lithium hexafluoroantimonate**

(Contd. of page 1)

**After swallowing** Seek medical treatment.

**Information for doctor**

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

**Extinguishing media**

**Suitable extinguishing agents** Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Special hazards arising from the substance or mixture**

If this product is involved in a fire, the following can be released:

Hydrogen fluoride (HF)

Toxic metal oxide fume

**Advice for firefighters**

**Protective equipment:**

Wear self-contained respirator.

Wear fully protective impervious suit.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

**Methods and material for containment and cleaning up:**

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

**Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Handling**

**Precautions for safe handling**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

**Information about protection against explosions and fires:** No information known.

**Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** No information known.

**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**Control parameters**

**Components with limit values that require monitoring at the workplace:**

Antimony and antimony compounds

mg/m<sup>3</sup>

ACGIH TLV 0.5

Austria MAK 0.5

Belgium TWA 0.5

Denmark TWA 0.5

Finland TWA 0.5

France VME 0.5

Germany MAK 0.5 (total dust)

Hungary TWA 0.5-STEEL

Japan OEL 0.1; 2B Carcinogen

Korea TLV 0.5

Netherlands MAC-TGG 0.5

Norway TWA 0.5

Poland TWA 0.5; 1.5-STEEL

Russia TWA 0.2; 0.5-STEEL

Sweden NGV 0.5

Switzerland MAK-W 0.5

United Nations TWA 0.5

USA PEL 0.5

(Contd. on page 3)  
USA

Product name: **Lithium hexafluoroantimonate**

(Contd. of page 2)

Fluorides (as F)

mg/m<sup>3</sup>

ACGIH TLV 2.5  
Austria MAK 2.5  
Belgium TWA 2.5  
Finland TWA 2.5  
France TWA 2.5  
Germany MAK 2.5  
Hungary TWA 1; 2-STEL  
Netherlands MAC-K 3.5  
Norway TWA 0.6  
Poland TWA 1; 3-STEL  
Sweden NGV 2  
Switzerland MAK-W 1.5; 3-KZG-W  
United Kingdom TWA 2.5  
Russia TWA 2  
Denmark TWA 2.5  
USA PEL 2.5

**Additional information:** No data

#### Exposure controls

#### Personal protective equipment

#### General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Maintain an ergonomically appropriate working environment.

**Breathing equipment:** Use suitable respirator when high concentrations are present.

#### Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

#### Appearance:

**Form:** Powder  
**Color:** White  
**Odor:** Not determined  
**Odor threshold:** Not determined.

**pH-value:** Not applicable.

#### Change in condition

**Melting point/Melting range:** Not determined  
**Boiling point/Boiling range:** Decomposes  
**Sublimation temperature / start:** Not determined

**Flash point:** Not applicable  
**Flammability (solid, gaseous):** Not determined.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Not determined.

**Danger of explosion:** Product does not present an explosion hazard.

#### Explosion limits:

**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure:** Not applicable.  
**Density:** Not determined  
**Relative density:** Not determined.  
**Vapor density:** Not applicable.  
**Evaporation rate:** Not applicable.

#### Solubility in / Miscibility with

**Water:** Soluble  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not applicable.  
**kinematic:** Not applicable.  
**Other information:** No further relevant information available.

## 10 Stability and reactivity

**Reactivity:** No information known.

**Chemical stability:** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known

**Conditions to avoid:** No further relevant information available.

**Incompatible materials:** No information known.

#### Hazardous decomposition products:

Hydrogen fluoride  
Toxic metal oxide fume

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

Harmful if inhaled.

Harmful if swallowed.

**LD/LC50 values that are relevant for classification:** No data

(Contd. on page 4)  
USA

**Product name: Lithium hexafluoroantimonate**

(Contd. of page 3)

**Skin irritation or corrosion:** Irritant to skin and mucous membranes.

**Eye irritation or corrosion:** Irritating effect.

**Sensitization:** No sensitizing effects known.

**Germ cell mutagenicity:** No effects known.

**Carcinogenicity:** No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

**Reproductive toxicity:** No effects known.

**Specific target organ system toxicity - repeated exposure:** No effects known.

**Specific target organ system toxicity - single exposure:** No effects known.

**Aspiration hazard:** No effects known.

**Subacute to chronic toxicity:**

Antimony compounds may cause metallic taste, gastrointestinal disturbances, vomiting, diarrhea, dizziness and systemic poisoning. Chronic exposure may cause liver and kidney damage. Dermatitis and eczematous skin eruptions may result from skin contact.

Fluorides may cause salivation, nausea, vomiting, diarrhea and abdominal pain, followed by weakness, tremors, shallow respiration, convulsions and coma. May cause brain and kidney damage. Chronic fluoride poisoning can cause severe bone changes, loss of weight, anorexia, anemia and dental defects.

Large amounts of lithium compounds may cause vomiting, diarrhea, ataxia, intestinal irritation, kidney injury, central nervous system depression and a drop in blood pressure. Central nervous system effects may include slurred speech, blurred vision, dizziness, sensory loss, convulsions and stupor. Chronic intake may cause neuromuscular effects such as tremor, ataxia, weakness, clonus and hyperactive reflexes. Lithium can cause kidney damage, gastrointestinal disturbances, fatigue, dehydration, weight loss, dermatological effects and thyroid damage. Lithium ion has shown teratogenic effects in rats and mice.

**Subacute to chronic toxicity:** No effects known.

**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

**12 Ecological information**

**Toxicity**

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability** No further relevant information available.

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** Toxic for aquatic organisms

**Additional ecological information:**

**General notes:**

Do not allow product to reach ground water, water course or sewage system.

Do not allow material to be released to the environment without proper governmental permits.

Toxic for aquatic organisms

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic to aquatic life.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

**13 Disposal considerations**

**Waste treatment methods**

**Recommendation** Consult state, local or national regulations to ensure proper disposal.

**Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

**14 Transport information**

**UN-Number**

**DOT, IMDG, IATA**

UN1549

**UN proper shipping name**

**DOT**

**IMDG, IATA**

Antimony compounds, inorganic, solid, n.o.s. (Lithium hexafluoroantimonate)  
ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S. (Lithium hexafluoroantimonate)

**Transport hazard class(es)**

**DOT**



**Class**

**Label**

**Class**

**Label**

**IMDG, IATA**

6.1 Toxic substances.

6.1

6.1 (T5) Toxic substances

6.1



**Class**

**Label**

6.1 Toxic substances.

6.1

**Packing group**

**DOT, IMDG, IATA**

III

**Environmental hazards:**

Environmentally hazardous substance, solid

**Special precautions for user**

Warning: Toxic substances

**Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

**Transport/Additional information:**

**DOT**

**Marine Pollutant (DOT):**

No

(Contd. on page 5)  
USA

Product name: **Lithium hexafluoroantimonate**

(Contd. of page 4)

UN "Model Regulation":

UN1549, Antimony compounds, inorganic, solid, n.o.s. (Lithium hexafluoroantimonate), 6.1, III

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

**Hazard pictograms**



GHS07

**Signal word** Warning

**Hazard statements**

H302+H332 Harmful if swallowed or if inhaled.

**Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor/.../if you feel unwell.

P312 Call a POISON CENTER/doctor/.../if you feel unwell.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

**SARA Section 313 (specific toxic chemical listings)**

18424-17-4 Lithium hexafluoroantimonate

**California Proposition 65**

**Prop 65 - Chemicals known to cause cancer** Substance is not listed.

**Prop 65 - Developmental toxicity** Substance is not listed.

**Prop 65 - Developmental toxicity, female** Substance is not listed.

**Prop 65 - Developmental toxicity, male** Substance is not listed.

**Information about limitation of use:**

For use only by technically qualified individuals.

This product contains antimony and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to know Act of 1986 and 40CFR372.

**Other regulations, limitations and prohibitive regulations**

**Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.

**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department

**Date of preparation / last revision** 11/24/2015 / -

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)