according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

ROTH

2-Ethylhexylal ≥99 % for synthesis

article number: **0797** date of compilation: 2018-08-28 Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **2-Ethylhexylal**

Article number 0797

Registration number (REACH) 01-2119969504-29-xxxx

EC number 244-815-1 CAS number 22174-70-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 Emergency telephone number

Emergency information service Poison Centre Munich: +49/(0)89 19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification acc. to GHS

| Section | Hazard class | Hazard class and cat- egory | Hazard state- ment |
|---------|---|--------------------------------|--------------------------|
| 4.1C | hazardous to the aquatic environment - chronic hazard | (Aquatic Chronic 4) | H413 |

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word not required

Hazard statements

H413 May cause long lasting harmful effects to aquatic life

United Kingdom (en) Page 1 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

Precautionary statements

Precautionary statements - prevention

P273 Avoid release to the environment.

Precautionary statements - disposal

P501 Dispose of contents/container to industrial combustion plant.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Not required

H413 May cause long lasting harmful effects to aquatic life.

2.3 Other hazards

There is no additional information.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance 2-Ethylhexylal

Registration number (REACH) 01-2119969504-29-xxxx

EC number 244-815-1
CAS number 22174-70-5
Molecular formula C17H36O2
Molar mass 272,5 g/mol

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 2 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: carbon monoxide (CO), carbon dioxide (CO2)

5.3 Advice for firefighters

Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advices on how to contain a spill

Covering of drains.

Advices on how to clean up a spill

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 3 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice

• Ventilation requirements

Use local and general ventilation.

• Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

Relevant DNELs/DMELs/PNECs and other threshold levels

• human health values

| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|----------|-----------------------|---------------------------------------|-------------------|----------------------------|
| DNEL | 0,34 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 1,33 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



United Kingdom (en) Page 4 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

type of material

PVC: polyvinyl chloride

material thickness

1,2 mm

breakthrough times of the glove material

>60 minutes (permeation: level 3)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state liquid (fluid)
Colour colourless

Odour this information is not available

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

Melting point/freezing point <-65 °C

Initial boiling point and boiling range 290 °C at 760 mmHg
Flash point 142 °C at 101.325 Pa
Evaporation rate no data available
Flammability (solid, gas) not relevant (fluid)

Explosive limits

lower explosion limit (LEL)
 upper explosion limit (UEL)
 this information is not available

Explosion limits of dust clouds not relevant

United Kingdom (en) Page 5 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

Vapour pressure 0,003 mbar at 20 °C

Density 0,848 g/_{cm³}

Vapour density This information is not available.

Bulk density Not applicable

Relative density Information on this property is not available.

Solubility(ies)

Water solubility <1 ^{mg}/_l at 20 °C

Partition coefficient

n-octanol/water (log KOW) 6,53 (ECHA)
Soil organic carbon/water (log KOC) <1,5 (ECHA)

Auto-ignition temperature 280 °C at 101.325 Pa - ECHA

280 °C at 101.325 Pa

Decomposition temperature no data available

Viscosity

• kinematic viscosity 9,42 $^{mm^2}$ / $_s$ at 20 $^{\circ}$ C

• dynamic viscosity 8 mPa s at 20 °C

Explosive properties Shall not be classified as explosive

Oxidising properties none

9.2 Other information

Surface tension 25,2 ^{mN}/_m (25 °C)

Temperature class (EU, acc. to ATEX)

T3 (Maximum permissible surface temperature

on the equipment: 200°C)

SECTION 10: Stability and reactivity

10.1 Reactivity

In case of warming: Vapours can form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser, Strong acid

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 6 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Shall not be classified as acutely toxic.

| Exposure route | Endpoint | Value | Species | Source |
|----------------|----------|--------------------------------------|---------|--------|
| oral | LD50 | >5.000 ^{mg} / _{kg} | rat | ECHA |
| dermal | LD50 | >2.000 ^{mg} / _{kg} | rat | ECHA |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant

• Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

• Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

data are not available

• If in eyes

data are not available

• If inhaled

data are not available

• If on skin

data are not available

Other information

None

United Kingdom (en) Page 7 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

SECTION 12: Ecological information

12.1 Toxicity

May cause long lasting harmful effects to aquatic life.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Source | Exposure time |
|----------|-----------------------------------|---------|--------|------------------|
| ErC50 | >100 ^{mg} / _l | algae | ECHA | 72 h |
| EC50 | 19,6 ^{mg} / _l | algae | ECHA | 72 h |

Aquatic toxicity (chronic)

May cause long-term adverse effects in the aquatic environment.

12.2 Process of degradability

Theoretical Oxygen Demand: $2,936 \frac{\text{mg}}{\text{mg}}$ Theoretical Carbon Dioxide: $2,746 \frac{\text{mg}}{\text{mg}}$

| Process | Degradation rate | Time |
|------------------|------------------|------|
| oxygen depletion | 1,1 % | 3 d |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW) 6,53

BCF 401 (ECHA)

12.4 Mobility in soil

The Organic Carbon normalised adsorption <1,5 coefficient

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

United Kingdom (en) Page 8 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number (not subject to transport regulations)

14.2 UN proper shipping name not relevant14.3 Transport hazard class(es) not relevant

Class -

14.4 Packing group not relevant

14.5 Environmental hazards none (non-environmentally hazardous acc. to the danger-

ous goods regulations)

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

• International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
 - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
 - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
 - Regulation 850/2004/EC on persistent organic pollutants (POP)

Not listed.

United Kingdom (en) Page 9 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

Restrictions according to REACH, Annex XVII

| Name of substance | CAS No | Wt% | Type of registration | Conditions of restric- tion | No |
|-------------------|--------|-----|----------------------------|-----------------------------------|----|
| 2-Ethylhexylal | | 100 | 1907/2006/EC annex XVII | R3 | 3 |

Legend

R3

- 1. Shall not be used in:
 ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or per-

- can be used as fuel in decorative oil lamps for supply to the general public, and,
 present an aspiration hazard and are labelled with R65 or H304,

 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisa-
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the mar-
- ket, that the following requirements are met:
 (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a
- marked as follows: 'Reep lamps filled with this liquid out of the reach of children; and, by 1 December 2010, just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage'; (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage'; (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in a second property of the present December 1 by the property of the present December 2010.
- fuel conditions are the commission shall request the Luropean Chemicals Agrilly to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission shall make those data available to the Commission.
- Restrictions according to REACH, Title VIII

 List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list not listed

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

United Kingdom (en) Page 10 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

National inventories

Substance is listed in the following national inventories:

| Country | National inventories | Status |
|---------|----------------------|---------------------|
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| TW | TCSI | substance is listed |

Legend

ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|----------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| BCF | bioconcentration factor |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| CMR | Carcinogenic, Mutagenic or toxic for Reproduction |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |

United Kingdom (en) Page 11 / 12

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



2-Ethylhexylal ≥99 % for synthesis

article number: 0797

| Abbr. | Descriptions of used abbreviations |
|-------|---|
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| SVHC | Substance of Very High Concern |
| vPvB | very Persistent and very Bioaccumulative |

Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)

- International Maritime Dangerous Goods Code (IMDG)

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--|
| H413 | may cause long lasting harmful effects to aquatic life |

Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 12 / 12