

1 Identification

Product identifier

Product name: Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

Stock number: 41982

CAS Number:

22677-91-4

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapour.



GHS06 Skull and crossbones

Acute Tox. 1 H330 Fatal if inhaled.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

STOT SE 3 H336 May cause drowsiness or dizziness.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02 GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H224 Extremely flammable liquid and vapour.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H351 Suspected of causing cancer.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B2 - Flammable liquid

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects

E - Corrosive material



Product name: Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

Classification system
HMIS ratings (scale 0-4)
(Hazardous Materials Identification System)

HEALTH	2	Health (acute effects) = 2
FIRE	3	Flammability = 3
REACTIVITY	1	Physical Hazard = 1

Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances
CAS# Description:
22677-91-4 Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

4 First-aid measures

Description of first aid measures
General information Immediately remove any clothing soiled by the product.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed
Causes severe skin burns.
Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Use carbon dioxide, extinguishing powder or foam. Water may be ineffective but may be used for cooling exposed containers.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Metal oxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Keep away from heat and direct sunlight.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away.
Do not distill to dryness.
Explosive peroxides may form, handle container cautiously.
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility: Store away from oxidizing agents.
Further information about storage conditions:
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
Avoid contact with air/oxygen (formation of peroxide).
Check container pressure periodically to prevent explosive peroxides.

(Contd. on page 3)
USA

Product name: Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

Specific end use(s) No further relevant information available.

(Contd. of page 2)

8 Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:

Dichloromethane

ppm

ACGIH TLV 50; Confirmed animal carcinogen

Austria MAK 100; Suspected carcinogen

Belgium TWA 50; Carcinogen

Denmark TWA 35 (skin)

Finland TWA 100; 250-STEL

France VME 50; 100-VLE, C3 carcinogen

Germany MAK 100; Carcinogen

Hungary 10 mg/m3-STEL; Carcinogen

Japan OEL 50

Korea TLV 50; Confirmed animal carcinogen

Netherlands MAC-TGG 100; 500-MAC-K

Norway TWA 35

Poland TWA 20 mg/m3; 50 mg/m3-STEL

Russia TWA 100; 50-STEL

Sweden NGV 35; 70-KTV (skin)

Switzerland MAK-W 100; 500-KZG-W

United Kingdom TWA 100; 300-STEL

USA PEL 500

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Refer to 29CFR1910.1052 for regulations on respiratory protection required during exposure to dichloromethane

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection:

Tightly sealed goggles

Full face protection

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid

Color: Light brown

Odor: Not determined

Odor threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Not determined

Boiling point/Boiling range: Not determined

Sublimation temperature / start: Not determined

Flash point: -21 °C (-6 °F)

Flammability (solid, gaseous) Not determined.

Ignition temperature: Not determined

Decomposition temperature: Not determined

Auto igniting: Not determined.

Danger of explosion: May form explosive peroxides.

Do not distill to dryness.

Explosion limits:

Lower: Not determined

Upper: Not determined

Vapor pressure: Not determined

Density at 20 °C (68 °F): 1.32 g/cm³ (11.015 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Not determined

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

dynamic: Not determined.

kinematic: Not determined.

Other information No further relevant information available.

Product name: Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

(Contd. of page 3)

10 Stability and reactivity

Reactivity May form explosive peroxides.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions May form explosive peroxides.
Conditions to avoid No further relevant information available.
Incompatible materials: Oxidizing agents
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Metal oxide fume

11 Toxicological information

Information on toxicological effects
Acute toxicity:
Harmful if swallowed.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification:

Oral	LD50	2136 mg/kg (rat)
Inhalative	LC50/4H	88 mg/m3/4H (rat)

Skin irritation or corrosion:
Causes severe skin burns.
Repeated exposure may cause skin dryness or cracking.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity:
Suspected of causing cancer.
EPA-B2: Probable human carcinogen, sufficient evidence from animal studies; inadequate evidence or no data from epidemiologic studies.
IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals.
NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
ACGIH A3: Animal carcinogen; Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans.
Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.
Carcinogen as defined by OSHA.
Reproductive toxicity: No effects known.
Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause drowsiness or dizziness.
Aspiration hazard: No effects known.
Subacute to chronic toxicity:
Dichloromethane has strong narcotic effects. It is metabolized by the body producing carbon monoxide which reduces the oxygen carrying capacity of the blood. Exposure can lead to nausea, dizziness, headache and central nervous system disturbances. It is irritating to the skin and eyes. Chronic exposure may cause bronchitis, liver, kidney and pancreatic damage. Dichloromethane has caused carcinogenic, teratogenic and reproductive effects in laboratory animals. Memory loss, poor coordination, and reduced ability to think may result from brain damage. Dichloromethane may affect human sperm and can cross the placenta. Zinc fumes may cause metal fume fever. Effects include dry throat, metallic taste, chest pain, dyspnea, rales and dry cough. Several hours later, chills may occur with lassitude, malaise, fatigue, headache, back pain, muscle cramps, blurred vision, nausea, fever, perspiration, vomiting and leukocytosis.
Subacute to chronic toxicity: No effects known.
Subacute to chronic toxicity:
Diethyl ether, if released, is a depressant of the central nervous system and is capable of causing intoxication, drowsiness, stupor and unconsciousness. Severe exposure may cause respiratory failure and death. On contact it may irritate the eyes.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxic effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number DOT, IMDG, IATA	UN1992
UN proper shipping name DOT IMDG, IATA	Flammable liquids, toxic, n.o.s. (zinc chloride diethyl ether/dichloromethane) FLAMMABLE LIQUID, TOXIC, N.O.S. (zinc chloride diethyl ether/dichloromethane)

(Contd. on page 5)
USA

Product name: Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

(Contd. of page 4)

Transport hazard class(es)

DOT	
	
Class	3 Flammable liquids.
Label	3+6.1
Class	3 (FT1) Flammable liquids
Label	3+6.1
IMDG, IATA	
	
Class	3 Flammable liquids.
Label	3+6.1

Packing group
DOT, IMDG, IATA

II

Environmental hazards:

Environmentally hazardous substance, liquid

Special precautions for user

Warning: Flammable liquids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT	No
Marine Pollutant (DOT):	No
UN "Model Regulation":	UN1992, Flammable liquids, toxic, n.o.s. (zinc chloride diethyl ether/dichloromethane), 3 (6.1), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms



GHS02 GHS05 GHS06 GHS08

Signal word Danger

Hazard statements

H224 Extremely flammable liquid and vapour.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.
H351 Suspected of causing cancer.
H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings)

22677-91-4 Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

This product contains zinc and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Refer to 29CFR1910.1052 for regulations on respiratory protection required during exposure to dichloromethane

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

(Contd. on page 6)
USA

Product name: Zinc chloride diethyl ether complex, 45% w/vin dichloromethane

CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
vPvB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)

(Contd. of page 5)