



Page 1/5 Printing date 11/01/2017 Revision date 10/31/2017 Version 1

1 Identification

Product identifier

Product name: 1-Decyl isothiocyanate

Stock number: L12165
CAS Number:
24540-94-1
Relevant identified uses of the substance or mixture and uses advised against.
Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Manufacturer/Supplier: Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com
Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

#### 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 3 H311 Toxic in contact with skin.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

Hazards not otherwise classified No information known.

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





Signal word Danger

Hazard statements
H301+H311 Toxic if swallowed or in contact with skin.
H332 Harmful if inhaled.
H314 Causes severe skin burns and eye dama

Harmful if inhaled. Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
Do not breathe dusts or mists.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification
D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH B Health (acute effects) = 3
Flammability = 1
ACTIVITY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

### 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 24540-94-1 1-Decyl isothiocyanate

(Contd. on page 2)

## Product name: 1-Decyl isothiocyanate

Concentration: ≤100%

(Contd. of page 1)

#### 4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed.

Information for doctor
Most important symptoms and effects, both acute and delayed
Causes severe skin burns.
Toxic in contact with skin.
Harmful if inhaled.
Toxic if swallowed.
Causes serious eye damage.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

Extinguishing media

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Sulfur oxides (SOx)
Nitrogen oxides (NOx)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit

Wear fully protective impervious suit.

# 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Environmental precautions: Do not allow product to reach sewage system or any water course.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose of contaminated material as waste according to section 13.

Dispose or contaminated material as waste according to section 1s.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
Protective Action Criteria for Chemicals

PAC-1: Substance is not listed PAC-2: Substance is not listed. PAC-3: Substance is not listed.

## 7 Handling and storage

Handling Precautions for safe handling

Precautions for sale naturing
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:
Store away from water/moisture.
Store away from oxidizing agents.
Further information about storage conditions:

Store under dry inert gas. This product is moisture sensitive

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.

(Contd. on page 3)

Version 1

(Contd. of page 2)

# Product name: 1-Decyl isothiocyanate

Keep away from foodstuffs, beverages and feed. Remove all soiled and contaminated clothing immediately. Wash hands before breaks and at the end of work.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with multi-purpose combination (US) or type ABEK (EN 14387) as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards such as NIOSH (USA) or CEN (EU).

Protection of hands:

Importance of the control of

Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

The selection of suitable gloves not only depends on the mate Eye protection:
Tightly sealed goggles
Full face protection
Safety glasses with side shields / NIOSH (US) or EN 166(EU)
Body protection: Protective work clothing.

#### 9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance: Form:

Odor:

Liquid

Odor threshold:

Irritating Not determined

pH-value:

Not determined.

Change in condition

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Not determined 170-171 °C (338-340 °F) (35mm) Not determined

Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting:

Not determined. Not determined

Not determined Not determined

Danger of explosion:
Explosion limits:
Lower:
Upper:
Vapor pressure:
Density at 20 °C (68 °F):
Relative density
Vapor density
Evaporation rate
Solubility in / Miscibility with
Water:

Not determined.

Not determined

Not determined

Not determined

0.89 g/cm³ (7.427 lbs/gal) Not determined.

Not determined

Not determined.

Water: Not determined
Partition coefficient (n-octanol/water): Not determined.
Viscosity:

dynamic: kinematic

Not determined

Not determined.

Other information

No further relevant information available.

## 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents

Conditions to avoid No further relevant information available.

Incompatible materials:

Oxidizing agents Water/moisture

Water/moisture
Hazardous decomposition products:
Carbon monoxide and carbon dioxide
Sulfur oxides (SOx)
Nitrogen oxides

## 11 Toxicological information

### Information on toxicological effects

Acute toxicity: Harmful if inhaled. Toxic in contact with skin. Toxic if swallowed. Danger through skin absorption.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach. LD/LC50 values that are relevant for classification: No data

Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.

Sensitization: No sensitizing effects known. Germ cell mutagenicity: No effects known.

Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.

(Contd. on page 4)

# Product name: 1-Decyl isothiocyanate

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

(Contd. of page 3)

#### 12 Ecological information

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment.

Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable

Other adverse effects No further relevant information available.

#### 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name DOT ADR IMDG, IATA	Corrosive liquids, n.o.s. (1-Decyl isothiocyanate) 1760 Corrosive liquids, n.o.s. (1-Decyl isothiocyanate) CORROSIVE LIQUID, N.O.S. (1-Decyl isothiocyanate)
Transport hazard class(as)	

#### ı ransport nazara cıass(es)

DOT

Class

Label ADR

8 (C9) Corrosive substances

8 Corrosive substances

Class Label IMDG, IATA

Class

Label Packing group DOT, ADR, IMDG, IATA 8 Corrosive substances

Environmental hazards:

Not applicable. Warning: Corrosive substances F-A,S-B

Special precautions for user EMS Number: Stowage Category Stowage Code

SW2 Clear of living quarters.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:

DOT

**Quantity limitations** 

On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

Marine Pollutant (DOT):

Νo

**IMDG** Limited quantities (LQ) Excepted quantities (EQ)

Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation":

UN 1760 CORROSIVE LIQUIDS, N.O.S. (1-DECYL ISOTHIOCYANATE), 8, III

## 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms





GHS05 GHS06

Signal word Danger

(Contd. on page 5)

(Contd. of page 4)

## Product name: 1-Decyl isothiocyanate

Hazard statements
H301+H311 Toxic if swallowed or in contact with skin.
H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
Precautionary statements
P260 Do not breathe dusts or mists.

Precautionary statements
P260 Do not breathe dusts or mists.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P351+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Date of preparation/Revision: Print date, revision date and version number are in the header of each page.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation
ATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doncentration, 50 percent
LD50: Lethal dose, 50 percent
DBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 3: Acute toxicity — Category 3
Acute Tox. 4: Acute toxicity — Category 1
Skin Corr. 1B: Skin corrosion/irritation — Category 1

USA