SAFETY DATA SHEET

Version 4.9 Revision Date 05/23/2016 Print Date 10/19/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Methylstyrene

Product Number : 522864 Brand : Aldrich

CAS-No. : 25013-15-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315 Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Aldrich - 522864 Page 1 of 9

Precautionary statement(s)	
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated
	clothing. Rinse skin with water/ shower.
P304 + P340 + P312	IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing. Call a POISON CENTER or doctor/ physician if
	you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for
	extinction.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Vinyltoluene

Formula : C₉H₁₀

Molecular weight : 118.18 g/mol
CAS-No. : 25013-15-4
EC-No. : 246-562-2

Hazardous components

Component	Classification	Concentration				
Vinyltoluene						
	Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; Asp. Tox. 1; Aquatic Acute 2; H226, H304, H315, H319, H332, H335, H401	<= 100 %				

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

Aldrich - 522864 Page 2 of 9

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature 2 - 8 °C Storage class (TRGS 510): Flammable liquids

Aldrich - 522864 Page 3 of 9

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis		
Vinyltoluene	25013-15-4	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Upper Respiratory Tract irritation				
		Eye irritation				
		Not classifiable as a human carcinogen				
		TWA	50.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation				
		Eye irritation				
		Not classifiable as a human carcinogen				
		STEL	100 ppm	USA. ACGIH Threshold Limit Values (TLV)		
		Upper Respiratory Tract irritation Eye irritation Not classifiable as a human carcinogen				
		STEL 100.000000 USA. ACGIH Threshold Limit Values				
		SIEL	ppm	(TLV)		
		Upper Respiratory Tract irritation Eye irritation Not classifiable as a human carcinogen				
		TWA	100.000000	USA. Occupational Exposure Limits		
		IVVA	ppm	(OSHA) - Table Z-1 Limits for Air		
			480.000000	Contaminants		
			mg/m3	Contaminants		
		The value in mg/m3 is approximate.				
		TWA 100.000000 USA. NIOSH Recommended				
			ppm 480.000000	Exposure Limits		
		DEI	mg/m3	O-life and in the second		
		PEL	50 ppm 240 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)		

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Aldrich - 522864 Page 4 of 9

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form: liquid a) Appearance

Colour: colourless

No data available b) Odour c) Odour Threshold No data available No data available

Melting point/freezing ca.-76.99 °C (-106.58 °F) at 1,013 hPa (760 mmHg)

point

Initial boiling point and

boiling range

168 °C (334 °F) - lit.

52 °C (126 °F) - closed cup g) Flash point

h) Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower Upper explosion limit: 5.2 %(V) flammability or Lower explosion limit: 1.1 %(V)

explosive limits

k) Vapour pressure ca.2.0 hPa (1.5 mmHg) at 20 °C (68 °F)

Vapour density No data available

0.893 g/cm3 at 25 °C (77 °F) m) Relative density n) Water solubility ca.0.089 g/l at 25 °C (77 °F) Partition coefficient: nlog Pow: 3.35 at 25 °C (77 °F)

octanol/water

p) Auto-ignition

No data available

temperature Decomposition

temperature

No data available

ca.0.93 mm2/s at 20 °C (68 °F) -Viscosity

s) Explosive properties No data available Oxidizing properties No data available

9.2 Other safety information

> Surface tension ca.31.66 mN/m at 20 °C (68 °F)

Aldrich - 522864 Page 5 of 9

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Contains the following stabiliser(s): tert-Butylpyrocatechol (0.005 %)

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 3,275 mg/kg

LC50 Inhalation - Rat - 4 h - 16.891 mg/l

LD50 Dermal - Rabbit - > 4,400 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(Draize Test)

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Mouse

lymphocyte

Mutation in mammalian somatic cells.

Mouse - lymphocyte

Micronucleus test

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available

No data available

Developmental Toxicity - Rat - Intraperitoneal

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

Specific target organ toxicity - single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

May be fatal if swallowed and enters airways.

Additional Information

RTECS: Not available

May cause irritation of the:, Eyes, Skin, Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea., peripheral neuropathy, Central nervous system, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Immobilization EC50 - Daphnia magna (Water flea) - 1.3 mg/l - 48 h

12. ECOLOGICAL INFORMATION

12.1 Toxicity

static test LC50 - Pimephales promelas (fathead minnow) - 5.2 mg/l - 96 h Toxicity to fish

(OECD Test Guideline 203)

Toxicity to daphnia and

other aquatic

(OECD Test Guideline 202)

invertebrates Toxicity to algae

Growth inhibition EC50 - Selenastrum capricornutum (green algae) - 2.6 mg/l -

(OECD Test Guideline 201)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation Lepomis macrochirus (Bluegill sunfish) - 30 d

- 0.25 mg/l

Bioconcentration factor (BCF): 96

12.4 Mobility in soil

No data available

Results of PBT and vPvB assessment 12.5

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

Aldrich - 522864 Page 7 of 9

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2618 Class: 3 Packing group: III

Proper shipping name: Vinyltoluenes, stabilized

Reportable Quantity (RQ):

Poison Inhalation Hazard: No

IMDG

UN number: 2618 Class: 3 Packing group: III EMS-No: F-E, S-D

Proper shipping name: VINYLTOLUENES, STABILIZED

IATA

UN number: 2618 Class: 3 Packing group: III

Proper shipping name: Vinyltoluenes, stabilized

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Massachusetts Right To Know Components

Vinyltoluene CAS-No. Revision Date 25013-15-4 1993-04-24

Pennsylvania Right To Know Components

Vinyltoluene CAS-No. Revision Date 25013-15-4 1993-04-24

New Jersey Right To Know Components

Vinyltoluene CAS-No. Revision Date 25013-15-4 1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Asp. Tox. Aspiration hazard
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Skin Irrit. Skin irritation

STOT SE Specific target organ toxicity - single exposure

Aldrich - 522864 Page 8 of 9

HMIS Rating

Health hazard: 2
Chronic Health Hazard:
Flammability: 2
Physical Hazard 0

NFPA Rating

Health hazard: 2
Fire Hazard: 2
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 05/23/2016 Print Date: 10/19/2018

Aldrich - 522864 Page 9 of 9