

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

1 Identification of substance:**Product details:****Product name:** Cyclohexyl acrylate**Stock number:** L12925**Manufacturer/Supplier:**

Alfa Aesar, A Johnson Matthey Company

Johnson Matthey Catalog Company, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Emergency Phone: (978) 521-6300

CHEMTREC: (800) 424-9300

Web Site: www.alfa.com**Information Department:**

Health, Safety and Environmental Department

Product Safety Department

Emergency information:

During normal hours the Health, Safety and Environmental Department.

After normal hours call Chemtrec at (800) 424-9300.

2 Composition/Data on components:**Chemical characterization:****Description: (CAS#)**

Cyclohexyl acrylate (CAS# 3066-71-5): 100%

Identification number(s):**EINECS Number:** 221-319-3**Index number:** 607-116-00-6**3 Hazards identification****Hazard description:**

Xi Irritant

N Dangerous for the environment

Information pertaining to particular dangers for man and environment

R 37/38 Irritating to respiratory system and skin.

R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Classification system**HMIS ratings (scale 0-4)****(Hazardous Materials Identification System)**

HEALTH	1
FIRE	2
REACTIVITY	1

Health (acute effects) = 1

Flammability = 2

Reactivity = 1

4 First aid measures**After inhalation**

Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

(Contd. on page 2)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: Cyclohexyl acrylate

(Contd. of page 1)

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek immediate medical advice.**5 Fire fighting measures****Suitable extinguishing agents**

Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards caused by the material, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Protective equipment:

Wear self-contained respirator.

Wear fully protective impervious suit.

6 Accidental release measures**Person-related safety precautions:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Measures for environmental protection:

Do not allow material to be released to the environment without proper governmental permits.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Additional information:

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling****Information for safe handling:**

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Information about protection against explosions and fires:

Keep ignition sources away.

Storage**Requirements to be met by storerooms and receptacles:**

No special requirements.

Information about storage in one common storage facility:

Store away from oxidizing agents.

Further information about storage conditions:

Keep container tightly sealed.

(Contd. on page 3)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: Cyclohexyl acrylate

(Contd. of page 2)

Store in cool, dry conditions in well sealed containers.

8 Exposure controls and personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Components with limit values that require monitoring at the workplace:

Not required.

Additional information: No data

Personal protective equipment**General protective and hygienic measures**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Breathing equipment:

Use suitable respirator when high concentrations are present.

Protection of hands:

Check protective gloves prior to each use for their proper condition.

Impervious gloves

Material of gloves

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties:**General Information**

Form:	Liquid
Color:	Colorless
Odor:	Not determined

Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	182-184°C (360-363°F)
Sublimation temperature / start:	Not determined

Flash point:	68°C (154°F)
---------------------	--------------

Ignition temperature:	Not determined
------------------------------	----------------

Decomposition temperature:	Not determined
-----------------------------------	----------------

Danger of explosion:	Product does not present an explosion hazard.
-----------------------------	---

Explosion limits:

Lower:	Not determined
Upper:	Not determined

(Contd. on page 4)

USA

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: Cyclohexyl acrylate

(Contd. of page 3)

Vapor pressure:	Not determined
Density at 20°C (68°F):	0.98 g/cm ³
Solubility in / Miscibility with Water:	Not miscible or difficult to mix

10 Stability and reactivity**Thermal decomposition / conditions to be avoided:**

Decomposition will not occur if used and stored according to specifications.

Materials to be avoided: Oxidizing agents

Dangerous reactions No dangerous reactions known

Dangerous products of decomposition: Carbon monoxide and carbon dioxide

11 Toxicological information**Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	8980 µL/kg (rat)
Dermal	LD50	2520 µL/kg (rabbit)

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Subacute to chronic toxicity:

Other than potential irritation (see above), no information on illness or injury to humans from acute or chronic exposure to this product is available.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

12 Ecological information:**Ecotoxical effects:**

Remark: Toxic for fish

General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Do not allow material to be released to the environment without proper governmental permits.

Toxic for aquatic organisms

USA

(Contd. on page 5)

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: Cyclohexyl acrylate

(Contd. of page 4)

13 Disposal considerations**Product:****Recommendation**

Consult state, local or national regulations to ensure proper disposal.

Uncleaned packagings:**Recommendation:** Disposal must be made according to official regulations.**14 Transport information****DOT regulations:**

Hazard class:	9
Identification number:	UN3082
Packing group:	III
Proper shipping name (technical name):	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyclohexyl acrylate)
Label	9

Land transport ADR/RID (cross-border)

ADR/RID class:	9 (M6) Miscellaneous dangerous substances and articles
Danger code (Kemler):	90
UN-Number:	3082
Packaging group:	III
Description of goods:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyclohexyl acrylate)

Maritime transport IMDG:

IMDG Class:	9
UN Number:	3082
Label	9
Packaging group:	III

(Contd. on page 6)

- USA -

Material Safety Data Sheet

acc. to OSHA and ANSI

Printing date 11/11/2008

Reviewed on 11/11/2008

Product name: Cyclohexyl acrylate

(Contd. of page 5)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Cyclohexyl acrylate)

Air transport ICAO-TI and IATA-DGR:



ICAO/IATA Class: 9
UN/ID Number: 3082
Label 9
Packaging group: III
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE,
LIQUID, N.O.S. (Cyclohexyl acrylate)

15 Regulations

Product related hazard informations:

Hazard symbols:

Xi Irritant

N Dangerous for the environment

Risk phrases:

37/38 Irritating to respiratory system and skin.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Safety phrases:

61 Avoid release to the environment. Refer to special instructions/Safety data sheets

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

Information about limitation of use:

For use only by technically qualified individuals.

16 Other information:

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing MSDS: Health, Safety and Environmental Department.

Contact: Paul V. Connolly

USA