SAFETY DATA SHEET

Version 4.9 Revision Date 03/13/2018 Print Date 11/05/2018

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : N-[3-(TrimethoxysilyI)propyl]aniline

Product Number : 440809 Brand : Aldrich

CAS-No. : 3068-76-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Skin sensitisation (Category 1), H317 Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 2), H351

Specific target organ toxicity - repeated exposure (Category 1), Blood, H372

Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 3), H412

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H341 Suspected of causing genetic defects. H351 Suspected of causing cancer.

H372 Suspected of causing cancer.
Causes damage to organs (Blood) through prolonged or repeated

exposure.

Aldrich - 440809 Page 1 of 10

H412	Harmful to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face
	protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Formula : C₁₂H₂₁NO₃Si Molecular weight : 255.39 g/mol

Hazardous components

Component		Classification	Concentration
N-[3-(Trimethoxysilyl)pro	oyl]aniline		
CAS-No. EC-No.	3068-76-6 221-328-2	Skin Corr. 1B; Eye Dam. 1; H314	90 - 100 %
Aniline			
CAS-No. EC-No. Index-No.	62-53-3 200-539-3 612-008-00-7	Flam. Liq. 4; Acute Tox. 3; Eye Dam. 1; Skin Sens. 1; Muta. 2; Carc. 2; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H227, H301 + H311 + H331, H317, H318, H341, H351, H372, H410	1 - 5 %
Methanol			
CAS-No. EC-No. Index-No. Registration number	67-56-1 200-659-6 603-001-00-X 01-2119433307-44-XXXX	Flam. Liq. 2; Acute Tox. 3; STOT SE 1; H225, H301 + H311 + H331, H370	0.1 - 1 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich - 440809 Page 2 of 10

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

No data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

Aldrich - 440809 Page 3 of 10

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Store under inert gas.

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

CAS-No.	Value	Control	Basis			
20.50		+				
62-53-3	IWA	2 ppm	USA. ACGIH Threshold Limit Values (TLV)			
Remarks	Methemoglobinemia Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed animal carcinogen with unknown relevance to humans Danger of cutaneous absorption					
	PEL	California permissible exposure				
		7.6 mg/m3	limits for chemical contaminants			
			(Title 8, Article 107)			
	Skin	•	,			
		5 ppm	USA. Occupational Exposure Limits			
			(OSHA) - Table Z-1 Limits for Air			
			Contaminants			
	Skin designa	ation				
			imate.			
67-56-1			USA. ACGIH Threshold Limit Values			
07 00 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	200 ppiii	(TLV)			
	Headache	Headache				
	Nausea					
	Dizziness					
	Eye damage					
	Substances for which there is a Biological Exposure Index or Indices					
	(see BEI® section)					
	Danger of cutaneous absorption					
	STEL	250 ppm	USA. ACGIH Threshold Limit Values			
			(TLV)			
	Headache					
	Nausea					
	Dizziness					
)				
1	Substances for which there is a Biological Exposure Index or Indices					
	Substances	for which there is	a Biological Exposure Index or Indices			
	Substances (see BEI® s		a Biological Exposure Index or Indices			
	(see BEI® s					
	(see BEI® s	ection) utaneous absorpti	on			
	(see BEI® so	ection) utaneous absorpti 200 ppm	on USA. NIOSH Recommended			
	(see BEI® see Danger of cu	ection) utaneous absorptid 200 ppm 260 mg/m3	on USA. NIOSH Recommended Exposure Limits			
	(see BEI® see Danger of cu	ection) utaneous absorption 200 ppm 260 mg/m3 dermal absorption	on USA. NIOSH Recommended Exposure Limits			
	(see BEI® so Danger of co	ection) utaneous absorptid 200 ppm 260 mg/m3	on USA. NIOSH Recommended Exposure Limits			
	CAS-No. 62-53-3	CAS-No. Value 62-53-3 TWA Remarks Methemoglo Substances (see BEI® sconfirmed a Danger of cure PEL Skin TWA Skin designate The value in Potential October See Appended TWA Headache Nausea Dizziness Eye damage Substances (see BEI® sconfirmed STEL Headache Nausea Dizziness Eye damage Substances (see BEI® sconfirmed STEL Headache Nausea Dizziness Eye damage Step Danger of cure STEL	Remarks Methemoglobinemia Substances for which there is (see BEI® section) Confirmed animal carcinogen Danger of cutaneous absorpti PEL 2 ppm 7.6 mg/m3 Skin TWA 5 ppm 19 mg/m3 Skin designation The value in mg/m3 is approx Potential Occupational Carcin See Appendix A 67-56-1 TWA 200 ppm Headache Nausea Dizziness Eye damage Substances for which there is (see BEI® section) Danger of cutaneous absorpti STEL 250 ppm Headache Nausea Dizziness Eye damage Headache Nausea Dizziness Eye damage			

Aldrich - 440809 Page 4 of 10

TWA	200 ppm 260 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
The value	e in mg/m3 is appro	ximate.
С	1,000 ppm	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
PEL	200 ppm 260 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin		
STEL	250 ppm 325 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
Skin	·	

Hazardous components without workplace control parameters

Biological occupational exposure limits

Biological occupat	lional exposul	e iiiiiis			
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
	-	Aniline		Urine	ACGIH - Biological Exposure Indices (BEI)
	Remarks	End of shift (As	s soon as po	ssible after exposur	e ceases)
		Aniline		Released from	ACGIH - Biological
				hemoglobin in	Exposure Indices
				blood	(BEI)
		End of shift (As	s soon as po	ssible after exposur	e ceases)
		p-	50 mg/l	Urine	ACGIH - Biological
		Aminophenol			Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			e ceases)
		Methanol	15 mg/l	Urine	ACGIH - Biological
					Exposure Indices (BEI)
		End of shift (As	s soon as po	ssible after exposur	e ceases)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eve/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Aldrich - 440809 Page 5 of 10

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Colour: yellow

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available

e) Melting point/freezing

point

No data available

f) Initial boiling point and

boiling range

310 °C (590 °F) - lit.

g) Flash point 110 °C (230 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower flammability or

No data available

explosive limits
k) Vapour pressure No data available

I) Vapour density No data available

m) Relative density 1.07 g/mL at 25 °C (77 °F)

n) Water solubilityNo data availableo) Partition coefficient: n-No data available

octanol/water

p) Auto-ignition

temperature

No data available

q) Decomposition temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Exposure to moisture Exposure to sunlight.

10.5 Incompatible materials

Strong oxidizing agents, Water

Aldrich - 440809 Page 6 of 10

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Nitrogen oxides (NOx), silicon oxides Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

No data available

No data available

Inhalation: No data available Inhalation: No data available Dermal: No data available Dermal: No data available

No data available

Skin corrosion/irritation

No data available

No data available

Serious eye damage/eye irritation

No data available

No data available

Respiratory or skin sensitisation

No data available

No data available

Germ cell mutagenicity

No data available

No data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

No data available

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Aldrich - 440809 Page 7 of 10

Additional Information

RTECS: Not available

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Inhalation of vapors may cause:, Cough, Headache, Nausea, Skin contact may provoke the following symptoms:, allergic dermatitis

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence (Aniline) Stomach - Irregularities - Based on Human Evidence (Methanol)

12. ECOLOGICAL INFORMATION

12.1 Toxicity

No data available

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life with long lasting effects.

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3267 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, basic, organic, n.o.s. (N-[3-(TrimethoxysilyI)propyl]aniline)

Reportable Quantity (RQ): Poison Inhalation Hazard: No

IMDG

IATA

UN number: 3267 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, basic, organic, n.o.s. (N-[3-(Trimethoxysilyl)propyl]aniline)

15. REGULATORY INFORMATION

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date
Aniline 62-53-3 2007-03-01

Aldrich - 440809 Page 8 of 10

SARA 313 Components

The following components are subject to reporting levels established	•	
Aniline	CAS-No. 62-53-3	Revision Date 2007-03-01
Massachusetts Right To Know Components		
Aniline	CAS-No. 62-53-3	Revision Date 2007-03-01
Pennsylvania Right To Know Components		
N-[3-(Trimethoxysilyl)propyl]aniline Aniline Methanol	CAS-No. 3068-76-6 62-53-3 67-56-1	Revision Date 2007-03-01 2007-07-01
New Jersey Right To Know Components		
N-[3-(Trimethoxysilyl)propyl]aniline Aniline Methanol	CAS-No. 3068-76-6 62-53-3 67-56-1	Revision Date 2007-03-01 2007-07-01
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Aniline	CAS-No. 62-53-3	Revision Date 2007-09-28
WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm. Methanol	CAS-No. 67-56-1	Revision Date 2012-03-16

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute Aquatic Chronic Carc. Carcinogenicity Eye Dam. Serious eye damage Flammable liquids H225 Highly flammable liquid and vapour. Combustible liquid. Toxic if swallowed, in contact with skin or if inhaled. H331 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Acute Tox.	Acute toxicity
Carc. Carcinogenicity Eye Dam. Serious eye damage Flam. Liq. Flammable liquids H225 Highly flammable liquid and vapour. H227 Combustible liquid. H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled. H331 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Aquatic Acute	Acute aquatic toxicity
Eye Dam. Serious eye damage Flam. Liq. Flammable liquids H225 Highly flammable liquid and vapour. H227 Combustible liquid. H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled. H331 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Aquatic Chronic	Chronic aquatic toxicity
Flam. Liq. Flammable liquids H225 Highly flammable liquid and vapour. Combustible liquid. H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled. H331 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin Sens. SKin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Carc.	Carcinogenicity
H225 Highly flammable liquid and vapour. H227 Combustible liquid. H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled. H331 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Eye Dam.	Serious eye damage
H227 Combustible liquid. H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled. H331 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Flam. Liq.	Flammable liquids
H301 + H311 + H331 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H225	Highly flammable liquid and vapour.
H331 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H227	Combustible liquid.
H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H301 + H311 +	Toxic if swallowed, in contact with skin or if inhaled.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H331	
H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H314	Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H317	May cause an allergic skin reaction.
H351 Suspected of causing cancer. H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H318	Causes serious eye damage.
H370 Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/). H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H341	Suspected of causing genetic defects.
H372 Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H351	Suspected of causing cancer.
repeated exposure. H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H370	Causes damage to organs (/\$/*_ORGAN_SINGLE/\$/).
H402 Harmful to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H372	Causes damage to organs (/\$/*_ORGAN_REPEAT/\$/) through prolonged or
H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure		repeated exposure.
H412 Harmful to aquatic life with long lasting effects. Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H402	Harmful to aquatic life.
Muta. Germ cell mutagenicity Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H410	
Skin Corr. Skin corrosion Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	H412	Harmful to aquatic life with long lasting effects.
Skin Sens. Skin sensitisation STOT RE Specific target organ toxicity - repeated exposure	Muta.	Germ cell mutagenicity
STOT RE Specific target organ toxicity - repeated exposure	Skin Corr.	Skin corrosion
2 - 1 - 2 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	Skin Sens.	Skin sensitisation
	STOT RE	Specific target organ toxicity - repeated exposure
STOT SE Specific target organ foxicity - single exposure	STOT SE	Specific target organ toxicity - single exposure

Aldrich - 440809 Page 9 of 10

HMIS Rating

Health hazard: 3
Chronic Health Hazard: *
Flammability: 1
Physical Hazard 0

NFPA Rating

Health hazard: 3
Fire Hazard: 1
Reactivity Hazard: 0

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 4.9 Revision Date: 03/13/2018 Print Date: 11/05/2018

Aldrich - 440809 Page 10 of 10