

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 06.06.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

3,5-Dichlorophenylzinc iodide, 0.5M in THF

Stock number:

H58050

1.2 Relevant identified uses of the substance

or mixture and uses advised against.

Identified use:

No further relevant information available.

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Water-react. 2 H261 In contact with water releases flammable gases.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.



GHS07

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C; Corrosive

R34: Causes burns.



Xn; Harmful

R40: Limited evidence of a carcinogenic effect.



Xi; Irritant

R37: Irritating to respiratory system.



F; Highly flammable

R11: Highly flammable.

R14-19: Reacts violently with water. May form explosive peroxides.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Other hazards that do not result in classification

No information known.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

Hazard pictograms

The product is classified and labelled according to the CLP regulation.

Signal word

GHS02, GHS05, GHS07, GHS08

Danger

Hazard-determining components of labelling:

Tetrahydrofuran

3,5-Dichlorophenylzinc iodide

H225 Highly flammable liquid and vapour.

H261 In contact with water releases flammable gases.

H314 Causes severe skin burns and eye damage.

H351 Suspected of causing cancer.

H335 May cause respiratory irritation.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

EUH014 Reacts violently with water.

EUH019 May form explosive peroxides.

2.3 Other hazards**Results of PBT and vPvB assessment**

PBT:

Not applicable.

vPvB:

Not applicable.

DE/E

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 06.06.2013

Trade name **3,5-Dichlorophenylzinc iodide, 0.5M in THF**

(Contd. of page 1)

SECTION 3: Composition/information on ingredients**3.2 Mixtures****Dangerous components:**

CAS: 109-99-9 EINECS: 203-726-8	Tetrahydrofuran Xn R40; Xi R36/37; F R11 R19	83,1%
CAS: 312692-86-7	3,5-Dichlorophenylzinc iodide C R34 R14 Skin Corr. 1B, H314	16,9%

Additional information

None known.

SECTION 4: First aid measures**4.1 Description of first aid measures****General information****After inhalation**

Instantly remove any clothing soiled by the product.
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.
Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.
Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing agents**

Special powder for metal fires. Do not use water.

For safety reasons unsuitable extinguishing agents

Water.

5.2 Special hazards arising from the substance or mixture

Reacts violently with water
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Hydrogen iodide (HJ)
Hydrogen chloride (HCl)
Metal oxide

5.3 Advice for firefighters**Protective equipment:**

Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources

6.2 Environmental precautions:

Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

Prevention of secondary hazards:**6.4 Reference to other sections****SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Handle under dry protective gas.
Keep containers tightly sealed.
Ensure good ventilation/exhaustion at the workplace.
Open and handle container with care.

Information about protection against explosions and fires:

Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Do not distill to dryness.
Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities**Storage****Requirements to be met by storerooms and containers:**

Refrigerate

Information about storage in one common storage facility:

Store away from water.
Store away from air.
Protect from heat.
Store away from strong bases.
Store away from oxidizing agents.

Further information about storage conditions:

Store under dry inert gas.
This product is air sensitive.
Protect from humidity and keep away from water.
Avoid contact with air / oxygen (formation of peroxide).
Store in a locked cabinet or with access restricted to technical experts or their assistants.
Refrigerate
Check container pressure periodically to prevent explosive peroxides.
No further relevant information available.

7.3 Specific end use(s)

DE/E

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 06.06.2013

Trade name **3,5-Dichlorophenylzinc iodide, 0.5M in THF**

(Contd. of page 2)

SECTION 8: Exposure controls/personal protection**Additional information about design of technical systems:**

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters**Components with critical values that require monitoring at the workplace:****109-99-9 Tetrahydrofuran (83,1%)**

AGW (Germany)	150 mg/m ³ , 50 ppm 2(l);DFG, EU, H, Y
PEL (USA)	590 mg/m ³ , 200 ppm
REL (USA)	Short-term value: 735 mg/m ³ , 250 ppm Long-term value: 590 mg/m ³ , 200 ppm
TLV (USA)	Short-term value: 295 mg/m ³ , 100 ppm Long-term value: 147 mg/m ³ , 50 ppm Skin

Ingredients with biological limit values:**109-99-9 Tetrahydrofuran (83,1%)**

BGW (Germany)	2 mg/l U b Tetrahydrofuran
BEI (USA)	2 mg/L urine end of shift Tetrahydrofuran

Additional information: No data**8.2 Exposure controls****Personal protective equipment****General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Do not inhale dust / smoke / mist.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Use breathing protection with high concentrations.

Check protective gloves prior to each use for their proper condition.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Breathing equipment:**Protection of hands:****Material of gloves**

Impervious gloves

Penetration time of glove material

Not determined

Eye protection:

Tightly sealed safety glasses.

Body protection:Full face protection
Protective work clothing.**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Colour:	Yellow to brown to black
Smell:	Not determined
Odour threshold:	Not determined.

pH-value: Not determined.**Change in condition****Melting point/Melting range:** Not determined**Boiling point/Boiling range:** Not determined**Sublimation temperature / start:** Not determined**Flash point:** -17 °C (THF)**Inflammability (solid, gaseous)** Not determined.**Ignition temperature:** 230 °C**Decomposition temperature:** Not determined**Self-inflammability:** Product is not selfigniting.**Danger of explosion:** May form explosive peroxides.
Do not distill to dryness.**Critical values for explosion:****Lower:** 1,5 Vol %**Upper:** 12,0 Vol %**Steam pressure at 20 °C:** 200 hPa**Density at 20 °C** 1,002 g/cm³**Relative density** Not determined.**Vapour density** Not determined.**Evaporation rate** Not determined.**Solubility in / Miscibility with****Water:** Reacts violently**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****dynamic:** Not determined.**kinematic:** Not determined.**Solvent content:****Organic solvents:** 83,1 %**Solids content:** 16,9 %**9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****10.1 Reactivity**

Reacts violently with water.

May form explosive peroxides.

Stable under recommended storage conditions.

10.2 Chemical stability**Thermal decomposition / conditions to be avoided:**

No decomposition if used and stored according to specifications.

(Contd. on page 4)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 06.06.2013

Trade name **3,5-Dichlorophenylzinc iodide, 0.5M in THF**

(Contd. of page 3)

- 10.3 Possibility of hazardous reactions** Reacts with strong oxidizing agents
Reacts violently with water
Forms peroxides
- 10.5 Incompatible materials:** Air
Bases
Oxidizing agents
Water/moisture
Heat
- 10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide
Hydrogen iodide (HI)
Hydrogen chloride (HCl)
Metal oxide

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Acute toxicity: Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

LD/LC50 values that are relevant for classification:**109-99-9 Tetrahydrofuran**

Oral	LD50	1650 mg/kg (rat)
Inhalative	LC50/2H	72000 mg/m ³ /2H (rat)

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effect known.
Germ cell mutagenicity: The Registry of Toxic Effects of Chemical Substances (RTECS) contains mutation data for components in this product.
Carcinogenicity: Suspected of causing cancer.
EPA-S: Suggestive evidence of carcinogenicity, but not sufficient to assess human carcinogenic potential.
ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains tumorigenic and/or carcinogenic and/or neoplastic data for this product.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Reproductive toxicity:

Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: May cause respiratory irritation.
Aspiration hazard: No effects known.
Experience with humans: The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for components in this product.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.
The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
Corrosive
Irritant

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow material to be released to the environment without proper governmental permits.
Water hazard class 1 (Self-assessment): slightly hazardous for water.
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.



SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Recommendation Hand over to disposers of hazardous waste.
Must be specially treated under adherence to official regulations.
Consult state, local or national regulations for proper disposal.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN-Number ADR, IMDG, IATA	UN3399
14.2 UN proper shipping name ADR	3399 ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (3,5-Dichlorophenylzinc iodide, TETRAHYDROFURAN)
IMDG, IATA	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE (3,5-Dichlorophenylzinc iodide, TETRAHYDROFURAN)
14.3 Transport hazard class(es) ADR	
 	
Class	4.3 (WF1) Substances which, in contact with water, emit flammable gases.

(Contd. on page 5)
DE/E

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.07.2013

Revision: 06.06.2013

Trade name **3,5-Dichlorophenylzinc iodide, 0.5M in THF**

(Contd. of page 4)

Label
IMDG, IATA

4.3+3

Class
Label4.3 Substances which, in contact with water, emit flammable gases.
4.3+3Packing group
ADR, IMDG, IATA

II

14.5 Environmental hazards:
Marine pollutant:

No

14.6 Special precautions for user
Kemler Number:
EMS Number:Warning: Substances which, in contact with water, emit flammable gases.
323
F-G,S-M14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC
Code

Not applicable.

Transport/Additional information:

ADR
Excepted quantities (EQ):
Limited quantities (LQ)
Transport category
Tunnel restriction codeE2
500 ml
0
D/E

UN "Model Regulation":

UN3399, ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE,
FLAMMABLE (3,5-Dichlorophenylzinc iodide, TETRAHYDROFURAN), 4.3 (3),
II**SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Australian Inventory of Chemical Substances

109-99-9 Tetrahydrofuran

Standard for the Uniform Scheduling of Drugs and Poisons

None of the ingredients is listed.

National regulations

Information about limitation of use:

For use only by technically qualified individuals.
Employment restrictions concerning young persons must be observed.Classification according to VbF:
Technical instructions (air):

Class	Share in %
NK	83,1

Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations

ELINCS (European List of Notified Chemical Substances)

None of the ingredients is listed.

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

REACH - Pre-registered substances

109-99-9 Tetrahydrofuran

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Relevant phrases

H225 Highly flammable liquid and vapour.
 H314 Causes severe skin burns and eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.

R11 Highly flammable.
 R14 Reacts violently with water.
 R19 May form explosive peroxides.
 R34 Causes burns.
 R36/37 Irritating to eyes and respiratory system.
 R40 Limited evidence of a carcinogenic effect.

Department issuing data specification sheet:
Abbreviations and acronyms:

Health, Safety and Environmental Department.
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent

DE/E