

1 Identification

Product identifier

Product name: 4-Chloro-2-methylphenyl isocyanate

Stock number: L10470

CAS Number:

37408-18-7

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS06 GHS08

Signal word

Danger

Hazard statements

H330 Fatal if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects

D2A - Very toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 3 Health (acute effects) = 3

FIRE 1 Flammability = 1

REACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Product name: 4-Chloro-2-methylphenyl isocyanate

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances
CAS# Description:
37408-18-7 4-Chloro-2-methylphenyl isocyanate

4 First-aid measures

Description of first aid measures
General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Nitrogen oxides (NOx)
Hydrogen cyanide (HCN)
Hydrogen chloride (HCl)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: No special measures required.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires: No information known.
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Refrigerate
Information about storage in one common storage facility:
Store away from oxidizing agents.
Protect from heat.
Store away from water/moisture.
Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Protect from humidity and water.
Refrigerate
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: No data
Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.

(Contd. on page 3)
USA

Product name: 4-Chloro-2-methylphenyl isocyanate																																	
Avoid contact with the eyes and skin. Maintain an ergonomically appropriate working environment. Breathing equipment: Use self-contained respiratory protective device in emergency situations. Protection of hands: Impervious gloves Check protective gloves prior to each use for their proper condition. The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. Penetration time of glove material (in minutes) Not determined Eye protection: Safety glasses Body protection: Protective work clothing.	(Contd. of page 2)																																
9 Physical and chemical properties																																	
Information on basic physical and chemical properties General Information Appearance: <table><tr><td>Form:</td><td>Crystalline</td></tr><tr><td>Color:</td><td>White</td></tr><tr><td>Odor:</td><td>Irritating</td></tr><tr><td>Odor threshold:</td><td>Not determined.</td></tr></table> pH-value: Not applicable.		Form:	Crystalline	Color:	White	Odor:	Irritating	Odor threshold:	Not determined.																								
Form:	Crystalline																																
Color:	White																																
Odor:	Irritating																																
Odor threshold:	Not determined.																																
Change in condition <table><tr><td>Melting point/Melting range:</td><td>36-40 °C (97-104 °F)</td></tr><tr><td>Boiling point/Boiling range:</td><td>103 °C (217 °F) (13mm Hg)</td></tr><tr><td>Sublimation temperature / start:</td><td>Not determined</td></tr></table>		Melting point/Melting range:	36-40 °C (97-104 °F)	Boiling point/Boiling range:	103 °C (217 °F) (13mm Hg)	Sublimation temperature / start:	Not determined																										
Melting point/Melting range:	36-40 °C (97-104 °F)																																
Boiling point/Boiling range:	103 °C (217 °F) (13mm Hg)																																
Sublimation temperature / start:	Not determined																																
<table><tr><td>Flash point:</td><td>> 110 °C (> 230 °F)</td></tr><tr><td>Flammability (solid, gaseous)</td><td>Not determined.</td></tr><tr><td>Ignition temperature:</td><td>Not determined</td></tr><tr><td>Decomposition temperature:</td><td>Not determined</td></tr><tr><td>Auto igniting:</td><td>Not determined.</td></tr></table>		Flash point:	> 110 °C (> 230 °F)	Flammability (solid, gaseous)	Not determined.	Ignition temperature:	Not determined	Decomposition temperature:	Not determined	Auto igniting:	Not determined.																						
Flash point:	> 110 °C (> 230 °F)																																
Flammability (solid, gaseous)	Not determined.																																
Ignition temperature:	Not determined																																
Decomposition temperature:	Not determined																																
Auto igniting:	Not determined.																																
<table><tr><td>Danger of explosion:</td><td>Product does not present an explosion hazard.</td></tr><tr><td>Explosion limits:</td><td></td></tr><tr><td> Lower:</td><td>Not determined</td></tr><tr><td> Upper:</td><td>Not determined</td></tr><tr><td>Vapor pressure:</td><td>Not applicable.</td></tr><tr><td>Density:</td><td>Not determined</td></tr><tr><td>Relative density</td><td>Not determined.</td></tr><tr><td>Vapor density</td><td>Not applicable.</td></tr><tr><td>Evaporation rate</td><td>Not applicable.</td></tr><tr><td>Solubility in / Miscibility with</td><td></td></tr><tr><td> Water:</td><td>Hydrolyzes</td></tr><tr><td>Partition coefficient (n-octanol/water):</td><td>Not determined.</td></tr><tr><td>Viscosity:</td><td></td></tr><tr><td> dynamic:</td><td>Not applicable.</td></tr><tr><td> kinematic:</td><td>Not applicable.</td></tr><tr><td>Other information</td><td>No further relevant information available.</td></tr></table>		Danger of explosion:	Product does not present an explosion hazard.	Explosion limits:		Lower:	Not determined	Upper:	Not determined	Vapor pressure:	Not applicable.	Density:	Not determined	Relative density	Not determined.	Vapor density	Not applicable.	Evaporation rate	Not applicable.	Solubility in / Miscibility with		Water:	Hydrolyzes	Partition coefficient (n-octanol/water):	Not determined.	Viscosity:		dynamic:	Not applicable.	kinematic:	Not applicable.	Other information	No further relevant information available.
Danger of explosion:	Product does not present an explosion hazard.																																
Explosion limits:																																	
Lower:	Not determined																																
Upper:	Not determined																																
Vapor pressure:	Not applicable.																																
Density:	Not determined																																
Relative density	Not determined.																																
Vapor density	Not applicable.																																
Evaporation rate	Not applicable.																																
Solubility in / Miscibility with																																	
Water:	Hydrolyzes																																
Partition coefficient (n-octanol/water):	Not determined.																																
Viscosity:																																	
dynamic:	Not applicable.																																
kinematic:	Not applicable.																																
Other information	No further relevant information available.																																
10 Stability and reactivity Reactivity No information known. Chemical stability Stable under recommended storage conditions. Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications. Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available. Incompatible materials: Alcohols Amines Oxidizing agents Heat Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrogen cyanide Hydrogen chloride (HCl)																																	
11 Toxicological information Information on toxicological effects Acute toxicity: Fatal if inhaled. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Germ cell mutagenicity: No effects known. Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known. Subacute to chronic toxicity: Isocyanates are extremely irritating to the skin, eyes and mucous membranes. Exposure may be fatal. Symptoms include burning sensation, coughing, wheezing, laryngitis, headache, nausea and vomiting. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.																																	
12 Ecological information Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available.																																	

Product name: 4-Chloro-2-methylphenyl isocyanate

Mobility in soil No further relevant information available.
Additional ecological information:
General notes:
Do not allow material to be released to the environment without proper governmental permits.
Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.
Avoid transfer into the environment.
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

(Contd. of page 3)

13 Disposal considerations

Waste treatment methods
Recommendation Consult state, local or national regulations to ensure proper disposal.
Uncleaned packagings:
Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number
DOT, IMDG, IATA UN2811

UN proper shipping name
DOT Toxic solids, organic, n.o.s. (4-Chloro-2-methylphenyl isocyanate)
IMDG, IATA TOXIC SOLID, ORGANIC, N.O.S. (4-Chloro-2-methylphenyl isocyanate)

Transport hazard class(es)
DOT



Class 6.1 Toxic substances.
Label 6.1
Class 6.1 (T2) Toxic substances
Label 6.1
IMDG, IATA



Class 6.1 Toxic substances.
Label 6.1

Packing group
DOT, IMDG, IATA II

Environmental hazards: Not applicable.

Special precautions for user Warning: Toxic substances
EMS Number: F-A,S-A

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

Transport/Additional information:
DOT
Marine Pollutant (DOT): No

UN "Model Regulation": UN2811, Toxic solids, organic, n.o.s. (4-Chloro-2-methylphenyl isocyanate), 6.1, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms



Signal word Danger
Hazard statements
H330 Fatal if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P284 [In case of inadequate ventilation] wear respiratory protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.
SARA Section 313 (specific toxic chemical listings) Substance is not listed.
California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.
Information about limitation of use: For use only by technically qualified individuals.

(Contd. on page 5)
USA

Product name: 4-Chloro-2-methylphenyl isocyanate

Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 4)

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)

USA