according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU

## (Z)-Erucifoline ROTICHROM® HPLC

date of compilation: 2017-05-05 article number: 1657 Version: 1.0 en

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier** 1.1

Identification of the substance (Z)-Erucifoline

Article number 1657

Registration number (REACH) This information is not available.

EC number none

CAS number 40158-95-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** laboratory chemical

#### Details of the supplier of the safety data sheet 1.3

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe

Germany

**Telephone:** +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data : Department Health, Safety and Environment

sheet

e-mail (competent person) : sicherheit@carlroth.de

1.4 **Emergency telephone number** 

> **Emergency information service** Poison Centre Munich: +49/(0)89 19240

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

#### Classification acc. to GHS Section **Hazard class** Hazard class and cat-Hazard stateegory ment 3.10 acute toxicity (oral) (Acute Tox. 3) H301 3.9 specific target organ toxicity - repeated exposure (STOT RE 2) H373

#### 2.2 **Label elements**

United Kingdom (en) Page 1 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



# (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word **Danger** 

## **Pictograms**





### **Hazard statements**

H301 Toxic if swallowed

H373 May cause damage to organs (liver) through prolonged or repeated exposure (if

swallowed)

# **Precautionary statements**

## **Precautionary statements - prevention**

Do not breathe dust.

P270 Do not eat, drink or smoke when using this product.

### **Precautionary statements - response**

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H301 Toxic if swallowed.

P270

Do not eat, drink or smoke when using this product. IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician. P301+P310

#### 2.3 Other hazards

There is no additional information.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance 12,13-Epoxy-19-hydroxysenecionan-11,16-dione

40158-95-0 CAS number Molecular formula  $C_{18}H_{23}NO_{6}$ Molar mass  $349,4^{9}/_{mol}$ 

United Kingdom (en) Page 2 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

# Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

Abdominal pain, Nausea, Vomiting

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

# Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings water spray, foam, dry extinguishing powder, carbon dioxide (CO2)

## Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

## **Hazardous combustion products**

In case of fire may be liberated: nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2)

# 5.3 Advice for firefighters

Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes.

# **6.2** Environmental precautions

Keep away from drains, surface and ground water.

# 6.3 Methods and material for containment and cleaning up

## Advices on how to contain a spill

Covering of drains.

# Advices on how to clean up a spill

Take up mechanically. Control of dust.

# Other information relating to spills and releases

Place in appropriate containers for disposal.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid dust formation. Provide adequate ventilation.

## • Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

### Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep in a cool place. May cause decomposition by long-term light influence.

# **Incompatible substances or mixtures**

Observe hints for combined storage.

## Consideration of other advice

Store locked up.

# Ventilation requirements

Use local and general ventilation.

# • Specific designs for storage rooms or vessels

Recommended storage temperature: 4 °C.

# 7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 4 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Coun- try	Name of agent	Notation	Identifier	TWA [mg/m³]	STEL [mg/m³]	Source
GB	dust	i	WEL	10		EH40/2005
GB	dust	r	WEL	4		EH40/2005

#### **Notation**

i Inhalable fraction

r Respirable fraction
STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period unless otherwise specified

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average

# 8.2 Exposure controls

# Individual protection measures (personal protective equipment)







### **Eye/face protection**

Use safety goggle with side protection.

### Skin protection

### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# · type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

## • breakthrough times of the glove material

>480 minutes (permeation: level 6)

# other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### Respiratory protection

Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

United Kingdom (en) Page 5 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **Environmental exposure controls**

Keep away from drains, surface and ground water.

# SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

## **Appearance**

solid (powder, crystalline) Physical state

Colour colourless Odour odourless

Odour threshold No data available

Other physical and chemical parameters

pH (value) This information is not available.

185 - 190 °C Melting point/freezing point

Initial boiling point and boiling range This information is not available.

Flash point not applicable **Evaporation rate** no data available

These information are not available Flammability (solid, gas)

**Explosive limits** 

this information is not available lower explosion limit (LEL) upper explosion limit (UEL) this information is not available Explosion limits of dust clouds these information are not available Vapour pressure This information is not available. This information is not available. Density

Vapour density Relative density Information on this property is not available.

This information is not available.

Solubility(ies)

Water solubility poorly soluble

Partition coefficient

n-octanol/water (log KOW) This information is not available.

Auto-ignition temperature Information on this property is not available.

Decomposition temperature no data available

Viscosity not relevant (solid matter)

**Explosive properties** Shall not be classified as explosive

Oxidising properties none

United Kingdom (en) Page 6 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

#### 9.2 Other information

There is no additional information.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Dust explosibility.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong oxidiser

### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# SECTION 11: Toxicological information

# 11.1 Information on toxicological effects

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant Evidence for possible carcinogenic effects in experimental animals existent

# • Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# • Specific target organ toxicity - repeated exposure

May cause damage to organs (liver) through prolonged or repeated exposure (if swallowed).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

abdominal pain, nausea, vomiting, May cause damage to liver through prolonged or repeated exposure if swallowed

United Kingdom (en) Page 7 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# • If in eyes

slightly irritant

#### If inhaled

Inhalation of dust may cause irritation of the respiratory system

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

#### Other information

Substance not yet fully tested

# **SECTION 12: Ecological information**

## 12.1 Toxicity

acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.

## 12.2 Process of degradability

Theoretical Oxygen Demand with nitrification: 1,992 mg/mg

Theoretical Oxygen Demand: 1,832 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,267 <sup>mg</sup>/<sub>mg</sub>

# 12.3 Bioaccumulative potential

Data are not available.

## 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

# 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

# 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 8 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **SECTION 14: Transport information**

**14.1** UN number **1544** 

**14.2** UN proper shipping name ALKALOIDS, SOLID, N.O.S.

Hazardous ingredients (Z)-Erucifoline

**14.3** Transport hazard class(es)

Class 6.1 (toxic substances)

**14.4** Packing group III (substance presenting low danger)

**14.5** Environmental hazards none (non-environmentally hazardous acc. to the danger-

ous goods regulations)

### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

# 14.8 Information for each of the UN Model Regulations

# • Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

UN number 1544

Proper shipping name ALKALOIDS, SOLID, N.O.S.

Particulars in the transport document UN1544, ALKALOIDS, SOLID, N.O.S., ((Z)-Erucifo-

line), 6.1, III, (E)

Class 6.1
Classification code T2
Packing group III
Danger label(s) 6.1

Special provisions (SP) 43, 274, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 2
Tunnel restriction code (TRC) E

Hazard identification No 60

Emergency Action Code 2X

United Kingdom (en) Page 9 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# • International Maritime Dangerous Goods Code (IMDG)

UN number 1544

Proper shipping name ALKALOIDS, SOLID, N.O.S.

Particulars in the shipper's declaration UN1544, ALKALOIDS, SOLID, N.O.S., ((Z)-Erucifo-

line), 6.1, III

Class 6.1
Packing group III
Danger label(s) 6.1



Special provisions (SP) 43, 223, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-A

Stowage category A

# • International Civil Aviation Organization (ICAO-IATA/DGR)

UN number 1544

Proper shipping name Alkaloid salts, solid, n.o.s.

Particulars in the shipper's declaration UN1544, Alkaloid salts, solid, n.o.s., ((Z)-Erucifo-

line), 6.1, III

Class 6.1
Packing group III
Danger label(s) 6.1



Special provisions (SP) A3, A5, A6, 274

Excepted quantities (EQ) E1
Limited quantities (LQ) 10 kg

United Kingdom (en) Page 10 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



## (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **SECTION 15: Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)
  - Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC) Not listed.
  - Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS) Not listed.
  - Regulation 850/2004/EC on persistent organic pollutants (POP) Not listed.
  - Restrictions according to REACH, Annex XVII

Name of su	ubstance	CAS No	Wt%	Type of registration	No
(Z)-Eruci	foline		100	1907/2006/EC annex XVII	3

List of substances subject to authorisation (REACH, Annex XIV)

not listed

Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap plication of lower and upper-tier re- quirements	Notes		
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50 200	41)		

#### **Notation**

41)

- Category 2, all exposure routes - category 3, inhalation exposure route

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Directive 2000/60/EC establishing a framework for Community action in the field of water policy (WFD)

not listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 11 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



### (Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

# **SECTION 16: Other information**

# Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
DGR	Dangerous Goods Regulations (see IATA/DGR)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	short-term exposure limit
TWA	time-weighted average
vPvB	very Persistent and very Bioaccumulative
WEL	workplace exposure limit

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU Regulation (EC) No. 1272/2008 (CLP, EU GHS) Dangerous Goods Regulations (DGR) for the air transport (IATA)

- International Maritime Dangerous Goods Code (IMDG)

# List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H301	toxic if swallowed
H373	may cause damage to organs (liver) through prolonged or repeated exposure (if swallowed)

United Kingdom (en) Page 12 / 13

according to Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU



(Z)-Erucifoline ROTICHROM® HPLC

article number: 1657

#### Disclaimer

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

United Kingdom (en) Page 13 / 13