

Page 1/5 Printing date 04/04/2018 Revision date 04/03/2018 Version 2

1 Identification

Product identifier

Product name: 1,4-Phenylene diisothiocyanate

Stock number: L09756 **CAS Number:** 4044-65-9 EC number:

Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

H312 Harmful in contact with skin. Acute Tox. 4

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms









Signal word Danger

Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.

Toxic if inhaled. Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

P260 Do not breathe dusts or mists.
P284 [In case of inadequate ventilation] wear respiratory protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. WHMIS classification

D1B - Toxic material causing immediate and serious toxic effects D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3 Flammability = 1 Physical Hazard = 1

(Contd. of page 1)

Product name: 1,4-Phenylene diisothiocyanate

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 4044-65-9 1,4-Phenylene diisothiocyanate Concentration: ≤100%

Identification number(s): EC number: 223-741-3

4 First-aid measures

Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.
Harmful if swallowed...

Harmful in contact with skin. Toxic if inhaled.

Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide Sulfur oxides (SOx)
Nitrogen oxides (NOx)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Environmental precautions: Do not allow product to reach sewage system or any water course.
Methods and material for containment and cleaning up:
Use neutralizing agent

Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.

Prevention of secondary hazards: No special measures required.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

Protective Action Criteria for Chemicals

PAC-1: 1.8 mg/m3 **PAC-2:** 20 mg/m3 **PAC-3:** 25 mg/m3

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Prevent formation of dust.
Information about protection against explosions and fires: No information known.

Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Refrigerate
Information about storage in one common storage facility:
Protect from heat.

rrotect from neat.
Store away from water/moisture.
Store away from oxidizing agents.
Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Protect from humidity and water.
Refringrate

Refrigerate

(Contd. on page 3)

Product name: 1,4-Phenylene diisothiocyanate

Specific end use(s) No further relevant information available

(Contd. of page 2)

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace:
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Recommended filter device for short term use:

Use a respirator with type P100 (USA) or P3 (EN 143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if airpurifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards.

Protection of hands:
Impervious gloves
Check protective gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Material of gloves Nitrile rubber, NBR

Penetration time of glove material (in minutes) 480

Glove thickness: 0.11 mm Eye protection: Tightly sealed goggles Full face protection

Safety glasses with side shields / NIOSH (US) or EN 166(EU) **Body protection:** Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information Appearance: Form: Odor:

Crystalline powder Irritating Odor threshold: Not determined. pH-value: Not applicable.

128-133 °C (262-271 °F) Not determined

Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start:
Flammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Auto igniting:

Not determined Not determined. Not determined Not determined

Auto igniting: Danger of explosion: Explosion limits: Lower: Not determined. Not determined. Not determined

Upper: Vapor pressure: Density: Relative density

Not determined Not applicable. Not determined Not determined. Not applicable.

Vapor density Evaporation rate Solubility in / Miscibility with

Not applicable.

Water: Not determined Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic: Other information

Not applicable.

Not applicable. No further relevant information available.

10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions Reacts with strong oxidizing agents Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents Heat Water/moisture

Hazardous decomposition products: Carbon monoxide and carbon dioxide Sulfur oxides (SOx)

Nitrogen oxides

(Contd. on page 4)

Product name: 1,4-Phenylene diisothiocyanate

(Contd. of page 3)

11 Toxicological information

Information on toxicological effects

Intermation on toxicological effects
Acute toxicity:
Harmful in contact with skin.
Harmful if swallowed.
Toxic if inhaled.
Danger through skin absorption.
Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach.
The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for this substance.
LD/LC50 values that are relevant for classification: No data
Skin irritation or corrosion: Causes severa skin burns

Skin irritation or corrosion: Causes severe skin burns. Skin irritation or corrosion: Causes severe skin burns. Eye irritation or corrosion: Causes serious eye damage.
Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure: No effects known.

Specific target organ system toxicity - single exposure: No effects known.

Aspiration hazard: No effects known.
Subacute to chronic toxicity: No effects known.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Ecotoxical effects:
Remark: Very toxic for aquatic organisms
Additional ecological information:
General notes:
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
May cause long lasting harmful effects to aquatic life.
Avoid transfer into the environment.
Very toxic for aquatic organisms
Results of PBT and vPvB assessment
PBT: Not applicable.
VPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transpor	t information
-------------	---------------

UN-Number DOT, IMDG, IATA	UN2923
UN proper shipping name DOT ADR IMDG, IATA	Corrosive solids, toxic, n.o.s. (1,4-Phenylene diisothiocyanate) 2923 Corrosive solids, toxic, n.o.s. (1,4-Phenylene diisothiocyanate) CORROSIVE SOLID, TOXIC, N.O.S. (1,4-Phenylene diisothiocyanate)
Transport hazard class(es)	

DOT















Class

8 (CT2) Corrosive substances 8+6.1

8 Corrosive substances

8 Corrosive substances 8, 6.1

8 Corrosive substances

(Contd. on page 5)

Product name: 1,4-Phenylene diisothiocyanate		
	(Contd. of page 4)	
Label	8 (6.1)	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user EMS Number: Stowage Category Stowage Code	Warning: Corrosive substances F-A,S-B B SW2 Clear of living quarters.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
Transport/Additional information:		
DOT Quantity limitations Marine Pollutant (DOT):	On passenger aircraft/rail: 25 kg On cargo aircraft only: 100 kg No	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g	
UN "Model Regulation":	UN 2923 CORROSIVE SOLIDS, TOXIC, N.O.S. (1,4-PHENYLENE DIISOTHIOCYANATE), 8 (6.1), III	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS05 GHS06 GHS08

Signal word Danger

Hazard statements
H302+H312 Harmful if swallowed or in contact with skin.

H331

Toxic if inhaled. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

Precautionary statements

P260 Do not breathe dusts or mists.

P284 [In case of inadequate ventilation] wear respiratory protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

National regulations

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.

All components of this product are listed on the Canadian Non-Domestic Substances List (NDSL).

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use: For use only by technically qualified individuals.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Department issuing SDS: Global Marketing Department
Date of preparation/Revision: Print date, revision date and version number are in the header of each page.
Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal doncentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
VPUS: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
OSHA: Occupational Safety and Health Administration (USA)
NTP: National Toxicology Program (USA)
ACC: International Agency for Research on Cancer
EPA: Environmental Protection Agency (USA)
Acute Tox. 4: Acute toxicity — Category 4
Acute Tox. 3: Acute toxicity — Category 1
Resp. Sens. 1: Respiratory sensitisation — Category 1
Resp. Sens. 1: Respiratory sensitisation — Category 1
Resp. Sens. 1: Respiratory sensitisation — Category 1

USA