

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/24/2015 Reviewed on 05/29/2009

1 Identification

Product identifier

Product name: 2,4,6-Trifluorophenyl isocyanate

Stock number: L19349

CAS Number: 50528-80-8

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Details of the supplier of the safety da Manufacturer/Supplier:
Alfa Aesar
Thermo Fisher Scientific Chemicals, Inc.
30 Bond Street
Ward Hill, MA 01835-8099
Tel: 800-343-0660
Fax: 800-322-4757
Email: technologies access

Email: tech@alfa.com www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number: During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS06 Skull and crossbones

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Muta. 1A H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Hazards not otherwise classified Lachrymator

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS06 GHS08

Signal word Danger Hazard statements H226 Flammable liquid and vapour. H330 Fatal if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P320 Specific treatment is urgent (see on this label).
P405 Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
WHMIS classification

WHMIS classification
B3 - Combustible liquid
D1A - Very toxic material causing immediate and serious toxic effects
D2A - Very toxic material causing other toxic effects



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



ALTH I Health (acute effects) = 3
E I Flammability = 2
ACTIVITY I Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances CAS# Description: 50528-80-8 2,4,6-Trifluorophenyl isocyanate

4 First-aid measures

Description of first aid measures

General information

General Information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.

Seek immediate medical advice.

After skin contact
Immediately week with motor and soon and rings the security.

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

Seek immediate medical advice.

After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:

If this product is involved in a fire, the a Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)
Hydrogen cyanide (HCN)
Hydrogen fluoride (HF)
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Keep ignition sources away.
Protect against electrostatic charges.
Furmes can combine with air to form an explosive mixture.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: Refrigerate Information about storage in one common storage facility: Store away from oxidizing agents.

Protect from heat.

Store away from water/moisture

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Protect from humidity and water.
Refrigerate

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

Control parameters

Components with limit values that require monitoring at the workplace: Not required.

Additional information: No data

(Contd. on page 3)

(Contd. of page 2)

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Impervious gloves

Impervious gloves
Check protection of suitable gloves prior to each use for their proper condition.
The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Penetration time of glove material (in minutes) Not determined
Eye protection: Safety glasses
Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Liquid Colorless Pungent Color: Odor:

Odor threshold: pH-value:

Not determined. Not determined.

Change in condition

Not determined Not determined

Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start: Flash point:

Not determined

Flammability (solid, gaseous) Ignition temperature: Decomposition temperature: Auto igniting:

< 60 °C (< 140 °F) Not determined. Not determined Not determined Not determined

Not determined.

Danger of explosion: Explosion limits: Lower: Upper:

Not determined Not determined Not determined Not determined

Vapor pressure: Density: Relative density

Not determined Not determined Not determined.

Neative density Vapor density Evaporation rate Solubility in / Miscibility with Water:

Hydrolyzes

Partition coefficient (n-octanol/water): Not determined.

Viscosity: dynamic: kinematic:

Not determined Not determined.

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No information known.
Chemical stability Stable under recommended storage conditions.
Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.
Possibility of hazardous reactions No dangerous reactions known
Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Alcohols

Amines Water/moisture

Hazardous decomposition products:

Carbon monoxide and carbon dioxide Nitrogen oxides

Hydrogen fluoride Hydrogen cyanide

11 Toxicological information

Information on toxicological effects

Acute toxicity: Fatal if inhaled. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Irritant to skin and mucous membranes.

Experimentation or corrosion: Irritant to skin and mucous membranes.

Experimentation or corrosion:

This product is a lachrymator.

Lachrymator. Produces tears and temporary eye irritation.

Sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell magazinists:

Carcing consists:

Carcinogenicity: May cause genetic defects.

Carcinogenicity:
May cause cancer.
No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:
Causes damage to organs through prolonged or repeated exposure.

Specific target organ is not known.

(Contd. on page 4)

Specific target organ system toxicity - single exposure: No effects known. Aspiration hazard: No effects known. Subacute to chronic toxicity: No effects known.

(Contd. of page 3)

Subacute to Chronic toxicity:

Isocyanates are extremely irritating to the skin, eyes and mucous membranes. Exposure may be fatal. Symptoms include burning sensation, coughing, wheezing, laryngitis, headache, nausea and vomiting.

Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:
General notes:

General notes:
Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Avoid transfer into the environment.

Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-NUMBER DOT, IMDG, IATA	UN3080
UN proper shipping name DOT IMDG, IATA	Isocyanates, toxic, flammable, n.o.s. (2,4,6-Trifluorophenyl isocyanate) ISOCYANATES, TOXIC, FLAMMABLE, N.O.S. (2,4,6-Trifluorophenyl isocyanate)

Transport hazard class(es)

DOT





Class Label Class

Label IMDG, IATA



Class Label Packing group DOT, IMDG, IATA 6.1 Toxic substances. 6.1+3

6.1 Toxic substances.

6.1 (TF1) Toxic substances 6.1+3

Environmental hazards:

Special precautions for user EMS Number:

Not applicable. Warning: Toxic substances F-E,S-D

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT):

UN "Model Regulation":

UN3080, Isocyanates, toxic, flammable, n.o.s. (2,4,6-Trifluorophenyl isocyanate), 6.1 (3), II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS06 GHS08

Signal word Danger Hazard statements

Hazard statements
H226 Flammable liquid and vapour.
H330 Fatal if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340 May cause genetic defects.
H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 5)

(Contd. of page 4) P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P320 Specific treatment is urgent (see on this label).
P320 Store locked up.
P321 Dispose of contents/container in accordance with local/regional/national/international regulations. Precautionary statements

Dispose of contents/container in accordance with local/regional/national/international regulations.

Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations
This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings) Substance is not listed.

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity, Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. Department issuing SDS: Global Marketing Department
Date of preparation / last revision 11/24/2015 / Abbreviations and acronyms:
RID: Reglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO: Tr. Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
CAS: Chemical Abstracts Service (division of the American Chemical Society)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
LP50: Very Persistent and very Bioaccumulative
PVB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)

USA