

Material Safety Data Sheet

HAZARD WARNINGS	RISK PHRASES	PROTECTIVE CLOTHING
	Harmful compound, minimize exposure. Irritating to skin, eyes, and the respiratory system. Hygroscopic keep container tightly sealed. POSSIBLE CARCINOGEN. MINIMIZE EXPOSURE.	

Section I. C.	hemical Product and Compa	any Identification	
Chemical Name	Dimethylamine Hyd	Irochloride	
Catalog Number	D0644	Supplier	TCI America 9211 N. Harborgate St.
Synonym	Not available.		Portland OR 1-800-423-8616
Chemical Formula	(CH ₃) ₂ NH•HCI		***************************************
CAS Number	506-59-2	In case of Emergency Call	Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International)
			(703) 327-3007 (International)

Section II. Composition a	nd Informat	tion on Ing	gredients	
Chemical Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
Dimethylamine Hydrochloride	506-59-2	. ,	a possible carcinogen. There is no acceptable exposure limit for a carcinogen.	Rat LD_{50} (oral) 1070 mg/kg Mouse LD_{50} (oral) 8100 mg/kg Mouse LD_{50} (intraperitoneal) 1570 mg/kg Mouse LD_{50} (subcutaneous) 2 g/kg
Costion III Horardo Identification				

Section III.	Hazards Identification
Acute Health Effects	Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.
Chronic Health Effects	CARCINOGENIC EFFECTS: Not available. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Tumorigenic Effects. Mouse TDLo Oral 12 gm/kg/1 year continuous TOXIC Effects: Tumnorigenic - Neoplastic by RTECS criteria Lung, Thorax, or Respirations - Bronchiogenic carcinoma Liver - Tumors DEVELOPMENTAL TOXICITY: Reproductive Effects. Mouse TDLo Intraperitoneal 3825 mg/kg, female 1-17 days of pregnancy TOXIC Effects: Effects on Fertility - Post-implantation mortality

Section IV.	First Aid Measures
Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.
Ingestion	INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive.

Section V.	Fire and Explosion Data		
Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.
Flash Points	Not available.	Flammable Limits	Not available.
Combustion Products		These products are toxic carbon oxides (CO, CO ₂), nitrogen oxides (NO, NO ₂). halogenated compounds WARNING: Highly toxic HCl gas is produced during combustion.	
Fire Hazards	Not available.		
Continued on	Next Page Eme	rgency phone nu	ımber (800) 424-9300

D0644	Dimethylamine Hydrochloride	Page 2
Explosion Hazards	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.	
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet. Consult with local fire authorities before attempting large scale fire-fighting operations.	

Section VI. Accidental Release Measures

Spill Cleanup Instructions Irritating material. Harmful material. Hygroscopic material. Possible Carcinogenic material.

Use a shovel to put the material into a convenient waste disposal container. Finish cleaning the spill by rinsing any contaminated surfaces with copious amounts of water. Consult federal, state, and/or local authorities for assistance on disposal.

Section VII. Handling and Storage

Handling and Storage Information IRRITANT. HARMFUL. HYGROSCOPIC. POSSIBLE CARCINOGEN. Keep away from heat. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. Do not breathe dust.

Always store away from incompatible compounds such as oxidizing agents.

Section VIII. Exposure Controls/Personal Protection

Engineering Controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection

Splash goggles. Lab coat. Dust respirator. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Be sure to use a MSHA/NIOSH approved respirator or equivalent.



Exposure Limits

This chemical is classified as a possible carcinogen. There is no acceptable exposure limit for a carcinogen.

Section IX. P.	hysical and Chemical Proper	ties	
Physical state @ 20°C	Solid. (White, Damp Crystals - Powder.)	Solubility	Soluble in water, ethanol, chloroform.
Specific Gravity	0.4 (water=1)		insoluble in ether.
Molecular Weight	81.54	Partition Coefficient	Not available.
Boiling Point	Not available.	Vapor Pressure	Not applicable.
Melting Point	171 ℃ (339.8 ℉)	Vapor Density	Not available.
Refractive Index	Not available.	Volatility	Not available.
Critical Temperature	Not available.	Odor	Not available.
Viscosity	Not available.	Taste	Not available.

Section X. Stability and Reactivity Data

Stability This material is stable if stored under proper conditions. (See Section VII for instructions)

Conditions of Instability

Avoid excessive heat and light.

Reactive with oxidizing agents.

Section XI. Toxicological Information

RTECS Number IQ0220000

Routes of Exposure Eye Contact. Ingestion. Inhalation.

Toxicity Data Rat LD₅ (oral) 1070 mg/kg

 $\begin{array}{ll} \text{Mouse LD}_{50} \ \ (\text{oral}) \ 8100 \ \text{mg/kg} \\ \text{Mouse LD}_{50} \ \ (\text{intraperitoneal}) \ 1570 \ \text{mg/kg} \\ \text{Mouse LD}_{50} \ \ (\text{subcutaneous}) \ 2 \ \text{g/kg} \\ \end{array}$

Chronic Toxic Effects CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.
TERATOGENIC EFFECTS: Tumorigenic Effects.
Mouse TDLo Oral 12 gm/kg/1 year continuous

TOXIC Effects:

Tumnorigenic - Neoplastic by RTECS criteria

Lung, Thorax, or Respirations - Bronchiogenic carcinoma

Liver - Tumors

DEVELOPMENTAL TOXICITY: Reproductive Effects.

Mouse TDLo Intraperitoneal 3825 mg/kg, female 1-17 days of pregnancy

TOXIC Effects:

Continued on Next Page

D0644	Dimethylamine Hydrochloride Page 3
	Effects on Fertility - Post-implantation mortality
Acute Toxic Effects	Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Irritating to eyes and skin on contact. Inhalation causes irritation of the lungs and respiratory system. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Section XII.	Ecological Information	
Ecotoxicity	Not available.	
Environmental Fate	Not available.	

Section XIII. Disposal Considerations

Waste Disposal

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

Section XIV.	Transport Information
DOT Classification	Not a DOT controlled material (United States).
PIN Number	Not applicable.
Proper Shipping Name	Not applicable.
Packing Group (PG)	Not applicable.
DOT Pictograms	

Section XV. Of	ther Regulatory Information and Pictograms
TSCA Chemical Inventory (EPA)	This compound is ON the EPA Toxic Substances Control Act (TSCA) inventory list.
WHMIS Classification (Canada)	On DSL
EINECS Number (EEC)	208-046-5
EEC Risk Statements	R20/21/22- Harmful by inhalation, in contact with skin and if swallowed. R36/37/38- Irritating to eyes, respiratory system and skin. R45- May cause cancer.
Japanese Regulatory Data	ENCS No. 1-215

Section XVI. Other Information

Version 1.0 Validated on 1/19/2006. Printed 1/19/2006.

Notice to Reader

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.

Printed 1/19/2006.