

Creation Date 29-Jun-2009 Revision Date 10-Sep-2015 Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identification

Product Description: Cyanogen bromide

Cat No.: 110780000; 110780050; 110780250; 110781000; 110785000

Synonyms Bromocyanide

Molecular Formula C Br N

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company Acros Organics BVBA

Janssen Pharmaceuticalaan 3a

2440 Geel, Belgium

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute oral toxicity

Acute dermal toxicity

Category 2

Acute Inhalation Toxicity - Dusts and Mists

Category 2

Skin Corrosion/irritation

Category 1

Category 1

Category 1

Category 1

Environmental hazards

Acute aquatic toxicity

Chronic aquatic toxicity

Category 1

Category 1

2.2. Label elements

Cyanogen bromide



Signal Word

Danger

Hazard Statements

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H330 - Fatal if inhaled

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P310 - Immediately call a POISON CENTER or doctor/ physician

P273 - Avoid release to the environment

2.3. Other hazards

Lachrymator (substance which increases the flow of tears)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

| Component | CAS-No | EC-No. | Weight % | CLP Classification - Regulation (EC) No 1272/2008 |
|------------------|----------|-------------------|----------|---|
| Cyanogen bromide | 506-68-3 | EEC No. 208-051-2 | >95 | Skin Corr. 1B (H314) |
| | | | | Eye Dam. 1 (H318) Acute Tox. 2 (H300) |
| | | | | Acute Tox. 2 (1300) Acute Tox. 1 (H310) |
| | | | | Acute Tox. 2 (H330) |
| | | | | Aquatic Acute 1 (H400) |
| | | | | Aquatic Chronic 1 (H410) |

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Eye Contact**

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth

resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a

Revision Date 10-Sep-2015

Cyanogen bromide

respiratory medical device. Immediate medical attention is required.

Protection of First-aiders Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

4.2. Most important symptoms and effects, both acute and delayed

Breathing difficulties. Causes burns by all exposure routes. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: May cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood)

Revision Date 10-Sep-2015

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Cool closed containers exposed to fire with water spray.

Extinguishing media which must not be used for safety reasons

Water.

5.2. Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated. Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous Combustion Products

Hydrogen cyanide (hydrocyanic acid).

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid dust formation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional ecological information. Avoid release to the environment. Collect spillage.

6.3. Methods and material for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dust formation. Remove all sources of ignition.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

Revision Date 10-Sep-2015

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Avoid dust formation. Do not breathe vapors/dust. Do not ingest. Wash hands before breaks and immediately after handling the product. Keep away from open flames, hot surfaces and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Keep refrigerated. Keep away from direct sunlight. Store under an inert atmosphere. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition.

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Containing the workplace exposure limits (WELs) for use with the Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended). Updated by September 2006 official press release and October 2007 Supplement.

| Component | European Union | The United Kingdom | France | Belgium | Spain |
|------------------|----------------|-----------------------------------|-----------------------------------|---------|-------|
| Cyanogen bromide | | STEL: 15 mg/m ³ 15 min | TWA / VME: 5 mg/m ³ (8 | | |
| | | TWA: 5 mg/m ³ 8 hr | heures). | | |
| | | Skin | Peau | | |

| Component | Italy | Germany | Portugal | The Netherlands | Finland |
|------------------|-------|--------------------------------|----------|-----------------|---------|
| Cyanogen bromide | | TWA: 2 mg/m ³ (8 | | | |
| | | Stunden). MAK | | | |
| | | Höhepunkt: 2 mg/m ³ | | | |
| | | Haut | | | |

| Component | Austria | Denmark | Switzerland | Poland | Norway |
|------------------|---------|---------|-------------|--------|----------------------------------|
| Cyanogen bromide | | | Haut/Peau | | TWA: 5 mg/m ³ 8 timer |
| | | | | | Hud |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

MDHS70 General methods for sampling airborne gases and vapours

MDHS 88 Volatile organic compounds in air. Laboratory method using diffusive samplers, solvent desorption and gas chromatography

MDHS 96 Volatile organic compounds in air - Laboratory method using pumped solid sorbent tubes, solvent desorption and gas chromatography

Derived No Effect Level (DNEL)

No information available

Cyanogen bromide Revision Date 10-Sep-2015

| Route of exposure | Acute effects (local) | Acute effects | Chronic effects | Chronic effects |
|-------------------|-----------------------|---------------|-----------------|-----------------|
| | | (systemic) | (local) | (systemic) |
| Oral | | | | |
| Dermal | | | | |
| Inhalation | | | | |

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material Natural rubber Nitrile rubber Neoprene PVC | Breakthrough time See manufacturers recommendations | Glove thickness | EU standard EN 374 | Glove comments (minimum requirement) |
|---|---|-----------------|-----------------------|---|
|---|---|-----------------|-----------------------|---|

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system. Local authorities should be advised if significant spillages cannot be contained.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

AppearanceWhitePhysical StateSolid

Odor pungent

Odor Threshold No data available

Cyanogen bromide Revision Date 10-Sep-2015

No information available

Melting Point/Range 49 - 54 °C / 120.2 - 129.2 °F

Softening Point No data available

Boiling Point/Range 61 - 62 °C / 141.8 - 143.6 °F @ 760 mmHg

Flash Point > 65 °C / > 149 °F Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas)

No information available

Explosion Limits

No data available

Vapor Pressure116 mbar @ 20 °CVapor DensityNot applicable

Specific Gravity / Density

Bulk Density

Water Solubility

No data available
No data available
decomposes

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Autoignition Temperature

Decomposition Temperature No data available

Viscosity Not applicable Solid

Explosive PropertiesNo information available explosive air/vapour mixtures possible No information available

9.2. Other information

Molecular FormulaC Br NMolecular Weight105.93

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Moisture sensitive: Sensitivity to light

10.3. Possibility of hazardous reactions

Hazardous PolymerizationHazardous polymerization may occur.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat. Avoid dust formation. Exposure to moist air or water. Exposure to light. Keep away from open flames, hot surfaces and sources of ignition.

Solid

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Hydrogen cyanide (hydrocyanic acid).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

(a) acute toxicity;

OralCategory 2DermalCategory 1InhalationCategory 2

(b) skin corrosion/irritation; Category 1 B

Cyanogen bromide Revision Date 10-Sep-2015

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity: No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs Blood, Eyes, Skin, Cardiovascular system, Respiratory system.

(j) aspiration hazard; Not applicable

Solid

Other Adverse Effects See actual entry in RTECS for complete information The toxicological properties have not

been fully investigated. The hazards associated with cyanide may be seen in this product.

delayed

Symptoms / effects.both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: May cause cyanosis (bluish discoloration of skin due to deficient oxygenation of the blood)

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effects Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|------------------|----------------------|------------|------------------|----------|
| Cyanogen bromide | Lepomis macrochirus: | | | |
| | LC50: 0.24 mg/L/96h | | | |

12.2. Persistence and degradability

Persistence Persistence is unlikely, based on information available.

Not relevant for inorganic substances. Degradability

Degradation in sewage Contains substances known to be hazardous to the environment or not degradable in waste

treatment plant water treatment plants.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

The product contains volatile organic compounds (VOC) which will evaporate easily from all 12.4. Mobility in soil

surfaces Will likely be mobile in the environment due to its volatility. Disperses rapidly in

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Other adverse effects

Cyanogen bromide Revision Date 10-Sep-2015

Endocrine Disruptor Information Persistent Organic Pollutant

Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues / Unused

Products

Should not be released into the environment. Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in

accordance with local regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

European Waste Catalogue (EWC)

According to the European Waste Catalogue, Waste Codes are not product specific, but

application specific.

Other Information

Do not dispose of waste into sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

14.1. UN number UN1889

14.2. UN proper shipping name Cyanogen bromide

14.3. Transport hazard class(es) 6.1
Subsidiary Hazard Class 8
14.4. Packing group I

Marine Pollutant Marine Pollutant

ADR

14.1. UN number UN1889

14.2. UN proper shipping name Cyanogen bromide

14.3. Transport hazard class(es)6.1Subsidiary Hazard Class814.4. Packing groupI

<u>IATA</u>

14.1. UN number UN1889

14.2. UN proper shipping name Cyanogen bromide, FORBIDDEN FOR IATA TRANSPORT

14.3. Transport hazard class(es)6.1Subsidiary Hazard Class14.4. Packing groupI

14.5. Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

14.6. Special precautions for user No special precautions required

14.7. Transport in bulk according to Not applicable, packaged goods

Annex II of MARPOL73/78 and the

IBC Code

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Cyanogen bromide

EINECS ELINCS NLP TSCA **NDSL PICCS ENCS IECSC** Component DSL AICS **KECL** 208-051-2 Cvanogen bromide Χ Χ Χ

National Regulations

| Component | Germany - Water Classification (VwVwS) | Germany - TA-Luft Class |
|------------------|--|-------------------------|
| Cyanogen bromide | WGK 3 | |

Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

Take note of Dir 94/33/EC on the protection of young people at work

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

SECTION 16: OTHER INFORMATION

Full Text of H-/EUH-Statements Referred to Under Section 3

H300 - Fatal if swallowed

H310 - Fatal in contact with skin

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

IARC - International Agency for Research on Cancer

NZIoC - New Zealand Inventory of Chemicals

PNEC - Predicted No Effect Concentration

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

EC50 - Effective Concentration 50%

Revision Date 10-Sep-2015

Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

VOC - Volatile Organic Compounds

Key literature references and sources for data

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Cyanogen bromide Revision Date 10-Sep-2015

Creation Date 29-Jun-2009 **Revision Date** 29-Jun-2009 10-Sep-2015

Revision Summary SDS sections updated, 2, 3.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet