

(2S)-(+)-2-AMINOBUTANE

Page: 1

Compilation date: 24/07/2012

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: (2S)-(+)-2-AMINOBUTANE

CAS number: 513-49-5

EINECS number: 208-164-7

Index number: 612-052-00-7

Product code: OB60000

Synonyms: S-(+)-SEC-BUTYLAMINE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Apollo Scientific Ltd

Units 3 & 4
Parkway
Denton
Manchester
M34 3SG
UK

Tel: 0161 337 9971 **Fax:** 0161 336 6932

Email: david.tideswell@apolloscientific.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CHIP: F: R11; Xn: R20/22; C: R35; N: R50

Classification under CLP: Acute Tox. 4: H302+332; Aquatic Acute 1: H400; Flam. Liq. 2: H225; Skin Corr. 1A: H314

Most important adverse effects: Highly flammable. Harmful by inhalation and if swallowed. Causes severe burns. Very

toxic to aquatic organisms.

2.2. Label elements

Label elements under CLP:

Hazard statements: H225: Highly flammable liquid and vapour.

H302+332: Harmful if swallowed or if inhaled.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

Signal words: Danger

(2S)-(+)-2-AMINOBUTANE

Page: 2

Hazard pictograms: GHS02: Flame

GHS05: Corrosion

GHS07: Exclamation mark

GHS09: Environmental









Precautionary statements: P280: Wear protective gloves/protective clothing/eye protection/face protection.

P210: Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Label elements under CHIP:

Hazard symbols: Dangerous for the environment.

Highly flammable.

Corrosive.







Risk phrases: R11: Highly flammable.

R20/22: Harmful by inhalation and if swallowed.

R35: Causes severe burns.

R50: Very toxic to aquatic organisms.

Safety phrases: S1/2: Keep locked up and out of the reach of children.

S9: Keep container in a well-ventilated place.

S16: Keep away from sources of ignition - No smoking.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S28: After contact with skin, wash immediately with plenty of.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show

the label where possible).

S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.1. Substances

Chemical identity: (2S)-(+)-2-AMINOBUTANE

Section 4: First aid measures

(2S)-(+)-2-AMINOBUTANE

Page: 3

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still

on skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Carbon dioxide, dry chemical powder, foam. Suitable extinguishing media for the

surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. Corrosive. Forms explosive air-vapour mixture. Vapour may travel

considerable distance to source of ignition and flash back. In combustion emits toxic

fumes. Carbon oxides. Nitrogen oxides (NOx).

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of

ignition.

(2S)-(+)-2-AMINOBUTANE

Page: 4

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method. Do not use equipment in clean-up procedure which

may produce sparks.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

Smoking is forbidden. Use non-sparking tools. Only use in fume hood.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Ensure lighting and electrical equipment are not a source of ignition. Light Sensitive. Air

sensitive. Store under Argon.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: Not applicable.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Colourless

(2S)-(+)-2-AMINOBUTANE

Page: 5

Odour: Amine-like

Solubility in water: Miscible in all proportions

Also soluble in: Ether. Alcohol Most organic solvents.

Viscosity: 0.5 mPas at 20C

Boiling point/range ℃: 63 Melting point/range ℃: -105

Flammability limits %: lower: 1.8 upper: 9

Flash point °C: -19 Part.coeff. n-octanol/water: log Pow: 0.74

Autoflammability °C: 290 Relative density: 0.722

pH: 12.3

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames. Light. Air.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Nitrogen oxides

(NOx).

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

| Route | Species | Test | Value | Units |
|--------|---------|------|-------|-------|
| ORAL | RAT | LD50 | 380 | mg/kg |
| DERMAL | RBT | LD50 | 2500 | mg/kg |

(2S)-(+)-2-AMINOBUTANE

Page: 6

Relevant hazards for substance:

| Hazard | Route | Basis |
|-------------------------------|---------|--------------------|
| Acute toxicity (ac. tox. 4) | INH ING | Based on test data |
| Skin corrosion/irritation | DRM | Based on test data |
| Serious eye damage/irritation | OPT | Based on test data |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: log Pow: 0.74, soil absorption (Koc): 60, Henry's Law constant (PaM3/mol): 15

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Very toxic to aquatic organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: MATERIAL SHOULD BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND

FEDERAL REGULATIONS

Disposal of packaging: Dispose of as special waste in compliance with local and national regulations Observe

all federal, state and local environmental regulations.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

(2S)-(+)-2-AMINOBUTANE

Page: 7

14.1. UN number

UN number: UN2733

14.2. UN proper shipping name

Shipping name: AMINES, FLAMMABLE, CORROSIVE, N.O.S.

14.3. Transport hazard class(es)

Transport class: 3 (8)

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Tunnel code: D/E
Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

* Data predicted using computational software. Toxtree - Toxic Hazard Estimation by decision tree approach. http://ecb.jrc.ec.europa.eu/qsar/qsar-tools/index.php?

c=TOXTREE

~ Data predicted using computatioanl software ACD/ToxSuite v 2.95.1 Copyright 1994-2009 ACD/labs, Copyright 2001-2009 Pharma Algorithms, Inc, Advanced Chemistry Development, Inc (ACD/Labs). http://www.acdlabs.com/products/pc_admet/tox/tox/

Phrases used in s.2 and 3: H225: Highly flammable liquid and vapour.

H302+332: Harmful if swallowed or if inhaled.

H314: Causes severe skin burns and eye damage.

H400: Very toxic to aquatic life.

R11: Highly flammable.

R20/22: Harmful by inhalation and if swallowed.

R35: Causes severe burns.

R50: Very toxic to aquatic organisms.

(2S)-(+)-2-AMINOBUTANE

Legal disclaimer: The material is intended for research purposes only and should be handled exclusively by those who have been fully trained in safety, laboratory and chemical handling procedures. The above information is believed to be correct to the best of our knowledge. The above information is believed to be correct to the best of our knowledge at the date of its publication, but should not be considered to be all inclusive. It should be used only as a guide for safe handling, storage, transportation and disposal. We cannot guarantee that the hazards detailed in this document are the only hazards that exist for this product. This is not a warranty and Apollo Scientific Ltd shall not be held liable for any damage resulting from handling or from contact with the above product.

Page: 8