Printing date 01.07.2013 Revision: 20.08.2012

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name n-Butyl phosphate, mixture of monobutyl and dibutyl Stock number

1.2 Relevant identified uses of the substance or mixture and uses advised against. Identified use: SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG A Johnson Matthey Company Zeppelinstr. 7b 76185 Karlsruhe / Germany Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300 Email: tech@alfa.com

www.alfa.com

Informing department:

www.arra.com Product safety Tel + +049 (0) 7275 988687-0 Carechem 24: +44 (o) 1235 239 670 (Multi-language emergency number) Poison Information Center Mainz www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240 1.4 Emergency telephone number:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

🔁 C; Corrosive

Causes burns

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Other hazards that do not result in

classification

No information known.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms Signal word

Hazard-determining components of labelling:

Hazard statements Precautionary statements

GHS05 Danger

Di-n-butyl phosphate
Butyl dihydrogen phosphate
Orthophosphoric acid, 85% w/w solution in water
H314 Causes severe skin burns and eye damage.
P260
Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international

The product is classified and labelled according to the CLP regulation.

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT:

Not applicable. Not applicable.

SECTION 3: Composition/information on ingredients

3 2 Miyturos

J.Z WIIALUI CS				
Dangerous components:				
	Di-n-butyl phosphate	☑ C R34	48,0%	
EINECS: 203-509-8	• • •	Skin Corr. 1B, H314	·	
CAS: 1623-15-0	Butyl dihydrogen phosphate	🖾 C R34	48,0%	
EINECS: 216-604-4		Skin Corr. 1B, H314		
CAS: 7664-38-2	Orthophosphoric acid, 85% w/w solution in water	🖪 C R34	4,0%	
EINECS: 231-633-2		Skin Corr. 1B. H314		

Additional information

None known.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information After inhalation

After skin contact

After eve contact

Instantly remove any clothing soiled by the product. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms

persist. Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly. Seek immediate medical advice.

Seek immediate medical advice. Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical treatment.

After eye contact
After swallowing
4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available. No further relevant information available

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing agents 5.2 Special hazards arising from the substance or mixture

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

If this product is involved in a fire, the following can be released: Carbon monoxide and carbon dioxide Phosphorus oxides

5.3 Advice for firefighters Protective equipment: Wear self-contained breathing apparatus.

(Contd. on page 2)

Printing date 01.07.2013 Revision: 20.08.2012

Trade name n-Butyl phosphate, mixture of monobutyl and dibutyl

Wear full protective suit

(Contd. of page 1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.2 Environmental precautions:

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach sewage system or water bodies. Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.

Prevention of secondary hazards: 6.4 Reference to other sections

No special measures required.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace.

Information about protection against

explosions and fires:

No information known.

7.2 Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and

containers:

Information about storage in one common storage facility:

No special requirements.

Store away from metals. Store away from strong bases.

Further information about storage

conditions:

Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Store in a locked cabinet or with access restricted to technical experts or their assistants. No further relevant information available.

7.3 Specific end use(s)

Additional information about design of

technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

8.1 Control parameters

Components with critical values that require monitoring at the workplace:

107-66-4 Di-n-butyl phosphate (48,0%)

vgl.Abschn.Xc MAK (Germany) MAK (TRGS 900) (Germany) 5 mg/m³

ΝÍ

SECTION 8: Exposure controls/personal protection

5 mg/m³, 1 ppm PEL (USA)

Short-term value: 10 mg/m³, 2 ppm Long-term value: 5 mg/m³, 1 ppm REL (USA)

TLV (USA)

5* mg/m³, 0,6* ppm Skin;*as inhalable fraction and vapor

7664-38-2 Orthophosphoric acid, 85% w/w solution in water (4,0%)

AGW (Germany)

2 E mg/m³ 2(I);DFG, EU, AGS, Y

MAK (TRGS 900) (Germany) 1 mg/m³ EU

PEL (USA)

1 mg/m³

REL (USA)

Short-term value: 3 mg/m3

Long-term value: 1 mg/m³

TLV (USA)

Short-term value: 3 mg/m³ Long-term value: 1 mg/m³

Additional information:

No data

8.2 Exposure controls

Breathing equipment: Protection of hands:

Personal protective equipment
General protective and hygienic measures

The usual precautionary measures should be adhered to in handling the chemicals. Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Do not inhale dust? smoke / mist.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Impervious gloves

Material of gloves

Penetration time of glove material Eye protection:

Not determined Fightly sealed safety glasses.

Body protection:

Full face protection Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance: Form: Colour: Liguid Colourless Smell: Not determined

(Contd. on page 3)

Printing date 01.07.2013 Revision: 20.08.2012

Trade name n-Butyl phosphate, mixture of monobutyl and dibutyl

(Contd. of page 2) Odour threshold: Not determined pH-value: Not determined Change in condition
Melting point/Melting range:
Boiling point/Boiling range:
Sublimation temperature / start: -60 °C > 124 °C (dec) Not determined 110 °C Flash point: Inflammability (solid, gaseous)
Ignition temperature:
Decomposition temperature:
Self-inflammability:
Critical values for explosion: Not determined. 420 °C Not determined Product is not selfigniting. Lower:
Upper:
Steam pressure:
Density at 20 °C
Relative density
Vapour density Not determined Not determined Not determined 1,123 g/cm³ Not determined. Not determined Evaporation rate Solubility in / Miscibility with Not determined. Water: Partition coefficient (n-octanol/water): Not miscible or difficult to mix Not determined. Viscosity dynamic: Not determined. kinematic: Not determined. Solvent content:

SECTION 10: Stability and reactivity

Organic solvents: 9.2 Other information

10.1 Reactivity 10.2 Chemical stability

Thermal decomposition / conditions to be

avoided: 10.3 Possibility of hazardous reactions

10.5 Incompatible materials:

10.6 Hazardous decomposition products:

No information known.

0.0%

Stable under recommended storage conditions.

No further relevant information available

No decomposition if used and stored according to specifications. Reacts with metals forming hydrogen

Reacts with strong alkali Bases

Metals Carbon monoxide and carbon dioxide Phosphorus oxides (e.g. P2O5)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in

Causes severe skin burns.

this product.

LD/LC50 values that are relevant for classification:

7664-38-2 Orthophosphoric acid, 85% w/w solution in water LD50 1,25 gm/kg (mouse)

1,25 gm/kg (rat) Inhalative LC50 25,5 mg/m3 (mouse)

25,5 mg/m3 (rat) Skin irritation or corrosion:

Eye irritation or corrosion: Sensitization: Germ cell mutagenicity: Carcinogenicity:

Reproductive toxicity:

Causes serious eye damage. No sensitizing effect known. No effects known.

No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH. The Registry of Toxic Effects of Chemical Substances (RTECS) contains reproductive data for components in this product.

Specific target organ system toxicity -

repeated exposure: Specific target organ system toxicity - single

exposure:

Aspiration hazard:
Additional toxicological information:

No effects known.

No effects known.

No effects known.

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

SECTION 12: Ecological information

General notes:

12.1 Toxicity
Aquatic toxicity:
12.2 Persistence and degradability
12.3 Bioaccumulative potential
12.4 Mobility in soil
Additional ecological information:

No further relevant information available. No further relevant information available. No further relevant information available. No further relevant information available

Do not allow material to be released to the environment without proper governmental permits. Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Avoid transfer into the environment.

12.5 Results of PBT and vPvB assessment PBT:

Not applicable.

12.6 Other adverse effects

No further relevant information available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Hand over to disposers of hazardous waste. Must be specially treated under adherence to official regulations.

(Contd. on page 4)

Printing date 01.07.2013 Revision: 20.08.2012

Trade name n-Butyl phosphate, mixture of monobutyl and dibutyl				
	Consult state lead an ational and define for any and disposal	(Contd. of page 3)		
Uncleaned packagings: Recommendation:	Consult state, local or national regulations for proper disposal. Disposal must be made according to official regulations.			
SECTION 14: Transport information	Disposal must be made according to official regulations.			
UN-Number				
ADR, IMDG, IATA 14.2 UN proper shipping name	UN1718			
ADR IMDG, IATA	1718 BUTYL ACID PHOSPHATE, solution BUTYL ACID PHOSPHATE, solution			
14.3 Transport hazard class(es)				
ADR				
*				
Class Label	8 (C3) Corrosive substances.			
IMDG, IATA	Ç			
Class	8 Corrosive substances.			
Label Packing group	8			
ADR, IMĎĞ, IÅTA 14.5 Environmental hazards:	III			
Marine pollutant:	No .			
14.6 Special precautions for user Kemler Number:	Warning: Corrosive substances.			
EMS Number: Segregation groups	F-A,S-B Acids			
14.7 Transport in bulk according to Annex I Code	l of MARPOL73/78 and the IBC Not applicable.			
Transport/Additional information:				
ADR Excepted quantities (EQ): Limited quantities (LQ)	E1 5L			
Transport category Tunnel restriction code	3L 3 F			
UN "Model Regulation":	UN1718, BUTYL ACID PHOSPHATE, solution, 8, III			
SECTION 15: Regulatory information				
15.1 Safety, health and environmental regul	ations/legislation specific for the substance or mixture			
Australian Inventory of Chemical Substance All ingredients are listed.	ss			
Standard for the Uniform Scheduling of Dru 7664-38-2 Orthophosphoric acid, 85% w/w so	gs and Poisons	S5, S6		
National regulations Information about limitation of use:		00, 00		
Classification according to VbF:	Employment restrictions concerning young persons must be observed. For use only by technically qualified individuals. Not applicable			
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Other regulations, limitations and prohibitive regulations				
ELINCS (European List of Notified Chemica				
None of the ingredients is listed. Substances of very high concern (SVHC) ac	cording to REACH, Article 57			
None of the ingredients are listed.				
REACH - Pre-registered substances All ingredients are listed.				
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.			
SECTION 16: Other information Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.				
Relevant phrases	H314 Causes severe skin burns and eve damage.			
Department issuing data specification sheet: Health, Safety and Environmental Department. Abbreviations and acronyms: Abbreviations and acronyms: Apr. Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDE: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Österreich (Ordinance on the storage of combustible liquids, Austria) LC50: Lethal dose, 50 percent				
ADDIEVIALIONS AND ACTOMYTHS:	Dangerous Goods by Road) IMDC: International Maritime Code for Dangerous Goods IATA: International Maritime Code for Dangerous Goods	.oalional Damage U		
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals VbF: Verordnung über brennbare Flüssigkeiten, Osterreich (Ordinance on the storage of combustible liquids, Austria)			
	LD50: Lethal dose, 50 percent	DE/E		