




Material Safety Data Sheet

HAZARD WARNINGS	RISK PHRASES	PROTECTIVE CLOTHING
 	MUTAGEN. MINIMIZE EXPOSURE. POSSIBLE CARCINOGEN. MINIMIZE EXPOSURE. Reproductive effector; may damage fertility or the unborn child. Harmful compound, minimize exposure.	

Section I. Chemical Product and Company Identification

Chemical Name	Estrone		
Catalog Number	E0026	Supplier	TCI America 9211 N. Harbortgate St. Portland OR 1-800-423-8616
Synonym	Estra-1,3,5(10)-trien-17-one, 3-hydroxy- (CA INDEX NAME)		
Chemical Formula	C ₁₈ H ₂₂ O ₂		
CAS Number	53-16-7	In case of Emergency Call	Chemtrec® (800) 424-9300 (U.S.) (703) 527-3887 (International)

Section II. Composition and Information on Ingredients

Chemical Name	CAS Number	Percent (%)	TLV/PEL	Toxicology Data
Estrone	53-16-7	Min. 98.0 (GC)	This chemical is classified as a possible carcinogen. There is no acceptable exposure limit for a carcinogen. This compound is classified as a mutagen. There is no acceptable exposure limit for a mutagen.	Rat LD ₅₀ (inhalation) 0.005 mg/m ³ Rat LD ₅₀ (oral) >5000 mg/kg Mouse LD ₅₀ (oral) >5000 mg/kg

Section III. Hazards Identification

Acute Health Effects	Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death. Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.
Chronic Health Effects	CARCINOGENIC EFFECTS : Equivocal tumorigenic agent by RTECS criteria MUTAGENIC EFFECTS : Not available. TERATOGENIC EFFECTS : Tumorigenic Effects Rat TDLo (implant) 16 mg/kg; female Toxic Effects: Tumorigenic - Equivocal tumorigenic agent by RTECS criteria Skin and Appendages - Tumors Mouse TDLo (parenteral) 1200 ug/kg/1 week intermittent; female Toxic Effects: Tumorigenic - Equivocal tumorigenic agent by RTECS criteria Skin and Appendages - Tumors Guinea Pig TDLo (subcutaneous) 40 mg/kg/18 weeks intermittent; female Toxic Effects: Tumorigenic - Equivocal tumorigenic agent by RTECS criteria Tumorigenic Effects - Uterine tumors DEVELOPMENTAL TOXICITY : Reproductive Effects: Man TDLo (Implant) 1586 ug/kg; male 60 days prior to mating Toxic Effects: Paternal Effects - Spermatogenesis Rat TDLo (parenteral) 25 ug/kg; female 2 days of pregnancy Toxic Effects: Effects on Fertility - Litter size Effects on Fertility - Other measures of fertility Rabbit TDLo (Subcutaneous) 6 ug/kg; female 1-3 days of pregnancy Toxic Effects: Effects on Fertility - Pre-implantation mortality Repeated or prolonged exposure to this compound is not known to aggravate existing medical conditions.

Section IV. First Aid Measures

Eye Contact	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.
Skin Contact	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
Inhalation	If the victim is not breathing, perform mouth-to-mouth resuscitation. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, oxygen can be administered. Seek medical attention if respiration problems do not improve.
Ingestion	INDUCE VOMITING by sticking finger in throat. Lower the head so that the vomit will not reenter the mouth and throat. Loosen tight clothing such as a collar, tie, belt or waistband. If the victim is not breathing, perform mouth-to-mouth resuscitation. Examine the lips and mouth to ascertain whether the tissues are damaged, a possible indication that the toxic material was ingested; the absence of such signs, however, is not conclusive.

Continued on Next Page

Emergency phone number (800) 424-9300

Section V. Fire and Explosion Data

Flammability	May be combustible at high temperature.	Auto-Ignition	Not available.
Flash Points	Not available.	Flammable Limits	Not available.
Combustion Products	These products are toxic carbon oxides (CO, CO ₂).		
Fire Hazards	Not available.		
Explosion Hazards	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.		
Fire Fighting Media and Instructions	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. DO NOT use water jet. Consult with local fire authorities before attempting large scale fire-fighting operations.		


Section VI. Accidental Release Measures

Spill Cleanup Instructions	Mutagenic material. Reproductive effecting material. Possibly carcinogenic material. Harmful material. Use a shovel to put the material into a convenient waste disposal container. Consult federal, state, and/or local authorities for assistance on disposal.
----------------------------	---

Section VII. Handling and Storage

Handling and Storage Information	MUTAGEN. REPRODUCTIVE EFFECTOR. POSSIBLE CARCINOGEN. HARMFUL. Keep away from heat. Mechanical exhaust required. When not in use, tightly seal the container and store in a dry, cool place. Avoid excessive heat and light. Do not breathe dust.
----------------------------------	--

Section VIII. Exposure Controls/Personal Protection

Engineering Controls	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
Personal Protection	Splash goggles. Lab coat. Dust respirator. Boots. Gloves. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product. Be sure to use a MSHA/NIOSH approved respirator or equivalent.
	
Exposure Limits	This chemical is classified as a possible carcinogen. There is no acceptable exposure limit for a carcinogen. This compound is classified as a mutagen. There is no acceptable exposure limit for a mutagen.

Section IX. Physical and Chemical Properties

Physical state @ 20°C	Solid. (Crystal, powder. White - slightly pale yellow.)	Solubility	Soluble in Dioxane, hot acetone, secondary primidine; Slightly soluble in ether, benzene, hot chloroform, hot alcohol, ethanol, ethyl ether; Insoluble in water.
Specific Gravity	1.236 (water=1)		
Molecular Weight	270.37	Partition Coefficient	LOG P _{ow} : 3.38
Boiling Point	Not available.	Vapor Pressure	Not applicable.
Melting Point	258 to 260°C (496.4 to 500 °F)	Vapor Density	Not available.
Refractive Index	Not available.	Volatility	Not available.
Critical Temperature	Not available.	Odor	Odorless.
Viscosity	Not available.	Taste	Not available.

Section X. Stability and Reactivity Data

Stability	This material is stable if stored under proper conditions. (See Section VII for instructions)
Conditions of Instability	Avoid excessive heat and light.
Incompatibilities	Reactive with strong oxidizing agents.

Section XI. Toxicological Information

RTECS Number	KG8575000
Routes of Exposure	Eye Contact. Ingestion. Inhalation.
Toxicity Data	Rat LD ₅₀ (inhalation) 0.005 mg/m ³ /4H Rat LD ₅₀ (oral) >5000 mg/kg Mouse LD ₅₀ (oral) >5000 mg/kg

Continued on Next Page

Emergency phone number (800) 424-9300

Chronic Toxic Effects

CARCINOGENIC EFFECTS : Equivocal tumorigenic agent by RTECS criteria

MUTAGENIC EFFECTS : Not available.

TERATOGENIC EFFECTS : Tumorigenic Effects

Rat TDLo (implant) 16 mg/kg; female

Toxic Effects:

Tumorigenic - Equivocal tumorigenic agent by RTECS criteria

Skin and Appendages - Tumors

Mouse TDLo (parenteral) 1200 ug/kg/1 week intermittent; female

Toxic Effects:

Tumorigenic - Equivocal tumorigenic agent by RTECS criteria

Skin and Appendages - Tumors

Guinea Pig TDLo (subcutaneous) 40 mg/kg/18 weeks intermittent; female

Toxic Effects:

Tumorigenic - Equivocal tumorigenic agent by RTECS criteria

Tumorigenic Effects - Uterine tumors

DEVELOPMENTAL TOXICITY: Reproductive Effects:

Man TDLo (Implant) 1586 ug/kg; male 60 days prior to mating

Toxic Effects:

Paternal Effects - Spermatogenesis

Rat TDLo (parenteral) 25 ug/kg; female 2 days of pregnancy

Toxic Effects:

Effects on Fertility - Litter size

Effects on Fertility - Other measures of fertility

Rabbit TDLo (Subcutaneous) 6 ug/kg; female 1-3 days of pregnancy

Toxic Effects:

Effects on Fertility - Pre-implantation mortality

Repeated or prolonged exposure to this compound is not known to aggravate existing medical conditions.

Acute Toxic Effects

Harmful if ingested or inhaled. Minimize exposure to this material. Severe overexposure can result in injury or death.

Follow safe industrial hygiene practices and always wear proper protective equipment when handling this compound.

Section XII. Ecological Information

Ecotoxicity

Not available.

Environmental Fate

Not available.

Section XIII. Disposal Considerations

Waste Disposal

Recycle to process, if possible. Consult your local regional authorities. You may be able to dissolve or mix material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber system. Observe all federal, state and local regulations when disposing of the substance.

Section XIV. Transport Information

DOT Classification

Not a DOT controlled material (United States).

PIN Number

Not applicable.

Proper Shipping Name

Not applicable.

Packing Group (PG)

Not applicable.

DOT Pictograms



Section XV. Other Regulatory Information and Pictograms

TSCA Chemical Inventory (EPA)

This compound is **ON** the EPA Toxic Substances Control Act (TSCA) inventory list.

WHMIS Classification (Canada)

On NDSL.

EINECS Number (EEC)

200-164-5

EEC Risk Statements

R46- May cause heritable genetic damage.

R47- May cause birth defects.

R20/21/22- Harmful by inhalation, in contact with skin and if swallowed.

Japanese Regulatory Data

ENCS no.: 9-2145

Section XVI. Other Information

Version 1.0

Validated on 12/20/2011.

Printed 12/20/2011.

Notice to Reader

Continued on Next Page

Emergency phone number (800) 424-9300

TCI laboratory chemicals are for research purposes only and are NOT intended for use as drugs, food additives, households, or pesticides. The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our MSDS sheets are based only on data available at the time of shipping and are subject to change without notice as new information is obtained. Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated MSDS sheets for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, facial mask, fume hood). For proper handling and disposal, always comply with federal, state, and local regulations.