# SAFETY DATA SHEET

Version 5.7 Revision Date 03/09/2018 Print Date 11/10/2018

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : tert-Butyl acetate

Product Number : B88209
Brand : Aldrich
Index-No. : 607-026-00-7

CAS-No. : 540-88-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

## 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram

**(** 

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for

extinction.

Aldrich - B88209 Page 1 of 8

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Repeated exposure may cause skin dryness or cracking.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Formula : C<sub>6</sub>H<sub>12</sub>O<sub>2</sub>

Molecular weight : 116.16 g/mol
CAS-No. : 540-88-5

EC-No. : 208-760-7
Index-No. : 607-026-00-7

#### Hazardous components

Component	Classification	Concentration			
tert-Butyl acetate					
	Flam. Liq. 2; H225	90 - 100 %			

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

No data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

Aldrich - B88209 Page 2 of 8

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 3: Flammable liquids

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis
tert-Butyl acetate	540-88-5	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Upper Respiratory Tract irritation Eye irritation Adopted values or notations enclosed are those for which changes are proposed in the NIC See Notice of Intended Changes (NIC)		
		TWA	200 ppm 950 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	200 ppm 950 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		The value in mg/m3 is approximate.		
		PEL	200 ppm 950 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)
		TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation Eye irritation		
		STEL	150 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Upper Respiratory Tract irritation		

Aldrich - B88209 Page 3 of 8

Eye irritation

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 30 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odourc) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing Melting point/range: < -57.99 °C (< -72.38 °F)

point

f) Initial boiling point and  $\,$  97 - 98 °C (207 - 208 °F) - lit.

boiling range

g) Flash point 4 °C (39 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Lower explosion limit: 1.5 - 1.7 %(V)

flammability or

Aldrich - B88209 Page 4 of 8

explosive limits

k) Vapour pressure 56 hPa (42 mmHg) at 20 °C (68 °F)

) Vapour density 4.65

m) Relative density 0.866 g/cm3 at 20 °C (68 °F)

n) Water solubility ca.6.7 g/l at 23 °C (73 °F) - OECD Test Guideline 105 - soluble

o) Partition coefficient: n-

octanol/water

log Pow: 1.64 at 21.7 °C (71.1 °F)

p) Auto-ignition temperature 589 °C (1,092 °F) at 1,015 hPa (761 mmHg)

q) Decomposition

temperature

No data available

r) Viscosity < 1 mm2/s at 25 °C (77 °F) -

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 64 mN/m at 20 °C (68 °F)

Relative vapour density 4.65

#### 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

## 10.4 Conditions to avoid

Heat, flames and sparks.

## 10.5 Incompatible materials

Oxidizing agents

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Oral - Rat - male - 4,100 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg

No data available

## Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

## Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation - 72 h

Aldrich - B88209 Page 5 of 8

## Respiratory or skin sensitisation

- Guinea pig

Did not cause sensitisation on laboratory animals.

(Buehler Test)

### Germ cell mutagenicity

No data available

reverse mutation assay

S. typhimurium Result: negative

Mutagenicity (micronucleus test)

Rat - male and female Result: negative

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

list of regulated carcinogens.

### Reproductive toxicity

No data available

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

## **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose

Mouse - male and female - inhalation (vapour) - NOAEL: 0.48 mg/l

toxicity

RTECS: AF7400000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oncorhynchus mykiss (rainbow trout) - 240 mg/l - 96 h

(OECD Test Guideline 203)

(OECD Test Guideline 202)

Toxicity to daphnia and

static test EC50 - Daphnia magna (Water flea) - 350 mg/l - 48 h

other aquatic

invertebrates

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 50 % - Inherently biodegradable.

(OECD Test Guideline 301D)

### 12.3 Bioaccumulative potential

No data available

## 12.4 Mobility in soil

No data available

Aldrich - B88209 Page 6 of 8

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

## 12.6 Other adverse effects

No data available

### 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

### Contaminated packaging

Dispose of as unused product.

### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1123 Class: 3 Packing group: II

Proper shipping name: Butyl acetates Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1123 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: BUTYL ACETATES

**IATA** 

UN number: 1123 Class: 3 Packing group: II

Proper shipping name: Butyl acetates

### 15. REGULATORY INFORMATION

## **SARA 302 Components**

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

#### **SARA 313 Components**

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### SARA 311/312 Hazards

Fire Hazard

## **Massachusetts Right To Know Components**

tert-Butyl acetate CAS-No. Revision Date 540-88-5 1993-04-24

Pennsylvania Right To Know Components

tert-Butyl acetate CAS-No. Revision Date 540-88-5 1993-04-24

**New Jersey Right To Know Components** 

tert-Butyl acetate CAS-No. Revision Date 540-88-5 1993-04-24

## California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### 16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aldrich - B88209 Page 7 of 8

Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

### **HMIS Rating**

Health hazard: 1
Chronic Health Hazard:
Flammability: 3
Physical Hazard 0

# **NFPA** Rating

Health hazard: 0
Fire Hazard: 3
Reactivity Hazard: 0

## **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.7 Revision Date: 03/09/2018 Print Date: 11/10/2018

Aldrich - B88209 Page 8 of 8