

Safety Data Sheet per OSHA HazCom 2012

Page 1/5 Printing date 11/23/2015 Reviewed on 12/10/2012

## 1 Identification

Product identifier

Product name: Ethyl chloroformate

Stock number: A15062 **CAS Number:** 541-41-3

**EC** number: 208-778-5 Index number: 607-020-00-4

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier: Alfa Aesar

Alla Aesai Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com

www.ana.com I**nformation Department:** Health, Safety and Environmental Department **Emergency telephone number:** During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 1 H330 Fatal if inhaled.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02 GHS05 GHS06

Signal word Danger Hazard statements

H225 Highly flammable liquid and vapor. H301 Toxic if swallowed. H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

BB2 - Flammable liquid
D1A - Very toxic material causing immediate and serious toxic effects
D2B - Toxic material causing other toxic effects
E - Corrosive material



Classification system HMIS ratings (scale 0-4) (Hazardous Materials Identification System)



Health (acute effects) = 3
Flammability = 3
CIVITY 1 Physical Hazard = 1

Other hazards Results of PBT and vPvB assessment PBT: Not applicable.

(Contd. on page 2)

## Product name: Ethyl chloroformate

vPvB: Not applicable.

(Contd. of page 1)

## 3 Composition/information on ingredients

Chemical characterization: Substances

CAS# Description: 541-41-3 Ethyl chloroformate Identification number(s):

Technication Humbers.

EC number: 208-778-5

Index number: 607-020-00-4

Additional information:

Additional information: This material builds up pressure slowly. Vent pressure, if any, upon receipt. Vent every 3 months.

### 4 First-aid measures

## Description of first aid measures

General information
Immediately remove any clothing soiled by the product.
Remove breathing apparatus only after contaminated clothing has been completely removed.
In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation Supply fresh air. If required, provide artificial respiration. Keep patient warm. Seek immediate medical advice.

After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing Seek medical treatment.

Information for doctor

Most important symptoms and effects, both acute and delayed Causes severe skin burns.

Causes serious eye damage.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

Statinguishing media

Suitable extinguishing agents Carbon dioxide, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Hydrogen chloride (HCl)
Carbon monoxide and carbon dioxide

Carbon monoxide and carbon dioxide
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation

Ensure adequate ventilation.

Prevention of secondary hazards: Keep away from ignition sources.

Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

## 7 Handling and storage

Handling

Handling
Precautions for safe handling
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Open and handle container with care.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away.

Conditions for safe storage, including any incompatibilities

Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:
This material builds up pressure slowly. Vent pressure, if any, upon receipt. Vent every 3 months.
Do not store with alcohols.

Do not store with accorders.

Further information about storage conditions:
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

(Contd. on page 3)

## Product name: Ethyl chloroformate

(Contd. of page 2)

Control parameters
Components with limit values that require monitoring at the workplace: Not required.
Additional information: No data

Exposure controls

Exposure controls
Personal protective equipment
General protective and hygienic measures
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Remove all soiled and contaminated clothing immediately.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.
Breathing equipment: Use self-contained respiratory protective device in emergency situations.
Protection of hands:
Impervious gloves

Impervious gloves Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer. **Penetration time of glove material (in minutes)** Not determined

Eye protection: Tightly sealed goggles Full face protection\_

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties General Information

Appearance: Form:

Color:

Odor:

Odor threshold:

pH-value:

Change in condition Melting point/Melting range: Boiling point/Boiling range: Sublimation temperature / start:

Flash point: Flammability (solid, gaseous) Ignition temperature: Decomposition temperature:

Auto igniting:

Danger of explosion: Explosion limits: Lower:

Upper:

Vapor pressure: Density at 20 °C (68 °F): Relative density

Neiative density Vapor density Evaporation rate Solubility in / Miscibility with Water:

Partition coefficient (n-octanol/water): Not determined. Viscosity: dynamic: kinematic:

Other information

Colorless Not determined Not determined Not determined.

Liquid

Not determined 92-94 °C (198-201 °F) Not determined

2 °C (36 °F) Not determined Not determined Not determined

Not determined.

Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Not determined Not determined Not determined

1.135 g/cm³ (9.472 lbs/gal) Not determined.

Not determined Not determined. Reacts

Not determined.

Not determined. No further relevant information available.

# 10 Stability and reactivity

Reactivity No information known.

Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known Conditions to avoid No further relevant information available.

Hazardous decomposition products:
Hydrogen chloride (HCl)
Carbon monoxide and carbon dioxide

## 11 Toxicological information

Information on toxicological effects Acute toxicity:

Toxic if swallowed. Fatal if inhaled.

Swallowing will lead to a strong corrosive effect on mouth and throat and to the danger of perforation of esophagus and stomach

LD/LC50 values that are relevant for classification:

Oral LD50 270 mg/kg (rat) LD50 7120 mg/kg (rabbit) Inhalative LC50/4H 145 mg/m3/4H (rat)

Skin irritation or corrosion: Causes severe skin burns.
Eye irritation or corrosion: Causes serious eye damage.
Sensitization: No sensitizing effects known.
Germ cell mutagenicity: No effects known.
Carcinogenicity: No classification data on carcinogenic properties of this material is available from the EPA, IARC, NTP, OSHA or ACGIH.
Reproductive toxicity: No effects known.

(Contd. on page 4)

(Contd. of page 3)

## Product name: Ethyl chloroformate

Specific target organ system toxicity - repeated exposure: No effects known.
Specific target organ system toxicity - single exposure: No effects known.
Aspiration hazard: No effects known.
Subacute to chronic toxicity: Ethyl chloroformate is an inhalation hazard which can effect respiration, even in moderate doses.
Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

# 12 Ecological information

Toxicity
Aquatic toxicity: No further relevant information available.
Persistence and degradability No further relevant information available.
Bioaccumulative potential No further relevant information available.
Mobility in soil No further relevant information available.
Additional ecological information:

General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow undiluted product or large quantities to reach ground water, water course or sewage system.

Avoid transfer into the environment.

Results of PBT and vPvB assessment PBT: Not applicable.

vPvB: Not applicable.
Other adverse effects No further relevant information available.

## 13 Disposal considerations

Waste treatment methods

Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

**UN-Number** DOT, IMDG, IATA

UN1182

UN proper shipping name

IMDG, IATA

Ethyl chloroformate ETHYL CHLOROFORMATE

# Transport hazard class(es)







Label

ĪMDG, IATA





Label

6.1 Toxic substances. 6.1+3+8 Class

Packing group DOT, IMDG, IATA

Environmental hazards:

Special precautions for user Poison inhalation hazard: Segregation groups

Not applicable. Warning: Toxic substances

6.1 Toxic substances. 6.1+3+8 6.1 (TF1) Toxic substances 6.1+3

Acids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable

Transport/Additional information:

DOT

Marine Pollutant (DOT):

No

UN "Model Regulation": UN1182, Ethyl chloroformate, 6.1 (3), I

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS) Hazard pictograms







GHS02 GHS05 GHS06

Signal word Danger

Signal word Danger
Hazard statements
H225 Highly flammable liquid and vapor.
H301 Toxic if swallowed.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.

Precautionary statements

Precautionary statements
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P320 Specific treatment is urgent (see on this label).

(Contd. on page 5)

## Product name: Ethyl chloroformate

(Contd. of page 4) P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Mational regulations
All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.
All components of this product are listed on the Canadian Domestic Substances List (DSL).

SARA Section 313 (specific toxic chemical listings)

541-41-3 Ethyl chloroformate

California Proposition 65
Prop 65 - Chemicals known to cause cancer Substance is not listed.
Prop 65 - Developmental toxicity Substance is not listed.
Prop 65 - Developmental toxicity, female Substance is not listed.
Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:
For use only by technically qualified individuals.
This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.
Other regulations, limitations and prohibitive regulations
Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.
The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed. Market and use must be observed.
Substance is not listed.
Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user. conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the use Department issuing SDS: Global Marketing Department Date of preparation / last revision 11/23/2015 / Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods by Road) BOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada) LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
VPUB: very Persistent and very Bioaccumulative
VPUB: very Persistent and very Bioaccumulative
ACGIH: American Conference of Governmental Industrial Hygienists (USA)
NTP: National Toxicology Program (USA)
IARC: International Agency for Research on Cancer EPA: Environmental Protection Agency (USA)

USA