

Printing date 07/30/2016 Reviewed on 07/30/2016

1 Identification

· Product name

· Trade name: Carbon tetrachloride (99.999%-C) PURATREM

· Item number: 06-3545

· CAS Number:

56-23-5

· EC number:

200-262-8

· Index number:

602-008-00-5

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



GHS06 Skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: carbon tetrachloride

(Contd. on page 2)



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 1)

· Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P231 Handle under inert gas.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



*3 *Health* = *3

• Fire = 0

REACTIVITY 0 Reactivity = 0

· Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances

· CAS No. Description

56-23-5 carbon tetrachloride

· Identification number(s)

· EC number: 200-262-8

· Index number: 602-008-00-5

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 2)

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage: Store contents under inert gas.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 3)

· Control parameters

· Components with limit values that require monitoring at the workplace:

56-23-5 carbon tetrachloride

PEL Long-term value: 10 ppm

Ceiling limit value: 25; 200* ppm

*5-min peak in any 3 hrs

REL Short-term value: 12.6* mg/m³, 2* ppm

*60-min;See Pocket Guide App. A

TLV Short-term value: 63 mg/m³, 10 ppm

Long-term value: 31 mg/m³, 5 ppm

Skin

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

US



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 4)

	(Conta. or			
Physical and chemical proper	ties			
Information on basic physical and	chemical properties			
General Information	chemical properties			
Appearance:				
Form:	Liquid			
Color:	Colorless			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value:	Not determined.			
Change in condition				
Melting point/Melting range:	-22.9 °C (-9 °F)			
Boiling point/Boiling range:	76.7 °C (170 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not determined.			
Ignition temperature:	>982 °C (>1800 °F)			
Decomposition temperature:	Not determined.			
Auto igniting:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Vapor pressure at 20 °C (68 °F):	120 hPa (90 mm Hg)			
Density at 20 °C (68 °F):	1.58439 g/cm³ (13.222 lbs/gal)			
Relative density	Not determined.			
Vapor density	Not determined.			
Evaporation rate	Not determined.			
Solubility in / Miscibility with				
Water at 20 °C (68 °F):	0.77 g/l			
Partition coefficient (n-octanol/wat	er): Not determined.			
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Organic solvents:	100.0 %			
VOC content:	100.0 %			
	1584.4 g/l / 13.22 lb/gl			
Other information	No further relevant information available.			

10 Stability and reactivity

- · Reactivity No further relevant information available.
- $\cdot \textit{Chemical stability}$
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values	that are	relevant	for a	classification:

56-23-5 carbon tetrachloride

 Oral
 LD50
 2350 mg/kg (rat)

 Dermal
 LD50
 5070 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

56-23-5 carbon tetrachloride

2B

· NTP (National Toxicology Program)

56-23-5 carbon tetrachloride

R

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Assessment by list): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number			
DOT, IMDG, IATA	UN1846		
UN proper shipping name			
DOT, IATA	Carbon tetrachloride		
IMDG	CARBON TETRACHLORIDE, MARINE POLLUTANT		
Transport hazard class(es)			
DOT			
TOXIC			
Class	6.1 Toxic substances		
Label	6.1		
IMDG			

Class	6.1 Toxic substances		
Label	6.1		
IATA			
Class	6.1 Toxic substances		
Label	6.1		
Packing group			
DOT, IMDG, IATA	II		
Environmental hazards:	Symbol (fish and tree)		
Marine pollutant:	Symbol (fish and tree)		
Special precautions for user	Warning: Toxic substances		
Danger code (Kemler):	60		
EMS Number:	6.1-02		
Segregation groups Stowage Category	Liquid halogenated hydrocarbons		
JUWUYE CALEYOTV	A		
Stowage Code	SW2 Clear of living quarters.		

(Contd. on page 8)



Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 7)

· Transport/Additional information:

 $\cdot DOT$

• Quantity limitations On passenger aircraft/rail: 5 L

On cargo aircraft only: 60 L

· Hazardous substance: 10 lbs, 4.54 kg

· IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)
 100 ml
 Code: E4

Maximum net quantity per inner packaging: 1 ml Maximum net quantity per outer packaging: 500 ml

· UN ''Model Regulation'': UN 1846 CARBON TETRACHLORIDE, 6.1, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

56-23-5 carbon tetrachloride

L

· TLV (Threshold Limit Value established by ACGIH)

56-23-5 carbon tetrachloride

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

(Contd. of page 8)



Safety Data Sheet according to OSHA HCS

Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

· Hazard pictograms





GHS06 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

carbon tetrachloride

· Hazard statements

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

· Precautionary statements

P231 Handle under inert gas.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P422 Store contents under inert gas.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· National regulations:

· Water hazard class: Water hazard class 3 (Assessment by list): extremely hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/30/2016 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Acute Tox. 3: Acute toxicity, Hazard Category 3

(Contd. on page 10)





Printing date 07/30/2016 Reviewed on 07/30/2016

Trade name: Carbon tetrachloride (99.999%-C) PURATREM

(Contd. of page 9)

Carc. 2: Carcinogenicity, Hazard Category 2 STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

IIC.