



11555 Medlock Bridge Road, Suite 100, Johns Creek, GA 30097, USA T: +1.888.658.1221 F: 1.678.619.2020

E: info@ereztech.com W: http://ereztech.com

SAFETY DATA SHEET

Section 1. Identification

Product Name: Selenourea

Product Type: Solid

CAS Number: 630-10-4. **Product Number:** SE0104

Product Manufacturer: Ereztech LLC

11555 Medlock Bridge Road, Suite 100

Johns Creek, GA 30097

Product Information: (888) 658-1221

<u>In case of an emergency:</u> (888) 658-1221 (for spill, leak, fire or exposure)

*** Contact manufacturer for all non-emergency calls.

Section 2. Hazards Identification

Emergency Overview

Appearance/Odor: White to pale gray powder, odor not determined. **Classification:** ACUTE TOXICITY, ORAL; - Category 2, H300

ACUTE TOXICITY, INHALATION; - Category 3, H331

SPECIFIC TARGET ORGAN TOXICITY, REPEATED EXPOSURE; -

Category 2, H373

HAZARDOUS TO THE AQUATIC ENVIRONMENT, ACUTE TOXICITY;

- Category 1, H400

HAZARDOUS TO THE AQUATIC ENVIRONMENT, CHRONIC

TOXICITY; - Category 1, H410

Signal word: DANGER

Hazard statements: H300: Fatal if swallowed.

H331: Toxic if inhaled.

H373: May cause damage to the central nervous system (CNS), the liver and the digestive system through prolonged or repeated

exposure. Route of exposure: ingestion, inhalation.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Section 2. Hazards Identification

Hazard pictograms:



Precautionary statements

Prevention: P260: Do not breathe dust/fumes/vapors.

P264: Wash exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only in a well-ventilated area. P273: Avoid release to the environment.

Response: P301 + P310: IF SWALLOWED: Immediately call a POISON

CENTER or doctor/physician.

P304 + P340: IF INHALED: Removed victim to fresh air and keep

at rest in a position comfortable for breathing. P311: Call a POISON CENTER or doctor/physician.

P330: Rinse mouth P391: Collect spillage.

Storage: P403 + P233: Store in a well-ventilated place. Keep container

tightly closed.

P405: Store locked up.

Disposal: P501: Dispose of contents/ container to an approved wasted

disposal plant.

GHS label elements

General: None.

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Hazards not otherwise

classified:

Very toxic to aquatic life with long lasting effects.

Section 3. Composition/Information on Ingredients

Substances

 $\begin{array}{lll} \textbf{Formula} & : CH_4N_2Se \\ \textbf{Molecular weight} & : 123.02 \text{ g/mol} \\ \end{array}$

Synonyms : Carbamimidoselenoic acid.

CAS-No. : 630-10-4

Ingredient Name	%	CAS Number
Carbamimidoselenoic acid	>98	630-10-4

Section 3. Composition/Information on Ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

General Advice: Move out of dangerous area. Get immediate medical attention for all exposures.

Show this safety data sheet to the doctor in attendance.

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and

lower eyelids. Check for and remove any contact lenses. Continue rinsing.

Skin Contact: Wash off contaminated skin with soap and plenty of water. Get immediate

medical attention.

Inhalation: Get immediate medical attention. Remove victim to fresh air and keep at rest in

a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Use a barrier to when providing mouth-to-mouth

resuscitation.

Ingestion: Call a physician or POISON CONTROL CENTER immediately. Rinse mouth. Do

NOT induce vomiting. Remove dentures if any. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Drink plenty of water. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most Important Symptoms/Effects, Acute And Delayed Potential Acute Health Effects

Eye Contact: May cause eye irritation. Symptoms may include burning, profuse tearing, and

redness.

Inhalation: Toxic if inhaled. Symptoms may include coughing, wheezing, laryngitis,

shortness of breath, labored breathing (dyspnea), headache and nausea. Symptoms may be delayed. Absorption through the lungs can occur causing symptoms similar to ingestion. Convulsions may occur. There may be a loss of

consciousness.

Skin Contact: May cause irritation. Symptoms may include redness, itching, burning sensation

and pain.

Ingestion: Fatal if swallowed. Symptoms may include general depressed activity

(somnolence), diarrhea, vomiting, convulsions and a loss of consciousness.

Section 4. First Aid Measures

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician: Treat symptomatically.

Specific Treatments: No specific treatment.

Protection of First Responders: No action taken shall be taken involving any personal risk

without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire Fighting Measures

General Hazards: Do not allow run off from firefighting efforts to enter sewers

or waterways.

Suitable Extinguishing Media: Use water spray, dry chemical powder, alcohol resistant foam

or carbon dioxide (CO₂). Suitable extinguishing media for the surrounding fire should be used. Fight larger fires with water spray or alcohol resistant foam. Use water spray to cool

containers.

Unsuitable Extinguishing Media:

Unusual Fire and Explosion

Hazards:

None identified. None identified.

Product of Combustion: Decomposition products may include carbon oxides (CO_x) ,

hydrogen selenide, ammonia, nitrogen oxides (NO_x) and

selenium oxide fumes.

Protection of Firefighters: Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear a fully protected, impervious suit and self-contained breathing apparatus (SCBA) with a full

face-piece operated in a positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

For Non-emergency Personnel: No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid dust formation and inhalation of dust. Provide adequate ventilation. Wear respiratory protection. Put on appropriate personal protective

equipment.

Date of Issue: 3/8/18 Page 4 of 13 Revision: 1.00

Section 6. Accidental Release Measures

For Emergency Responders: If specialized clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency

personnel".

Environmental Precautions: Do not allow dispersal of spilled material and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods for Containment

Small Spill: Sweep up material without creating dust and place in an

appropriate waste disposal container. Dispose of via a licensed

waste disposal contractor.

Large Spill: Contain and collect spillage without creating dust and place in

dry container for disposal according to local regulations (see

Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions: Product is air and moisture sensitive. Handle under a dry, inert

gas. Avoid contact with skin and eyes. Keep container tightly sealed. Avoid inhalation of dusts. Avoid prolonged exposure. Provide adequate ventilation. Store in cool/dry place in tightly

sealed container.

Protective Measures: Put on appropriate personal protective equipment (see Section

8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dusts. Keep in the original container kept tightly closed when not in use. Empty containers retain product

residue and can be hazardous. Do not reuse container.

General Occupational Hygiene: Eating, drinking and smoking should be prohibited in areas

where this material is handled, stored and processed. Workers

should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective

equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Section 7. Handling and Storage

Safe Storage Conditions:

Product is air and moisture sensitive. Store product under a dry, inert gas. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (oxidizing agents, water/moisture, air) and food and drink. Keep container tightly closed and sealed until ready for use. Store locked up.

Section 8. Exposure Controls/Personal Protection

Introductory Remarks:

These recommendations provide general guidance for handling this product. Because work environments and material handling practices vary, safety procedures should be developed for each intended application. While developing safe handling procedures, do not overlook the need to clean equipment and conduct regular repairs. Waste from these procedures should be handled in accordance with Section 13.

Occupational Exposure Limits

List	Components	CAS-No.	Туре	Value
ACGIH	Carbamimidoselenoic acid	630-10-4	TLV	0.2 mg/m ³ as Se TWA
OSHA	Carbamimidoselenoic acid	630-10-4	PEL	0.2 mg/m ³ as Se TWA
NIOSH	Carbamimidoselenoic acid	630-10-4	IDLH	1.0 mg/m ³ as Se
			IDLH	0.2 mg/m ³ as Se TWA

Engineering Controls:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute. Provide an eyewash/shower station.

Environmental Exposure Controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Remove all soiled and contaminated clothing immediately. Do not inhale dusts. Avoid contact with eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure Controls/Personal Protection

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles, faceshield (8-inch minimum). Refer to 29 CFR 1910.133, ANSI Z87.1, or European Standard EN166.

Skin Protection Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: Chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Neoprene or nitrile rubber.

Other Skin Protection:

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection:

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Section 9. Physical and Chemical Properties

Physical State: Powder.

Color: White to pale gray. No data available. Odor: **Odor Threshold:** No data available. No data available. pH: 210 °C (410 °F). **Melting Point:** 230.9 °C (447.6 °F). **Boiling Point:** 93.5 °C (200.3 °F). **Flash Point:** No data available. **Auto-ignition temperature:** No data available. **Specific Gravity:**

Vapor Pressure: 0.1 mm Hg.

Vapor Density: No data available. Water Solubility: No data available.

Partition Coefficient: -2.63.

Decomposition Temperature: >210 °C (>410 °F).

Section 10. Stability and Reactivity

Reactivity:No specific data available.

Chemical Stability: Stable at normal ambient temperature and pressure and

under recommended storage conditions.

Conditions to Avoid: Air, water/moisture.

Incompatible Materials: Air, water/moisture, strong oxidizing agents.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous

decomposition products should not be produced. Hazardous decomposition products formed under fire conditions: carbon oxides (CO_x), ammonia, nitrogen oxides (NO_x), hydrogen selenide and selenium dioxide

fumes. In the event of a fire: see section 5.

Possibility of Hazardous Reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Section 11. Toxicological Information

Information on Toxicological Effects

Acute Toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Carbamimidoselenoic acid	LD50 Oral	Rat	50 mg/kg	-
	LC50 Dermal	Guinea Pig	>50 mg/kg	

Section 11. Toxicological Information

Irritation/Corrosion

Sensitization

Germ Cell Mutagenicity

Carcinogenity

IARC

ACGIH

NTP

OSHA

Reproductive Toxicity

Teratogenicity

Specific Target Organ Toxicity (single exposure)

Specific Target Organ Toxicity

(repeat exposure)

Aspiration Hazard

Information on the likely routes of exposure

Additional Information

: May cause skin or eye irritation.

: No specific data available.

: No specific data available.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

: No component of this product present at levels greater than 0.1% is identified as probable, possible or

confirmed human carcinogen by ACGIH.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by NTP.

: No component of this product present at levels greater

than 0.1% is identified as probable, possible or

confirmed human carcinogen by OSHA.

: This product is not expected to cause reproductive or

developmental effects.

: No specific data available.

: No specific data available.

: May cause damage to the central nervous system (CNS),

liver and the digestive system through prolonged or repeated exposure. Routes of exposure: ingestion,

inhalation.

: No specific data available.

: No specific data available.

: None

Section 12. Ecological Information

Numerical Measures of Toxicity

Toxicity to Fish

Toxicity to daphnia and other

aquatic invertebrates

Toxicity to algae

Persistence and Degradability

Biodegradability

: No specific data available.

: No specific data available.

No specific data available.

: No specific data available.

Date of Issue: 3/8/18 Page 9 of 13 Revision: 1.00

Section 12. Ecological Information

Bioaccumulative potential

: No specific data available.

Mobility in soil

: No specific data available.

Other Adverse Effects

: Very toxic to aquatic organisms with long lasting effects. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13. Disposal Considerations

Waste Treatment Methods

Product Dispose of in accordance with local, state, and federal

regulations. Refer to 40 CFR 260-299 for complete waste

disposal regulations. Consult your local, state, or federal agency

before disposing of any chemicals.

Contaminated packaging Empty containers retain product residue (solids and dusts) and

can be dangerous.

Section 14. Transport Information

	DOT	IMDG	IATA
UN Number	UN3283	UN3283	UN3283
UN Proper	Selenium compound,	SELENIUM COMPOUND,	Selenium compound,
Shipping Name	solid, n.o.s. (Selenourea)	SOLID, N.O.S.	solid, n.o.s. (Selenourea)
		(Selenourea)	
Transport Hazard	6.1	6.1	6.1
Classes			
Packing Group	II	II	II
Environmental	Yes	Yes	Yes
Hazards			
Additional	-	EMS-No: F-A, S-A	-
Information			

Special Precautions for User

: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transporting in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

Section 15. Regulatory Information

TSCA (Toxic Substance Control Act):

This product is listed on the U.S. Toxic Substances Control Act Chemical Inventory (TSCA Inventory).

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard.

Massachusetts Right To Know Components

	CAS-No.	Revision Date
Selenourea	630-10-4	4/24/1993
Pennsylvania Right To Know Components		
	CAS-No.	Revision Date
Selenourea	630-10-4	4/24/1993
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Selenourea	630-10-4	4/24/1993

California Proposition 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Section 16. Other Information

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269.

Date of Issue: 3/8/18 Page 11 of 13 Revision: 1.00

Section 16. Other Information

This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals.

The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

HMIS Rating



History

Date of printing : 3/8/18

Date of issue/Date of Revision : 3/8/18

Date of previous issue : None

References: None available

Abbreviations and Acronyms

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DOT: US Department of Transportation

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

IMDG: International Maritime Code for Dangerous Goods

NFPA: National Fire Protection Association

NIOSH: National Institute of Occupational Safety and Health NIOSH IDLH: Immediately Dangerous to Life or Health

NTP: National Toxicology Program

OSHA: Occupational Safety and Health Administration SARA: Superfund Amendments and Reauthorization Act

VOC: Volatile Organic Compound

Disclaimer

The information herein is believed to be accurate and is presented in good faith; however, no warranties or representations are made by Ereztech LLC regarding the accuracy or completeness of the information. Ereztech LLC shall not be liable for any damages resulting from the handling, or from the contact with the above product.

Section 16. Other Information

Disclaimer (cont.)

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.