SAFETY DATA SHEET

Version 6.0 Revision Date 08/07/2018 Print Date 09/20/2019

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Toluene-α-<SP>13</>C

Product Number : 487082 Brand : Aldrich

CAS-No. : 6933-23-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103 UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Eye irritation (Category 2A), H319

Acute aquatic toxicity (Category 2), H401

Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Aldrich- 487082 Page 1 of 9

Hazard statement(s) H225 Highly flammable liquid and vapour. Causes skin irritation. H315 H319 Causes serious eye irritation. H332 Harmful if inhaled. H411 Toxic to aquatic life with long lasting effects. Precautionary statement(s) Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210 P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. Use only non-sparking tools. P242 P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. P303 + P361 + P353 Rinse skin with water/shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/ attention. P337 + P313 P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. P391 Collect spillage. P403 + P235 Store in a well-ventilated place. Keep cool.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

P501

Synonyms : Methyl-<SP>13</>C-benzene

Formula : 13_{CC6}H₈

Molecular weight : 93.13 g/mol
CAS-No. : 6933-23-9

Hazardous components

Component	Classification	Concentration
Toluene-α-13C		
	Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2A; Aquatic Acute 2; Aquatic Chronic 2; H225, H315, H319, H332, H411	<= 100 %

Dispose of contents/ container to an approved waste disposal plant.

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich- 487082 Page 2 of 9

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

Aldrich- 487082 Page 3 of 9

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Components with	workplace con	troi paramet	ers			
Component	CAS-No.	Value	Control parameters	Basis		
Toluene-α-13C	6933-23-9	TWA	20 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Visual impa	airment			
		Female rep	oroductive			
		Pregnancy	Pregnancy loss			
		Substances	Substances for which there is a Biological Exposure Index or Indices			
		(see BEI® section)				
		Not classifi	carcinogen			
		TWA	100 ppm	USA. NIOSH Recommended		
			375 mg/m3	Exposure Limits		
		ST	150 ppm	USA. NIOSH Recommended		
			560 mg/m3	Exposure Limits		
		See Table				
		TWA	200 ppm	USA. Occupational Exposure Limits		
				(OSHA) - Table Z-2		
		Z37.12-1967				
		CEIL	300 ppm	USA. Occupational Exposure Limits		
				(OSHA) - Table Z-2		
		Z37.12-1967				
		Peak	500 ppm	USA. Occupational Exposure Limits		
				(OSHA) - Table Z-2		
		Z37.12-196	67			
		PEL	10 ppm	California permissible exposure		
			37 mg/m3	limits for chemical contaminants		
				(Title 8, Article 107)		
	Skin			, , , ,		
		С	500 ppm	California permissible exposure		
				limits for chemical contaminants		
				(Title 8, Article 107)		
		Skin	·	, , , , , , , , , , , , , , , , , , , ,		
		STEL	150 ppm	California permissible exposure		
			560 mg/m3	limits for chemical contaminants		
				(Title 8, Article 107)		
		Skin	L			
L		1				

Biological occupational exposure limits

biological occupational exposure limits					
Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Toluene-α-13C	6933-23-9	Toluene	0.02 mg/l	In blood	ACGIH - Biological Exposure Indices (BEI)
	Remarks	Prior to last shift of workweek			
		Toluene	0.03 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
		End of shift (As soon as possible after exposure ceases)			

Aldrich-487082 Page 4 of 9

o-Cresol	0.3mg/g Creatinine		ACGIH - Biological Exposure Indices (BEI)
End of shift (A	End of shift (As soon as possible after exposure ceases)		

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquidb) Odour No data available

c) Odour Threshold No data availabled) pH No data available

e) Melting point/freezing Melting point/range: -93 °C (-135 °F) - lit.

f) Initial boiling point and 110 °C (230 °F) - lit. boiling range

g) Flash point 4 °C (39 °F)
h) Evaporation rate No data available
i) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 7 %(V) Lower explosion limit: 1.2 %(V)

explosive limits

k) Vapour pressure 29.1 hPa at 20.0 $^{\circ}$ C (68.0 $^{\circ}$ F)

I) Vapour density No data available

m) Relative density 0.874 g/mL at 25 °C (77 °F)

n) Water solubilityNo data availableo) Partition coefficient: n-No data available

octanol/water

Aldrich- 487082 Page 5 of 9

p) Auto-ignition 535.0 °C (995.0 °F) temperature

q) Decomposition N
 temperature

No data available

r) Viscosity No data available
 s) Explosive properties No data available
 t) Oxidizing properties No data available

9.2 Other safety information

No data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 5,580 mg/kg

LC50 Inhalation - Rat - 4 h - 12,500 - 28,800 mg/m3

LD50 Dermal - Rabbit - 12,196 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit

Result: Skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Severe eye irritation - 24 h

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's

Aldrich- 487082 Page 6 of 9

list of regulated carcinogens.

Reproductive toxicity

Damage to fetus possible

Experiments have shown reproductive toxicity effects in male and female laboratory animals.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Lung irritation, chest pain, pulmonary edema, Inhalation studies on toluene have demonstrated the development of inflammatory and ulcerous lesions of the penis, prepuce, and scrotum in animals.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Lepomis macrochirus (Bluegill) - 74.00 - 340.00 mg/l - 96 h(Toluene-α-

13C)

LC50 - Oncorhynchus mykiss (rainbow trout) - 7.63 mg/l $\,$ - 96 h(Toluene- α -13C)

NOEC - Pimephales promelas (fathead minnow) - 5.44 mg/l $\,$ - 7 d(Toluene- α -

13C)

LOEC - Pimephales promelas (fathead minnow) - 8.04 mg/l - 7 d(Toluene-α-

13C)

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 8.00 mg/l $\,$ - 24 h(Toluene- α -13C)

Immobilization EC50 - Daphnia magna (Water flea) - 6 mg/l - 48 h(Toluene-α-

13C)

Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 245.00 mg/l - 24 h(Toluene-α-

13C)

EC50 - Pseudokirchneriella subcapitata (green algae) - 10.00 mg/l - 24

 $h(Toluene-\alpha-13C)$

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Bioaccumulation Leuciscus idus (Golden orfe) - 3 d

- 0.05 mg/l(Toluene- α -13C)

Bioconcentration factor (BCF): 94

12.4 Mobility in soil

No data available(Toluene-α-13C)

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1294 Class: 3 Packing group: II

Proper shipping name: Toluene

Reportable Quantity (RQ) : 1000 lbs

Poison Inhalation Hazard: No

IMDG

UN number: 1294 Class: 3 Packing group: II EMS-No: F-E, S-D

Proper shipping name: TOLUENE

IATA

UN number: 1294 Class: 3 Packing group: II

Proper shipping name: Toluene

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date
Toluene-α-13C 6933-23-9 2007-07-01

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No.Revision DateToluene-α-13C6933-23-92007-07-01

Pennsylvania Right To Know Components

 CAS-No.
 Revision Date

 Toluene-α-13C
 6933-23-9
 2007-07-01

New Jersey Right To Know Components

 CAS-No.
 Revision Date

 Toluene-α-13C
 6933-23-9
 2007-07-01

California Prop. 65 Components

WARNING: This product contains a chemical known to the CAS-No. Revision Date State of California to cause birth defects or other reproductive 6933-23-9 2009-02-01

harm.

Aldrich- 487082 Page 8 of 9

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H401	Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Further information

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 6.0 Revision Date: 08/07/2018 Print Date: 09/20/2019

Aldrich- 487082 Page 9 of 9