

1 Identification

Product identifier

Product name: Aluminum cobalt isopropoxide, 10% w/v in isopropanol

Stock number: 36593

CAS Number:

70504-56-2

Relevant identified uses of the substance or mixture and uses advised against.

Identified use: SU24 Scientific research and development

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

Information Department: Health, Safety and Environmental Department

Emergency telephone number:

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2 Hazard(s) identification

Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Hazards not otherwise classified No information known.

Label elements

GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

Hazard pictograms



GHS02 GHS07 GHS08

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

WHMIS classification

B2 - Flammable liquid

D2B - Toxic material causing other toxic effects



Classification system

HMIS ratings (scale 0-4)

(Hazardous Materials Identification System)

HEALTH 1 Health (acute effects) = 1

FIRE 2 Flammability = 2

REACTIVITY 1 Physical Hazard = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Product name: Aluminum cobalt isopropoxide, 10% w/v inisopropanol

(Contd. of page 1)

3 Composition/information on ingredients

Chemical characterization: Substances
CAS# Description:
70504-56-2 Aluminum cobalt isopropoxide, 10% w/v inisopropanol

4 First-aid measures

Description of first aid measures
After inhalation
Supply fresh air. If required, provide artificial respiration. Keep patient warm.
Seek immediate medical advice.
After skin contact
Immediately wash with water and soap and rinse thoroughly.
Seek immediate medical advice.
After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
After swallowing Seek medical treatment.
Information for doctor
Most important symptoms and effects, both acute and delayed No further relevant information available.
Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
Special hazards arising from the substance or mixture
If this product is involved in a fire, the following can be released:
Carbon monoxide and carbon dioxide
Toxic metal oxide fume
Advice for firefighters
Protective equipment:
Wear self-contained respirator.
Wear fully protective impervious suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation
Keep away from ignition sources
Environmental precautions: Do not allow material to be released to the environment without proper governmental permits.
Methods and material for containment and cleaning up:
Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to section 13.
Ensure adequate ventilation.
Prevention of secondary hazards: Keep away from ignition sources.
Reference to other sections
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

Handling
Precautions for safe handling
Handle under dry protective gas.
Keep container tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation at the workplace.
Information about protection against explosions and fires:
Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Keep ignition sources away.
Conditions for safe storage, including any incompatibilities
Storage
Requirements to be met by storerooms and receptacles: Store in a cool location.
Information about storage in one common storage facility:
Store away from oxidizing agents.
Store away from water/moisture.
Further information about storage conditions:
Store under dry inert gas.
This product is moisture sensitive.
Keep container tightly sealed.
Store in cool, dry conditions in well sealed containers.
Protect from humidity and water.
Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems:
Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.
Control parameters
Components with limit values that require monitoring at the workplace:

Cobalt, elemental & inorganic compounds, as Co
mg/m3
ACGIH TLV 0.02; Confirmed animal carcinogen
Austria Carcinogen
Belgium TWA 0.05
Denmark TWA 0.05
Finland TWA 0.05 (skin)
Germany Carcinogen
Hungary TWA 0.1; 0.2-STEL
Japan OEL 0.05; 2B Carcinogen
Korea TLV 0.02; Confirmed animal carcinogen

(Contd. on page 3)
USA

Product name: Aluminum cobalt isopropoxide, 10% w/v inisopropanol

(Contd. of page 2)

Ireland TWA 0.1
Netherlands MAC-TGG 0.05
Norway TWA 0.05
Poland TWA 0.05; 0.2-STEL
Russia 0.5-STEL
Sweden NGV 0.05
Switzerland MAK-W 0.1; Carcinogen
United Kingdom TWA 0.1
USA PEL 0.1 (dust and fume)

Isopropyl alcohol (2-Propanol)
ppm
ACGIH TLV 400; 500-STEL
Austria MAK 400
Belgium TWA 400; 500-STEL
Denmark TWA 200
France VLE 400
Germany MAK 400
Ireland TWA 400; 500-STEL (skin)
Japan TWA 400-STEL
Korea TWA 400; 500-STEL
Netherlands MAC-TGG 400 (skin)
Norway TWA 100
Poland TWA 900; 1200-STEL
Russia TWA 400-STEL
Sweden NGV 150; 250-STEL
Switzerland MAK-W 400
United Kingdom TWA 400; 500-STEL
OSHA PEL 400

Additional information: No data

Exposure controls

Personal protective equipment

General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Remove all soiled and contaminated clothing immediately.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Maintain an ergonomically appropriate working environment.

Breathing equipment: Use suitable respirator when high concentrations are present.

Protection of hands:

Impervious gloves

Check protective gloves prior to each use for their proper condition.

The selection of suitable gloves not only depends on the material, but also on quality. Quality will vary from manufacturer to manufacturer.

Eye protection: Safety glasses

Body protection: Protective work clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Solution
Color: Violet
Odor: Alcohol-like
Odor threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: 12 °C (54 °F) (i-PrOH)
Flammability (solid, gaseous): Not applicable.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Auto igniting: Not determined.

Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures is possible.

Explosion limits:
Lower: Not determined
Upper: Not determined
Vapor pressure: Not determined
Density: Not determined
Relative density: Not determined.
Vapor density: Not determined.
Evaporation rate: Not determined.

Solubility in / Miscibility with
Water: Hydrolyzes
Partition coefficient (n-octanol/water): Not determined.

Viscosity:
dynamic: Not determined.
kinematic: Not determined.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No information known.







Chemical stability Stable under recommended storage conditions.

Thermal decomposition / conditions to be avoided: Decomposition will not occur if used and stored according to specifications.

Possibility of hazardous reactions No dangerous reactions known

Conditions to avoid No further relevant information available.

(Contd. on page 4)
USA

| | | | | | | | | | | | | | | | | | | | | | |
|--|--|--------|--|--|-----------------------------------|--|--|--|--|--|--|--|----------------|---------------------------|----------------------------------|----|------------------------|-----------------|------------------------------|----------------------------|--|
| Product name: Aluminum cobalt isopropoxide, 10% w/v inisopropanol | | | | | | | | | | | | | | | | | | | | | |
| <div>Incompatible materials: Oxidizing agents Water/moisture Hazardous decomposition products: Carbon monoxide and carbon dioxide Toxic metal oxide fume</div> | (Contd. of page 3) | | | | | | | | | | | | | | | | | | | | |
| <div>11 Toxicological information</div> <div>Information on toxicological effects Acute toxicity: No effects known. LD/LC50 values that are relevant for classification: No data Skin irritation or corrosion: Causes skin irritation. Eye irritation or corrosion: Causes serious eye irritation. Sensitization: No sensitizing effects known. Germ cell mutagenicity: Suspected of causing genetic defects. Carcinogenicity: IARC-2B: Possibly carcinogenic to humans: limited evidence in humans in the absence of sufficient evidence in experimental animals. ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans. Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure. Reproductive toxicity: No effects known. Specific target organ system toxicity - repeated exposure: No effects known. Specific target organ system toxicity - single exposure: May cause drowsiness or dizziness. May cause respiratory irritation. Aspiration hazard: No effects known. Subacute to chronic toxicity: Aluminum may be implicated in Alzheimers disease. Inhalation of aluminum containing dusts may cause pulmonary disease. Cobalt is an experimental neoplastigen and tumorigen. It is an experimental carcinogen of the connective tissue and lungs. Cobalt metal and inorganic compounds are classified as an animal carcinogen by the ACGIH. Ingestion may cause burning in the mouth, esophagus, and stomach. Inhalation of ducts and fumes may cause irritation of the respiratory tract and labored breathing and coughing. Sensitization, nausea, flushing of the face and ringing in the ears is also possible. Chronic ingestion may result in pericardial effusion, polycardial effusion, polycythemia, cardiac failure, vomiting, convulsions and thyroid enlargement. 2-Propanol (isopropyl alcohol) may act as a local irritant and in high concentrations as a narcotic with symptoms such as headache, nausea, dizziness, vomiting, mental depression, anesthesia, and coma. Similar symptoms may be caused by ingestion. It can cause corneal burns on contact with the eyes and has caused teratogenic, mutagenic and reproductive effects in laboratory animals. Subacute to chronic toxicity: No effects known. Additional toxicological information: To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.</div> | | | | | | | | | | | | | | | | | | | | | |
| <div>12 Ecological information</div> <div>Toxicity Aquatic toxicity: No further relevant information available. Persistence and degradability No further relevant information available. Bioaccumulative potential No further relevant information available. Mobility in soil No further relevant information available. Additional ecological information: General notes: Do not allow material to be released to the environment without proper governmental permits. Do not allow undiluted product or large quantities to reach ground water, water course or sewage system. Avoid transfer into the environment. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.</div> | | | | | | | | | | | | | | | | | | | | | |
| <div>13 Disposal considerations</div> <div>Waste treatment methods Recommendation Consult state, local or national regulations to ensure proper disposal. Uncleaned packagings: Recommendation: Disposal must be made according to official regulations.</div> | | | | | | | | | | | | | | | | | | | | | |
| <div>14 Transport information</div> <table><tr><td>UN-Number DOT, IMDG, IATA</td><td>UN1219</td></tr><tr><td>UN proper shipping name DOT IMDG, IATA</td><td>Isopropanol (Isopropyl alcohol) ISOPROPANOL (ISOPROPYL ALCOHOL)</td></tr><tr><td>Transport hazard class(es) DOT</td><td></td></tr><tr><td></td><td></td></tr><tr><td>Class Label Class Label IMDG, IATA</td><td>3 Flammable liquids. 3 3 (F1) Flammable liquids 3</td></tr><tr><td></td><td></td></tr><tr><td>Class Label</td><td>3 Flammable liquids. 3</td></tr><tr><td>Packing group DOT, IMDG, IATA</td><td>II</td></tr><tr><td>Environmental hazards:</td><td>Not applicable.</td></tr><tr><td>Special precautions for user</td><td>Warning: Flammable liquids</td></tr></table> | UN-Number DOT, IMDG, IATA | UN1219 | UN proper shipping name DOT IMDG, IATA | Isopropanol (Isopropyl alcohol) ISOPROPANOL (ISOPROPYL ALCOHOL) | Transport hazard class(es) DOT | |  | | Class Label Class Label IMDG, IATA | 3 Flammable liquids. 3 3 (F1) Flammable liquids 3 |  | | Class Label | 3 Flammable liquids. 3 | Packing group DOT, IMDG, IATA | II | Environmental hazards: | Not applicable. | Special precautions for user | Warning: Flammable liquids | |
| UN-Number DOT, IMDG, IATA | UN1219 | | | | | | | | | | | | | | | | | | | | |
| UN proper shipping name DOT IMDG, IATA | Isopropanol (Isopropyl alcohol) ISOPROPANOL (ISOPROPYL ALCOHOL) | | | | | | | | | | | | | | | | | | | | |
| Transport hazard class(es) DOT | | | | | | | | | | | | | | | | | | | | | |
|  | | | | | | | | | | | | | | | | | | | | | |
| Class Label Class Label IMDG, IATA | 3 Flammable liquids. 3 3 (F1) Flammable liquids 3 | | | | | | | | | | | | | | | | | | | | |
|  | | | | | | | | | | | | | | | | | | | | | |
| Class Label | 3 Flammable liquids. 3 | | | | | | | | | | | | | | | | | | | | |
| Packing group DOT, IMDG, IATA | II | | | | | | | | | | | | | | | | | | | | |
| Environmental hazards: | Not applicable. | | | | | | | | | | | | | | | | | | | | |
| Special precautions for user | Warning: Flammable liquids | | | | | | | | | | | | | | | | | | | | |
| (Contd. on page 5) USA | | | | | | | | | | | | | | | | | | | | | |

| | |
|--|--|
| Product name: Aluminum cobalt isopropoxide, 10% w/v inisopropanol | |
| (Contd. of page 4) | |
| EMS Number: | F-E,S-D |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. | |
| Transport/Additional information: | |
| DOT | |
| Marine Pollutant (DOT): | No |
| UN "Model Regulation": | UN1219, Isopropanol (Isopropyl alcohol), 3, II |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture
GHS label elements The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)
Hazard pictograms



GHS02 GHS07 GHS08

Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

National regulations

This product is not listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical Substance Inventory. Use of this product is restricted to research and development only. This product must be used by or directly under the supervision of a technically qualified individual as defined by TSCA. This product must not be used for commercial purposes or in formulations for commercial purposes.

SARA Section 313 (specific toxic chemical listings)

70504-56-2 Aluminum cobalt isopropoxide, 10% w/v inisopropanol

California Proposition 65

Prop 65 - Chemicals known to cause cancer Substance is not listed.

Prop 65 - Developmental toxicity Substance is not listed.

Prop 65 - Developmental toxicity, female Substance is not listed.

Prop 65 - Developmental toxicity, male Substance is not listed.

Information about limitation of use:

For use only by technically qualified individuals.

This product contains cobalt and is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

Other regulations, limitations and prohibitive regulations

Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006. Substance is not listed.

The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.

Substance is not listed.

Annex XIV of the REACH Regulations (requiring Authorisation for use) Substance is not listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing SDS: Global Marketing Department

Date of preparation / last revision 11/24/2015 / -

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)