

## 1 Identification

### Product identifier

**Product name:** Thallium rod

**Stock number:** 00888

**CAS Number:**

7440-28-0

**EC number:**

231-138-1

**Index number:**

081-001-00-3

**Relevant identified uses of the substance or mixture and uses advised against.**

**Identified use:** SU24 Scientific research and development

### Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Alfa Aesar

Thermo Fisher Scientific Chemicals, Inc.

30 Bond Street

Ward Hill, MA 01835-8099

Tel: 800-343-0660

Fax: 800-322-4757

Email: tech@alfa.com

www.alfa.com

**Information Department:** Health, Safety and Environmental Department

**Emergency telephone number:**

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

## 2 Hazard(s) identification

### Classification of the substance or mixture in accordance with 29 CFR 1910 (OSHA HCS)



GHS06 Skull and crossbones

Acute Tox. 2 H300 Fatal if swallowed.

Acute Tox. 2 H330 Fatal if inhaled.



GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

**Hazards not otherwise classified** No information known.

### Label elements

**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)

### Hazard pictograms



GHS06 GHS08

### Signal word

**Danger**

### Hazard statements

H300+H330 Fatal if swallowed or if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

### Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...

P320 Specific treatment is urgent (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### WHMIS classification

D1A - Very toxic material causing immediate and serious toxic effects



### Classification system

**HMIS ratings (Scale 0-4)**

(Hazardous Materials Identification System)

HEALTH 1 Health (acute effects) = 1

FIRE 0 Flammability = 0

REACTIVITY 0 Physical Hazard = 0

### Other hazards

**Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

## 3 Composition/information on ingredients

### Chemical characterization: Substances

**CAS# Description:**

7440-28-0 Thallium

**Identification number(s):**

**EC number:** 231-138-1

**Index number:** 081-001-00-3

Product name: **Thallium rod**

(Contd. of page 1)

#### 4 First-aid measures

##### Description of first aid measures

##### General information

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing has been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

No special measures required.

**After inhalation** Seek medical treatment in case of complaints.

**After skin contact** Generally the product does not irritate the skin.

**After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**After swallowing** Do not induce vomiting; immediately call for medical help.

##### Information for doctor

**Most important symptoms and effects, both acute and delayed** No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### 5 Fire-fighting measures

##### Extinguishing media

**Suitable extinguishing agents** Special powder for metal fires. Do not use water.

**For safety reasons unsuitable extinguishing agents** Water

##### Special hazards arising from the substance or mixture

If this product is involved in a fire, the following can be released:

Toxic metal oxide fume

##### Advice for firefighters

**Protective equipment:** No special measures required.

#### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Not required.

**Environmental precautions:** Do not allow material to be released to the environment without proper governmental permits.

##### Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**Prevention of secondary hazards:** No special measures required.

##### Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

##### Handling

##### Precautions for safe handling

Keep container tightly sealed.

Store in cool, dry place in tightly closed containers.

Ensure good ventilation at the workplace.

Open and handle container with care.

**Information about protection against explosions and fires:** No special measures required.

##### Conditions for safe storage, including any incompatibilities

##### Storage

**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Do not store together with oxidizing and acidic materials.

##### Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

**Specific end use(s)** No further relevant information available.

#### 8 Exposure controls/personal protection

**Additional information about design of technical systems:** No further data; see section 7.

##### Control parameters

##### Components with limit values that require monitoring at the workplace:

##### 7440-28-0 Thallium (100.0%)

PEL (USA) Long-term value: 0.1 mg/m<sup>3</sup>  
as Tl; Skin

REL (USA) Long-term value: 0.1 mg/m<sup>3</sup>  
as Tl; Skin

TLV (USA) Long-term value: 0.02\* mg/m<sup>3</sup>  
as Tl; \*inhalable fraction; Skin

EL (Canada) Long-term value: 0.1 mg/m<sup>3</sup>  
as Tl; Skin

EV (Canada) Long-term value: 0.1 mg/m<sup>3</sup>  
watersoluble compounds, Skin

**Additional information:** No data

##### Exposure controls

##### Personal protective equipment

##### General protective and hygienic measures

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

Maintain an ergonomically appropriate working environment.

##### Breathing equipment:

Not required.

Use self-contained respiratory protective device in emergency situations.

**Protection of hands:** Not required.

**Penetration time of glove material (in minutes)** Not determined

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing.

Product name: **Thallium rod**

(Contd. of page 2)

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

**Form:** Solid in various forms  
**Color:** Not determined  
**Odor:** Odorless  
**Odor threshold:** Not determined.

**pH-value:** Not applicable.

#### Change in condition

**Melting point/Melting range:** 303.5 °C (578 °F)  
**Boiling point/Boiling range:** 1457 °C (2655 °F)  
**Sublimation temperature / start:** Not determined  
**Flammability (solid, gaseous):** Not determined.  
**Ignition temperature:** Not determined  
**Decomposition temperature:** Not determined  
**Auto igniting:** Not determined.

**Danger of explosion:** Not determined.

#### Explosion limits:

**Lower:** Not determined  
**Upper:** Not determined  
**Vapor pressure at 473 °C (883 °F):** 0.13 hPa  
**Density at 20 °C (68 °F):** 11.85 g/cm<sup>3</sup> (98.888 lbs/gal)  
**Relative density:** Not determined.  
**Vapor density:** Not applicable.  
**Evaporation rate:** Not applicable.  
**Solubility in / Miscibility with Water:** Not determined  
**Partition coefficient (n-octanol/water):** Not determined.  
**Viscosity:**  
**dynamic:** Not applicable.  
**kinematic:** Not applicable.  
**Other information:** No further relevant information available.

## 10 Stability and reactivity

**Reactivity:** No information known.

**Chemical stability:** Stable under recommended storage conditions.

**Thermal decomposition / conditions to be avoided:** Decomposition will not occur if used and stored according to specifications.

**Possibility of hazardous reactions:** No dangerous reactions known

**Conditions to avoid:** No further relevant information available.

**Incompatible materials:** Oxidizing agents

**Hazardous decomposition products:** Toxic metal oxide fume

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

Fatal if inhaled.

Fatal if swallowed.

The Registry of Toxic Effects of Chemical Substances (RTECS) contains acute toxicity data for components in this product.

**LD/LC50 values that are relevant for classification:** No data

**Skin irritation or corrosion:** Powder: irritant effect

**Eye irritation or corrosion:** Powder: irritant effect

**Sensitization:** No sensitizing effects known.

**Germ cell mutagenicity:** No effects known.

**Carcinogenicity:** EPA-I: Data are inadequate for an assessment of human carcinogenic potential.

**Reproductive toxicity:** No effects known.

**Specific target organ system toxicity - repeated exposure:** May cause damage to organs through prolonged or repeated exposure.

**Specific target organ system toxicity - single exposure:** No effects known.

**Aspiration hazard:** No effects known.

**Subacute to chronic toxicity:** The Registry of Toxic Effects of Chemical Substances (RTECS) contains multiple dose toxicity data for this substance.

**Additional toxicological information:** To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

## 12 Ecological information

### Toxicity

**Aquatic toxicity:** No further relevant information available.

**Persistence and degradability:** No further relevant information available.

**Bioaccumulative potential:** No further relevant information available.

**Mobility in soil:** No further relevant information available.

#### Additional ecological information:

##### General notes:

Do not allow material to be released to the environment without proper governmental permits.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

May cause long lasting harmful effects to aquatic life.

Avoid transfer into the environment.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

### Waste treatment methods

**Recommendation:** Consult state, local or national regulations to ensure proper disposal.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

Product name: **Thallium rod**

(Contd. of page 3)

**14 Transport information**

<b>UN-Number</b> DOT, ADN, IMDG, IATA	Not applicable
<b>UN proper shipping name</b> DOT, ADN, IMDG, IATA	Not applicable
<b>Transport hazard class(es)</b> DOT, ADR, ADN, IMDG, IATA Class	Not applicable
<b>Packing group</b> DOT, IMDG, IATA	Not applicable
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b>	Not applicable.
<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
<b>Transport/Additional information:</b>	
DOT Marine Pollutant (DOT):	No
<b>UN "Model Regulation":</b>	-

**15 Regulatory information**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**GHS label elements** The product is classified and labeled in accordance with 29 CFR 1910 (OSHA HCS)  
**Hazard pictograms**



GHS06 GHS08

**Signal word** Danger**Hazard statements**

H300+H330 Fatal if swallowed or if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P284 [In case of inadequate ventilation] wear respiratory protection.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/...  
P320 Specific treatment is urgent (see on this label).  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**National regulations**

All components of this product are listed in the U.S. Environmental Protection Agency Toxic Substances Control Act Chemical substance Inventory.  
All components of this product are listed on the Canadian Domestic Substances List (DSL).

**SARA Section 313 (specific toxic chemical listings)**

7440-28-0 Thallium

**California Proposition 65****Prop 65 - Chemicals known to cause cancer** Substance is not listed.**Prop 65 - Developmental toxicity** Substance is not listed.**Prop 65 - Developmental toxicity, female** Substance is not listed.**Prop 65 - Developmental toxicity, male** Substance is not listed.**Information about limitation of use:**

For use only by technically qualified individuals.

This product is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and 40CFR372.

**Other regulations, limitations and prohibitive regulations****Substance of Very High Concern (SVHC) according to the REACH Regulations (EC) No. 1907/2006.** Substance is not listed.**The conditions of restrictions according to Article 67 and Annex XVII of the Regulation (EC) No 1907/2006 (REACH) for the manufacturing, placing on the market and use must be observed.**

Substance is not listed.

**Annex XIV of the REACH Regulations (requiring Authorisation for use)** Substance is not listed.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

**Department issuing SDS:** Global Marketing Department**Date of preparation / last revision** 11/24/2015 / -**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

ACGIH: American Conference of Governmental Industrial Hygienists (USA)

OSHA: Occupational Safety and Health Administration (USA)

NTP: National Toxicology Program (USA)

IARC: International Agency for Research on Cancer

EPA: Environmental Protection Agency (USA)